

# **HISTAMINE DIHYDROCHLORIDE- histamine dihydrochloride cream**

## **USA Hemp Store LLC**

-----

### **Broadway Joe's Pain Cream - 2 oz**

#### **Broadway Joe's Pain Cream**

Histamine dihydrochloride

#### **Braodway Joe's Pain Cream**

Water, Glyceryl Stearate, Caprylic/Capric, Triglyceride, Cetyl Alcohol, Butylene Glycol, Cannabidiol, Cetearyl 2- thylhexanoate, Sodium Hyaluronate, Glycerin, Tapioca Starch, Polymethylsilsesquioxane, Stearic Acid, Cannabis Sativa (Hemp) Seed Oil, 3-glyceryl Ascorbate (Vitamin C), Isonononyl Isononanoate, Tocopheryl Acetate (Vitamin E), Dimethicone, Polysorbate 80, Carbomer, Sodium Hydroxide, Caprylyl Glycol, Phenoxyethanol, Hexylene Glycol

#### **Broadway Joe's Pain Cream**

- For use by adults and children over 13 yrs old.
- Gently massage the product on to clean dry skin as needed.
- For topical use only, do not ingest.
- Provides temporary relief from aches and pains associated with simple backaches, strains, sprains, arthritis, bruises.
- Apply a thin layer to pain site and massage until thoroughly absorbed into skin.

#### **Broadway Joe's Pain Cream**

Topical Analgesic

#### **Broadway Joe's Pain Cream**

Store between 40 degrees F and 86 degrees F (4 degrees C and 30 degrees C).

#### **Broadway Joe's Pain Cream**

**Warnings** · For external use only.

Do not use on open wounds or damaged skin or with a heating pad.

**When using this product** · avoid contact with eyes or mucous membranes. If product contacts your eyes, rinse thoroughly with water. Do not bandage tightly. · Do not use with other ointments, creams, or sprays.

**Stop use and ask a doctor if** you experience redness or excessive skin irritation

over the affected area. · If the condition worsens, or symptoms persist for more than 7 days please consult a Dr.

**Keep out of reach of children.** If swallowed, seek medical help, or contact a Poison Control Center immediately.

**If pregnant or breast feeding,** ask a health professional before use.

## Broadway Joe's Pain Cream

Stop use and ask a doctor if you experience redness or excessive skin irritation over the affected area. · If the condition worsens, or symptoms persist for more than 7 days, please consult a Dr.

## Broadway Joe's Pain Cream

Topical Analgesic

## Broadway Joe's - 2oz

Keep out of reach of children. If swallowed, seek medical help or contact a poison control center immediately.

## Broadway Joe's Pain Cream

<b>Drug Facts</b>	<b>Active Ingredient</b> Histamine Dihydrochloride 0.025%, Topical Analgesic	<b>Purpose</b> Topical Analgesic
<b>Uses</b>	For temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, bruises, and sprains.	
<b>Warnings</b>	For external use only. Do not use on open wounds or damaged skin or with a heating pad. <b>When using this product</b> , avoid contact with eyes or mucous membranes. If product contacts your eyes, rinse thoroughly with water. Do not bandage tightly. Do not use with other ointments, creams, or sprays. <b>Stop use and ask a doctor</b> , if you experience redness or excessive skin irritation over the affected area. If condition worsens, symptoms persist for more than 7 days, please consult a Dr.	
<b>Keep out of reach of children.</b>	If swallowed, seek medical help, or contact a Poison Control Center immediately.	
<b>If pregnant or breast feeding,</b>	ask a health professional before use.	
<b>Directions</b>	For use by adults and children over 12 years old. Gently massage the product on to clean dry skin as needed. For topical use only, do not ingest. Provides temporary relief from aches and pains associated with simple backaches, strains, sprains, arthritis, bruises, and sprains. Apply a thin layer to pain site and massage until thoroughly absorbed into skin.	
<b>Other information</b>	Store between 40 degrees F and 86 degrees F (4 degrees C and 30 degrees C).	
<b>Other Ingredients</b>	Water, Glyceryl Stearate, Caprylic/Capric Triglyceride, Cetyl Alcohol, Butylene Glycol, Cantharidinol, Cetearyl 2-Ethylhexanoate, Sodium Hyaluronate, Glycerin, Tapioca Starch, Polymethylsiloxane, Stearic Acid, Camabis Sativa (Hemp) Seed Oil, 3-glycerol Ascorbate (Vitamin C), Isotononyl Isotononate, Tocopheryl Acetate (Vitamin E), Dimethicone, Polysorbate 80, Carboxymethyl Cellullose, Sodium Hydroxide, Propyl Glycol, Phenylethanol, Hexylene Glycol.	

1881 General George Patton Drive  
Suite 1017, Franklin, TN 37067  
1(844) 305-1212 BroadwayJoes.com

NDC 83088-8120-2

**BROADWAY JOE'S**  
**Pain Cream**  
FAST ACTING RELIEF

FRAGRANCE FREE · THC FREE  
NET WT 2 OZ (59.15 mL)

**1500mg CBD ISOLATE  
1000mg HEMPSEED OIL**

**Uses** for temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, bruises, and sprains.

**Directions**

- For use by adults and children over 12 years old.
- Gently massage the product on to clean dry skin as needed. For topical use only, do not ingest.
- Apply a thin layer to pain site and massage until thoroughly absorbed into the skin.

**Warnings** For external use only. Do not use on open wounds or damaged skin or with a heating pad.

**Third-party Lab Tested**



SCAN FOR COA



Produced for Broadway Joe's  
Franklin, TN (844) 305-1212  
BroadwayJoes.com

PEEL BACK



## HISTAMINE DIHYDROCHLORIDE

histamine dihydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83088-8120
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE -	HISTAMINE	0.00025 g

UNII:820484N8I3)

DIHYDROCHLORIDE

in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>DIMETHICONE 350</b> (UNII: 2Y53S6ATLU)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>CANNABIDIOL</b> (UNII: 19GBJ60SN5)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>3-GLYCERYL ASCORBATE</b> (UNII: 3R1Q5X5GGO)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>CAPRYLIC/CAPRIC ACID</b> (UNII: DI775RT244)	
<b>ETHYL ACRYLATE/METHACRYLIC ACID/STEARETH-20 METHACRYLATE COPOLYMER</b> (UNII: EPA1872R1N)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL DICAPRATE</b> (UNII: 3Z317CA098)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>TOCOPHERYL RETINOATE</b> (UNII: 0WN694NBMM)	
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
<b>CANNABIS SATIVA SEED OIL</b> (UNII: 69VJ1LPN1S)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

**Product Characteristics**

<b>Color</b>	white (Cream)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83088-8120-5	59 mL in 1 JAR; Type 0: Not a Combination Product	10/31/2022	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/03/2022	

---

**Labeler** - USA Hemp Store LLC (036959608)

**Registrant** - Lexia LLC (050186540)

**Establishment**

Name	Address	ID/FEI	Business Operations
Lexia LLC		015552120	manufacture(83088-8120)

Revised: 10/2023

USA Hemp Store LLC