

GOOD SENSE SLEEP AID- doxylamine succinate tablet
L. Perrigo Company

Perrigo Sleep Aid Tablets Drug Facts

Active ingredient (in each tablet)

Doxylamine succinate 25 mg

Purpose

Nighttime sleep-aid

Use

- helps to reduce difficulty in falling asleep

Warnings

Do not use

in children under 12 years of age

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking any other drugs

When using this product

- avoid alcoholic beverages
- take only at bedtime

Stop use and ask a doctor if

- sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years of age: do not use

Other information

- store at 68°-77°F (20°-25°C)
- retain in carton until time of use
- see carton end panel for lot number and expiration date

Inactive ingredients

anhydrous dibasic calcium phosphate, dibasic calcium phosphate dihydrate, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

1-800-719-9260

Principal Display Panel

Nighttime

Sleep Aid Tablets

Doxylamine Succinate Tablets, 25 mg

Nighttime Sleep-Aid

Actual Size

Clinically Tested, Proven Effective

One Tablet Per Dose

Compare to active ingredient of Unisom® SleepTabs®

100% SATISFACTION GUARANTEED

32 Tablets



CONVENIENT RECLOSING TAB

OPEN OTHER END

GOODSENSE / AMRIEVA

44164 C2 C5

DO NOT USE IF BUSTER UNIT IS BROKEN OR TORN, IF DIFFICULT TO OPEN, USE SCISSORS.

Drug Facts	Drug Facts (continued)
Active ingredient (in each tablet) Purpose Doxylamine succinate 25 mg.....Nighttime sleep-aid	Directions adults and children 12 years of age and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor children under 12 years of age: do not use
Use ■ helps to reduce difficulty in falling asleep	Other information ■ store at 68°-77°F (20°-25°C) ■ reah in carton until time of use ■ see carton end panel for lot number and expiration date
Warnings Do not use in children under 12 years of age Ask a doctor before use if you have ■ a breathing problem such as asthma, emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland Ask a doctor or pharmacist before use if you are taking any other drugs	Inactive ingredients anhydrous dibas calcium phosphate, dibas calcium phosphate dilly date, FD&C blue no. 1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate
When using this product ■ avoid alcoholic beverages ■ take only at bedtime Stop use and ask a doctor if ■ sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.	Questions or comments? 1-800-719-9260
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	Gluten Free Distributed By Perrigo ® Allergen, MI 49010

GOODSENSE®

Sleep Aid Tablets

Doxylamine Succinate Tablets, 25 mg
Nighttime Sleep-Aid

GOODSENSE®

NDC 0113-0441-64

Nighttime

Sleep Aid Tablets

Doxylamine Succinate Tablets, 25 mg
Nighttime Sleep-Aid



- Clinically Tested, Proven Effective
- One Tablet Per Dose

32 Tablets

Compare to active ingredient of Unisom® SleepTabs®



GOOD SENSE SLEEP AID

doxylamine succinate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0441
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	25 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	

Product Characteristics

Color	BLUE	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	L441
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0441-64	32 in 1 CARTON	04/14/1997	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0113-0441-73	16 in 1 CARTON	08/03/1997	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA040167	04/14/1997	

