ALKA-SELTZER PLUS COLD AND FLU- chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent tablet, effervescent Lil' Drug Store Products, Inc.

ALKA-SELTZER PLUS COLD AND FLU

Drug Facts

Active ingredients (in each tablet)

Acetaminophen 250 mg Chlorpheniramine maleate 2 mg Dextromethorphan hydrobromide 10 mg Phenylephrine hydrochloride 5 mg

Purpose

Pain reliever/fever reducer Antihistamine Cough suppressant Nasal decongestant

Uses

- temporarily relieves these symptoms due to a cold or flu:
- minor aches and pains
- headache
- cough
- sore throat
- runny nose
- sneezing
- nasal and sinus congestion
- temporarily reduces fever

Warnings

Liver warning

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Allergy alert: Acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

Sore throat warning

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use to sedate children

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

Ask a doctor

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- a sodium restricted diet

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- do not exceed recommended dosage
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.
- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Directions

- do not take more than the recommended dose
- adults and children 12 years and over: take 2 tablets fully dissolved in 4 oz of water every 4 hours. Do not exceed 8 tablets in 24 hours or as directed by a doctor.
- children under 12 years: do not use

Other Information

Other information

- each tablet contains: potassium 80 mg; sodium 356 mg
- store at room temperature. Avoid excessive heat.

Inactive Ingredients

Inactive ingredients

anhydrous citric acid, calcium silicate, dimethicone, FD&C red #40, FD&C yellow #6, flavors, magnesium stearate, maltodextrin, mannitol, potassium bicarbonate, povidone, sodium bicarbonate, sucralose

Questions or Comments?

Questions or comments? 1-800-986-0369 (Mon-Fri 9AM - 5PM EST)

DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED! PACKAGE NOT CHILD RESISTANT!

25 Count Box

Alka-

Seltzer

Plus ®

SEVERE

Cold

& Flu

CITRUS

POWERFAST FIZZ™

ACETAMINOPHEN/Pain Reliever-Fever Reducer

Chlorpheniramine Maleate/Antihistamine

Dextromethorphan HBr/Cough Suppressant

Phenylephrine Hydrochloride/Nasal Decongestan

- Fever &
- Body Ache
- Cough
- Nasal Congestion
- Runny Nose
- Sore Throat

[Bayer cross logo]

2 EFFERVESCENT TABLETS PER POUCH



- **30 Count Box**
- Alka-

Seltzer

Plus ®

SEVERE

Cold

& Flu

CITRUS

POWERFAST FIZZ™

ACETAMINOPHEN/Pain Reliever-Fever Reducer

Chlorpheniramine Maleate/Antihistamine

Dextromethorphan HBr/Cough Suppressant

Phenylephrine Hydrochloride/Nasal Decongestant

• Fever &

- Body Ache
- Cough
- Nasal Congestion
- Runny Nose
- Sore Throat

[Bayer cross logo]

2 EFFERVESCENT TABLETS PER POUCH



ALKA-SELTZER PLUS COLD AND FLU

chlorpheniramine maleate, acetaminophen, phenylephrine hydrochloride, dextromethorphan hydrobromide tablet tablet, effervescent tablet, effervescent

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-7318			
Route of Administration	ORAL					
Active Ingredient/Active Moiety						

	Ingredient Nam	е	Basis of S	Strength	Strength	
PHENYLEPHRINE H UNII:1WS297W6MV)	IYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - PHENYLEPHRINE HYDROCHLORIDE			-	5 mg	
ACETAMINOPHEN	(UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN			EN	250 mg	
	EXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) DEXTROMETHORPH DEXTROMETHORPHAN - UNII:7355X3ROTS) DEXTROMETHORPH				10 mg	
CHLORPHENIRAMI UNII: 3U6IO1965U)	ILORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - CHLORPHENIRAMIN III:3U6I01965U) CHLORPHENIRAMINE - CHLORPHENIRAMINE			MINE	2 mg	
Inactive Ingre	dients					
	Ingredie	nt Name		Str	Strength	
SUCRALOSE (UNII:	96K6UQ3ZD4)					
FD&C RED NO. 40	(UNII: WZ B9127XOA)					
FD&C YELLOW NO	. 6 (UNII: H77VEI93A8)					
POVIDONE, UNSPE	CIFIED (UNII: FZ989GH94E))				
DIMETHICONE (UNII: 92RU3N3Y1O)						
MALTODEXTRIN (UNII: 7CVR7L4A2D)						
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)						
ANHYDROUS CITRI	C ACID (UNII: XF417D3PSL)					
MANNITOL (UNII: 30	OWL53L36A)					
MAGNESIUM STEA	RATE (UNII: 70097M6I30)					
CALCIUM SILICATE	(UNII: S4255P4G5M)					
Product Chara	icteristics					
Color	white	Score	Score		no score	
Shape	ROUND	Size		25mm		
Flavor	CITRUS	Imprint Code	Imprint Code		ASP;FLU	
Contains						
Packaging						
# Item Code	Package Des	cription	Marketing Start Date		ting End ate	
1 NDC:29485- 7318-2	25 in 1 BOX	1	2/23/2021	12/31/2025	5	
1	2 in 1 PACKET; Type 0: Not Product	a Combination				
2 NDC:29485- 7318-3	30 in 1 BOX	1	2/23/2021	12/31/2025	5	

2	

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
OTC Monograph Drug	M013	12/23/2021	12/31/2025				

2 in 1 PACKET; Type 0: Not a Combination Product

Revised: 12/2023

Lil' Drug Store Products, Inc.