FUMAGILIN-B- fumagillin dicyclohexylamine powder, for solution VITA BEE HEALTH CANADA LTD

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FUMAGILIN-B

ACTIVE INGREDIENTS:

21 mg fumagillin base (as fumagillin dicyclohexylamine) per g of powder.

INDICATIONS:

As an aid in the prevention of Nosema in honey bees.

DIRECTIONS FOR USE:

This jar contains the equivalent of 0.5 g Fumagillin base which is sufficient to prepare 20 Litres of medicated syrup for feeding of 5-6 package colonies or for fall feeding of 3 wintering colonies.

This jar contains the equivalent of 2.0 g Fumagillin base which is sufficient to prepare 80 Litres of medicated syrup for feeding of 22 package colonies or for fall feeding of 12 wintering colonies.

This jar contains the equivalent of 9.5 g Fumagillin base which is sufficient to prepare 380 Litres of medicated syrup for feeding of 100-110 package colonies or for fall feeding of 50 wintering colonies.

Consult package insert for detailed directions for the preparation of the medicated syrup and dosage instructions.

Mixing and Feeding Instructions in U.S. Measurements

Preparation of Medicated Syrup:

Water + Sugar		= Syrup	+ Fumagilin-B		
44	+ 727	= 100	+ 16 ounces (454 g		
gallons	lbs.	gallons	bottle)		
9½	+ 152	= 21	+ 3.4 ounces (96 g		
gallons	lbs.	gallons	bottle)		
2¾	+ 37	= 5.2	+ 0.85 ounces (24 g		
gallons	lbs.	gallons	bottle)		
1/2 Gallon	+ 8 lbs.	= 1 gallon	0.18 ounces (5 g = $\frac{1}{2}$ rounded tablespoon)		

Fall Feeding Medicated Syrup

2 gallons for each 2-chamber colony (approx. 30,000 bees) 1 gallon for each 1-chamber colony (approx. 18,000 bees) 3/4 gallon for each 5-frame colony (approx. 12,000 bees)

Feed additional unmedicated syrup to desired colony weight for wintering.

Spring Feeding Medicated Syrup

1 gallon for each 2-chamber colony (approx. 20,000 bees) 1/2 gallon for each 1-chamber colony (approx. 12,000 bees) 1/2 gallon for each 5-frame colony (approx. 8,000 bees) 1 gallon for each package colony.

Feed additional unmedicated syrup to provide nourishment until nectar is available.

Additional Measurements (approximate) ¹/₂ teaspoon = 1.5 g Fumagilin-B (31.5 mg activity) 1 teaspoon = 3.0 g Fumagilin-B (63 mg activity) ¹/₂ tablespoon = 5.0 g Fumagilin-B (100 mg activity) 1 tablespoon = 9.5 g Fumagilin-B (200 mg activity) 2/3 cup = 50 g Fumagilin-B (1.05 g activity)

STORAGE:

Store below 25°C, protected from sunlight. Keep from freezing. Once mixed, do not expose medicated syrup to sunlight.

FUMAGILLIN DICYCLOHEXYLAMINE SOLUBLE POWDER

FOR VETERINARY USE ONLY

WARNINGS: See package insert for complete warnings.

Distributed by:

Can-Vet Animal Health Supplies Ltd. 4-61 Malcolm Road, Guelph, ON N1K 1A7 1-800-265-9754

Vita Bee Health Canada Ltd. 150 Caroline Street Suite 402 Waterloo ON N2L 0A5

Packaging

INDICATIONS: As an aid in the prevention of ACTIVE INGREDIENTS: 21 mg fumagillin base per g (as fumagillin dicyclohexylamine) of powder.

DIRECTIONS FOR USE: This jar contains the equivalent of 0.5 g Fumagillin base which is sufficient to prepare 20 Litres of medicated syrup for feeding of 5-6 package colonies or for fall feeding of 3 wintering colonies. Consult package insert for detailed directions for the preparation of the medicated syrup and dosage instructions.

STORAGE: Store below 25°C, protected from sunlight. Keep from freezing. Once mixed, do not expose medicated syrup to sunlight. Distributed by: Can-Vet Animal Health Supplies Ltd.

4-61 Malcolm Road, Guelph, ON N1K 1A7 1-800-265-9754 Vita Bee Health Canada Ltd

150 Caroline Street, Suite 402, Waterloo, ON N2L 0A5



WARNINGS: See package insert for complete warnings. MISES EN GARDE : Voir la notice pour les mises en garde complètes. Net 24 g DIN 02231180 beehealth

INDICATIONS : Pour aider à prévenir la nosémose chez les abeilles. INGRÉDIENTS ACTIES : Chaque g de pourte ENTREPOSAGE : Conserver à une content 21 mg de fumagiline basque (sous température inféreure à 25°C, et à l'abri de forme de fumagiline dicyclohexytamine) par gramme de poudre. DIDE DYEMPIO 1: Ce contenant contient : MODE D'EMPLOI : Ce contenant contient

0,5 g de fumagilline basique ce qui est suffisant pour préparer 20 litres de sirop médicinal et nourrir 5-6 paquets d'abeilles ou pour la ration automnale de 3 colonies hivemales

Consulter la notice pour les directives

Distribué par : Can-Vet Animal Health Supplies Ltd., 4-61 Malcolm Road, Guelph, ON N1K 1A7, 1-800-265-9754 LOT

INDICATIONS: As an aid in the prevention of Nosema in honey bees. ACTIVE INGREDIENTS: 21 mg fumagillin base (as fumagillin dicyclohexylamine) per g of powder.

DIRECTIONS FOR USE: This jar contains the equivalent of 2.0 g Fumagillin base which is sufficient to prepare 80 Litres of medicated syrup for feeding of 22 package colonies or for fall feeding of 12 wintering colonies.

Consult package insert for detailed directions for the preparation of the medicated syrup and dosage instructions STORAGE: Store below 25°C, protected from sunlight. Keep from

freezing. Once mixed, do not expose medicated syrup to sunlight. Distributed by: Can-Vet Animal Health Supplies Ltd.

4-61 Malcolm Road, Guelph, ON N1K 1A7 1-800-265-9754

beehealth Vita Bee Health Canada Ltd. 150 Caroline Street, Suite 402, Waterloo, ON N2L 0A5

Equivalent to 21 mg/g fumagillin base

PACKAGE - 454 g

INDICATIONS: As an aid in the prevention of Nosema in honey bees.

ACTIVE INGREDIENTS: 21 mg fumagillin base (as fumagillin dicyclohexylamine) per g of powder.

DIRECTIONS FOR USE: This jar contains the equivalent of 9.5 g Fumagillin base which is sufficient to prepare 380 Litres of medicated syrup for feeding of 100-110 package colonies or for fall feeding of 50 wintering colonies

Consult package insert for detailed directions for the preparation of the medicated syrup and dosage instructions.

STORAGE: Store below 25°C, protected from sunlight. Keep from freezing. Once mixed, do not expose medicated syrup to sunlight.

Distributed by:

Can-Vet Animal Health Supplies Ltd. 4-61 Malcolm Road, Guelph, ON N1K 1A7 1-800-265-9754

Vita Bee Health Canada Ltd. **150 Caroline Street** Suite 402 Waterloo beehealth ON N2L 0A5

Equivalent to 21 mg/g fumagillin base

CANADA



FUMAGILIN-(B

FUMAGILLIN DICYCLOHEXYLAMINE SOLUBLE POWDER - POUDRE SOLUBLE DE FUMAGILLINE DICYCLOHEXYLAMINE

FOR VETERINARY USE ONLY USAGE VETERINAIRE SEULEMENT

FUMAGILIN-B FUMAGILLIN DICYCLOHEXYLAMIN

SOLUBLE POWDER - POUDRE SOLUBLE DE FUMAGILLINE DICYCLOHEXYLAMINE

FOR VETERINARY USE ONLY USAGE VÉTÉRINAIRE SEULEMENT

Equivalent to 21 mg/g fumagillin base Équivaut à 21 mg/g fumagilline base

INDICATIONS : Pour aider à prévenir la nosémose chez les abeilles. INGRÉDIENTS ACTIFS : Chaque g de poudre contient 21 mg de fumagilline basique (sous forme de fumagilline dicyclohexylamine) par gramme de poudre.

EXP:

MODE D'EMPLOI : Ce contenant contient 2,0 g de fumagilline basique ce qui est suffisant pour préparer 80 litres de sirop médicinal et nourrir 22 paquets d'abeilles ou pour la ration automnale de 12 colonies hivernales.

Consulter la notice pour les directives détaillées de préparation du sirop médicinal et la posologie.

ENTREPOSAGE : Conserver à une température inférieure à 25°C, et à l'abri de la lumière. Éviter le gel. Une fois mélangé, ne pas exposer le sirop médicinal au soleil. Distribué par :

Can-Vet Animal Health Supplies Ltd., 4-61 Malcolm Road, Guelph, ON N1K 1A7, 1-800-265-9754

LOT EXP.

Équivaut à 21 mg/g fumagilline base

INDICATIONS : Pour aider à prévenir la nosémose chez les abeilles.

INGRÉDIENTS ACTIFS : Chaque g de poudre contient 21 mg de fumagilline basique (sous forme de fumagilline dicyclohexylamine) par gramme de poudre.

MODE D'EMPLOI : Ce contenant contient 9,5 o de fumacilline basique ce qui est suffisant pour préparer 380 litres de sirop médicinal et nourrir 100-110 paquets d'abeilles ou pour la ration automnale de 50 colonies hivernales

Consulter la notice pour les directives détaillées de préparation du sirop médicinal et la posologie.

ENTREPOSAGE : Conserver à une température inférieure à 25 °C, et à l'abri de la lumière, Éviter le gel, Une fois mélangé, ne pas exposer le sirop médicinal au soleil. Distribué par :

Can-Vet Animal Health Supplies Ltd. 4-61 Malcolm Road, Guelph, ON N1K 1A7 1-800-265-9754

LOT:

EXP.:

Équivaut à 21 mg/g fumagilline base

der, for solution		
C ANIMAL DRUG	Item Code (Source)	NDC:86196-001
AL.		

Net 96 a

UMAGILIN•

FUMAGILLIN DICYCLOHEXYLAMINE

SOLUBLE POWDER

POUDRE SOLUBLE DE FUMAGILLINE

DICYCLOHEXYLAMINE

FOR VETERINARY USE ONLY

USAGE VÉTÉRINAIRE SEULEMENT

Net 454 g

DIN 02231180

Ξ

							Strengt	
Ingredient Name					Basis of Strength			
	UMAGILLIN - UNII:70W	DNIUM FUMAGILLIN (UNII: 0W72) 73204U1)	P6E6EY)	BICYCLOHEXYLAMM FUMAGILLIN		NIUM	21 mg in 1 g	
P	ackaging							
#	ltem Code	Package Description	Marketing Start Date		Marketing E		nd Date	
L	NDC:86196-001-24	24 g in 1 JAR						
2	NDC:86196-001-96	96 g in 1 JAR						
3	NDC:86196-001-45	454 g in 1 JAR						
Μ	larketing In	formation						
	Marketing Category	Application Number or Monograph Citation		Marketing Start Date		Marketing End Date		
	happroved drug her			02/08/2024				

Labeler - VITA BEE HEALTH CANADA LTD (243313029)

Revised: 3/2024

VITA BEE HEALTH CANADA LTD