

GERI-KOT- sennosides tablet
Geri-Care Pharmaceutical Corp

GC 451B 415

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

for more than 1 week unless directed by a doctor.

Ask a doctor before use if you

- have abdominal pain, nausea or vomiting
- have noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding

or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
children under 12 years	ask a doctor	


Other information

- **each tablet contains:** calcium 30 mg
- Tamper Evident: Do not use if imprinted seal under cap is missing or broken
- store at 20°C-25°C (68°F-77°F)

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, silica, talc, triacetin

Package Label



GERI-KOT
STANDARDIZED SENNA CONCENTRATE
NATURAL VEGETABLE LAXATIVE

Compare to active ingredient in **SENOKOT**®†

100 Tablets 8.6 mg each

Drug Facts
Active ingredient (in each tablet) Senosides 8.6 mg.....Laxative
Purpose Laxative
Uses • relieves occasional constipation (irregularity)
• generally produces a bowel movement in 6 to 12 hours
Warnings
Do not use for more than one week unless directed by a doctor.
Ask a doctor before use if you have
• stomach pain, nausea or vomiting
• noticed a change in bowel habits that lasts over two weeks
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

Other information • each tablet contains: calcium 30 mg • **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken
• store at 20°C-25°C (68°F-77°F)

Inactive ingredients: croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, silica, talc, triacetin.

Questions or comments? Call 1-800-540-3765
†This product is not manufactured or distributed by owner of the registered trademark SENOKOT®.
Dist. by: Geri-Care Pharmaceutical Corp.
1295 Towbin Ave., Lakewood, NJ 08701
Product of India
REV 1122B

3 57896 45101 1

GERI-KOT

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-415
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)

DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

MAGNESIUM STEARATE (UNII: 70097M6I30)

TALC (UNII: 7SEV7J4R1U)

TRIACETIN (UNII: XHX3C3X673)

HYPROMELLOSES (UNII: 3NXW29V3WO)

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PS23
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-415-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2022	
2	NDC:57896-415-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2022	
3	NDC:57896-415-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/01/2022	

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023

Geri-Care Pharmaceutical Corp