PAIN RELIEVING GEL-PATCH- capsaicin patch Shanghai Chuangshi Medical Technology (Group) Co., Ltd.

Zeey Capsaicin Pain Relieving Gel-Patch, N 5

Active Ingredient

Capsaicin 0.025% w/w Purpose: Topical analgesic

Purpose

Topical analgesic

Uses

For temporary relief of minor aches & pains of muscles & joints associated with:

- simple backache
- arthritis
- stratins
- bruises
- sprains

Warnings

For external use only

Do not use

- On wounds or damaged skin
- With a heating pad
- If you are allergic to any ingredients of this product

When using this product

- Use only as directed
- Avoid contact with the eyes, mucous membranes or rashes
- Do not bandage tightly

Stop use and ask a doctor if

- Rash, itching or excessive skin irratation develops
- Condition worsen
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast-feeding,

Ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

Adult and Children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Other information

- Avoid storing product in direct sunlight
- Protect product from excessive moiture

Inactive Ingredients

Water, Glycerin, Polyacrylic Acid, Propylene Glycol, Sodium Polyacrylate, Isopropyl Myristate, Polysorbate 80, PVP, Hydroxyacetophenone, Dihydroxyaluminum Aminoacetate, L-Tartaric Acid, Titanium Dioxide, Carboxymethylcellulose Sodium, Kaolin, Edetate Disodium.

Questions or Comments

1 646-223-0128 · Lu.FDAmanage@gmail.com

Package label. Principal display panel



PAIN RELIEVING GEL-PATCH

CAPSAICIN 0.025%

Drug Facts If pregnant or breast-feeding, Ask a health professional before use Active Ingredient Purpose Capsaicin 0.025% Topical analgesic **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. Uses For temporary relief of minor aches & pains of muscles & joints associated with: • simple backache • arthritis • strains • bruises • spra

Wornings
 For external use only
 Do not use
 To wound or damaged skin - With a heating pad - If you are allergic to any ingredients of this product

When using this product

Stop use and ask a doctor if

Rash, itching or excessive skin irritation develops

Conditions worsen

Symptoms persist for more than 7 days

Symptoms clear up and occur again within a few days

Adult and Children 1.x years or up.

Clean and dry affected area

Semove film from patch and apply to the skin (see illustration)

Apply 1 patch at a time to affected area, not more than 3 to 4 times daily

Remove patch into the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Other information

- Avoid storing product in direct sunlight

- Protect product from excessive moisture

Inactive Ingredients

Inactive Ingredients
Carboxymethylcellulose Sodium, Dihydroxyaluminum Arninoacetate,
Edetate Disodium, Glycein, Hydroxyacetophenone, Bopropyl
Myristate, Kaolin, L-Tartaric Acid, Polyacrylic Acid, Propylene Glycol,
Polysorbate 80, PYP, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

SHANGHAI CHUANGSHI MEDICAL TECHNOLOGY (GROUP) CO.,LTD No.388, Zhang Jiantang Rd, Qingpu District, Shanghai, China, 201716
Tel: 86-21-31166566
Fax: 86-21-31166568

E-mail: webmaster@csigroup.com.cn



Made in China



PAIN RELIEVING GEL-PATCH

capsaicin patch

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73557-180

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARSAICIN (LINII: SO70/4/P17 M) (CARSAICIN LINII: SO70/4/P17 M)	CARSAICINI	0.00025 g in 1 g

Ingredients

mactive migreulents			
	Ingredient Name	Strength	
KAOLIN (UNII: 24H4NWX5CO)			

TARTARIC ACID (UNII: W48881119H)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73557-180- 05	5 in 1 BOX	12/30/2022	
1	NDC:73557-180- 01	11 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/30/2022	

Labeler - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Registrant - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Establishment			
Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(73557-180) , label(73557-180)