OXYGENETIX OXYGENATING FOUNDATION ACNE CONTROL- salicylic acid lotion COLONIAL DAMES CO LTD

OXYGENETIX - OXYGENATING FOUNDATION (10258-101)

ACTIVE INGREDIENT:

SALICYLIC ACID 2.0%

PURPOSE:

ACNE TREATMENT

USES:

TREATS ACNE, HELPS PREVENT DEVELOPMENT OF NEW ACNE BLEMISHES

WARNINGS:

FOR EXTERNAL USE ONLY.

WHEN USING THIS PRODUCT:

USING OTHER TOPICAL ACNE DRUGS AT THE SAME TIME OR RIGHT AFTER USE OF THIS PRODUCT MAY INCREASE DRYNESS OR IRRITATION OF THE SKIN. IF THIS OCCURS, ONLY ONE MEDICATION SHOULD BE USED UNLESS DIRECTED BY A DOCTOR.

KEEP OUT OF REACH OF CHILDREN:

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS:

BEFORE USE CLEANSE SKIN THOROUGHLY AND PAT DRY. APPLY BY COVERING THE ENTIRE AFFECTED AREA WITH ONE APPLICATION. ONLY IF NEEDED YOU CAN GRADUALLY INCREASE TO 2 OR 3 TIMES DAILY OR AS DIRECTED BY A DOCTOR. IF BOTHERSOME DRYNESS OR PEELING OCCURS, THEN REDUCE THE FREQUENCY OF APPLICATION.

OTHER INFORMATION:

KEEP TIGHTLY CLOSED, STORE AT 20-25°C (68-77°F)

INACTIVE INGREDIENTS:

ALOE BARBADENSIS GEL, ISODODECANE, TITANIUM DIOXIDE, METHICONE, POLYGLYCERYL-4 ISOSTEARATE, CETYL DIMETHICONE COPOLYOL, HEXYL LAURATE, CYCLOPENTASILOXANE, PEG/PPG-20/15 DIMETHICONE, SACCHAROMYCES CEREVISIAE, PEG-8, DIOCTYLDODECYL DODECANEDIOATE, IRON OXIDES, VITIS VINIFERA (GRAPE) SEED EXTRACT, GLYCERIN, O-CYMEN-5-OL, SILICA, CYCLOMETHICONE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, MARIS SAL, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER.

QUESTIONS?

CALL 1-888-500-1672 or EMAIL INFO@OXYGENETIX.COM VISIT HTTP://OXYGENETIX.COM

Oxygetix

Oxygenating Foundation Acne Control

15_mL

DRUG FACTS

ACTIVE INGREDIENT: SALICYLIC ACID 2.0%

PURPOSE: ACNE TREATMENT

USES:TREATS ACNE, HELPS REVENT DEVELOPMENT OF NEW ACNE BLEMISHES

WARNINGS: OR EXTERNAL USE ONLY.

WHEN USING THIS PRODUCT: USING OTHER TOPICAL ACNE
DRUGS AT THE SAME TIME OR
RIGHT AFTER USE OF THIS
PRODUCT MAY INCREASE
DRYNESS OR IRRITATION OF
THE SKIN. IF THIS OCCURS,
ONLY ONE MEDICATION
SHOULD BE USED UNLESS DIRECTED BY A DOCTOR. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS:

BEFORE USE CLEANSE SKIN
THOROUGHLY AND PAT DRY.
APPLY BY COVERING THE
ENTIRE AFFECTED AREA WITH
ONE APPLICATION. ONLY IF NEEDED YOU CAN GRADUALLY INCREASE TO 2 OR 3 TIMES DAILY OR AS DIRECTED BY A DOCTOR. IF BOTHERSOME DRYNESS OR PEELING OCCURS, THEN REDUCE THE REQUENCY OF APPLICATION,

Apply with a clean sponge or fingertips. Blend until even. Repeat if you feel more needed for maximum coverage.

OTHER INFORMATION: KEEP TIGHTLY CLOSED, STORE AT 20-25°C (68-77°F)

INACTIVE INGREDIENTS: Aloe Barbadensis Gel, Isododecane, Titanium Dioxide (and) Methicone, Polyglyceryl -4 Isostearate (and) Cetyl Dimethicone Copolyol (and) Hexyl Laurate, yclopentasiloxane, Methicone, PEG/PPG-20/15 Dimethicone, Saccharomyces Cerevisiae (Yeast) Extract, PEG-8, Dioctyldodecyl Dodecanedioate, Iron oxides (and) Methicone, Vitis Vinifera (Grape) Seed Extract, Glycerine, 0-Cymen-5-OL, Silica, Cyclomethicone and Disteardimonium Hectorite (and) Propylene Carbonate, Maris Sal, Dimethicone /Vinyl Dimethicone Crosspolymer.

QUESTIONS? CALL 1-888-500-1672 or **EMAIL** INFO@OXYGENETIX.COM **VISIT** HTTP://OXYGENETIX.COM



Oxygenating **Foundation** Acne Control

breathable formula for healthier skin that provides complete coverage

doctor recomended

maximum strength acne control

anti-inflammatory

anti-microbial

helps clear pores

breathable

flawless coverage

heals & conceals

water resistant

non-comedogenic

hypo allergenic

transfer resistant

Beverly Hills, California MADE in the U.S.A.

15ml_e

OXYGENETIX OXYGENATING FOUNDATION ACNE CONTROL

salicylic acid lotion

Product Information

Product Type HUMAN OTC DRUG NDC:10258-101 Item Code (Source)

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID 2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ISODODECANE (UNII: A8289P68Y2)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PEG/PPG-20/15 DIMETHICONE (UNII: 06R6X77P9C)	
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
DIOCTYLDODECYL DODECANEDIOATE (UNII: 7QDB5EE79Y)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
VITIS VINIFERA SEED (UNII: C34U15ICXA)	
GLYCERIN (UNII: PDC6A3C0OX)	
O-CYMEN-5-OL (UNII: H41B6Q1I9L)	
SILICON (UNII: Z4152N8IUI)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SEA SALT (UNII: 87GE52P74G)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

P	ackaging	ckaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:10258-101- 11	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/21/2014	08/16/2026		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	12/21/2014	08/16/2026

Labeler - COLONIAL DAMES CO LTD (008490385)

Revised: 12/2023 COLONIAL DAMES CO LTD