# METHYL SALICYLATE- methyl salicylate cream PHARMACURE LLC

-----

# Active Ingredient Purpose

Methyl Salicylate 25% (NSAID: Nonsteroidal anti-inflammatory drug) Topical Analgesic

### Uses

Temporarily relieves mild to moderate aches & pains of muscles & joints associated with:

• strains • sprains • simple backache • arthritis • bruises

## Warnings

### For external use only

**Stomach bleeding warning**: This product contains an NSAID, which may cause stomach bleeding.

The chance is small but higher if you:

- are age 60 or older have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing an NSAID (aspirin, ibuprofen, naproxen, or others]

• have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed

### Do not use

 $\bullet$  on the face or rashes  $\bullet$  on wounds or damaged skin  $\bullet$  if allergic to aspirin or other NSAIDs

- with a heating pad when sweating (such as from exercise or heat)
- right before or after heart surgery

### Ask a doctor before use if

• you are allergic to topical products • the stomach bleeding warning applies to you

• you have high blood pressure, heart disease, or kidney disease • you are taking a diuretic

### When using this product

• wash hands after applying or removing patch. Avoid contact with eyes. If eye contact occurs, rinse thoroughly with water.

• the risk of heart attack or stroke may increase if you use more than directed or for longer than directed

### Stop use and ask a doctor if

• stomach pain or upset gets worse or lasts • you feel faint, vomit blood, or have bloody or black stools

These are signs of stomach bleeding. • rash, itching or skin irritation develops

condition worsens

 $\bullet$  symptoms last for more than 3 days  $\bullet$  symptoms clear up and occur again within a few days

# If pregnant or breast-feeding,

ask a doctor before use while breast-feeding and during the first 6 months of pregnancy. Do not use during the last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. If put in mouth, get medical help or contact a Poison Control Center right away. Package not child resistant. Dispose of the used patches after folding sticky ends together.

# Directions

# • Use only as directed

• Adults and children 12 years of age and older: Apply to affected area not more than 3 to 4 times daily •children under 12 years of age: consult a physician

# Other information

- Store at 20-25°C (68-77°F) Avoid storing product in direct sunlight
- Protect product from excessive moisture

# Inactive ingredients

Aqua (deionized water), arnica montana (arnica) extract, boswellia serrata extract, cetearyl olivate, cetyl alcohol, dimethyl sulfone (MSM), ethylhexylglycerin, glycerin, glyceryl stearate, hemp, PEG-100 stearate, phenoxyethanol, polysorbate-20, resveratrol, sodium laurylglucosides hydroxypropylsulfonate, sorbital olivate, stearic acid

# **Product label**









		-
DRUG FACTS		
ACTIVE INSPECTION: Hely/ Soligitale 25% (KSHD: nondersidal anti-inflamma	Purpose Eng drug)Tog(cd Analysis	
USBB: Temporally releves mid-to-moderate aches 8 pains of m - states - spates - cimple-backache - adhrids - builes	anden fujcitis annuclated with:	
BRECTIONS: - Das coly as directed - Adults and children 12 years of a second more than 3 to 4 times daily - children under 12:	ge and elder: apply to official years of age: consult ophysician	
Notificated: Providence in a soft Research i	genoloses approximativa en el constructiva de la construcción para la construcción de la construcción de la constru- la construcción de la construcción de la constru- para mais a construcción de la construcción de la constru- nama en la construcción de la construcción de la constru- ción de la construcción de la construcción de la constru- ción de la construcción de la construcción de la constru- de la construcción de la construcción de la constru- de la construcción de la construcción de la constru- de la construcción de la construcción de la constru- la construcción de la construcción de la constru- de la construcción de la construcción de la constru- de la construcción de la construcción de la constru- de la construcción de la construcción de la construcción de la constru- la construcción de la construcción de la construcción de la constru- de la construcción de la construcción de la construcción de la constru- de la construcción de la construcción de la construcción de la constru- de la construcción de la construcción de la construcción de la constru- de la construcción de la construcción de la construcción de la constru- de la construcción de la constru- de la construcción de la const	-
OTHER INFORMATION: - Store at 20-20°C (\$0-77°F) - Avaid stoing productin dis -Protect product iron eccentrice moldare	st suight	
INCIVEINSIGEDHTE: Aqual biologica setter jamica metana (prisa) estaci, bi dimetri autana (Alisi, etaberaigicari), gicari, gica polyacitate-20, resented, acclus barygica: detertyte	vylidearais, heray, PEG-198 utearate, phenosyettanal.	
79643000401	Manufactured for PHARMACUP For questions or commer email info@pharmacure.ir	









ts fo



NDC# 79643-004-01 NET WT 3.53 OZ (100 g)

# **METHYL SALICYLATE**

methyl salicylate cream

Product Information					
Product Type	HUMAN OTC DRUG	ltem Code (So	urce)	NDC:79	9643-004
Route of Administration	TOPICAL				
Active Ingredient/Active	Mojoty				
	-				
Ingre	edient Name		Basis of Str	ength	Strength
METHYL SALICYLATE (UNII: LAV5	U5022Y) (SALICYLIC ACID -				250 mg in 1 g

		Ingredient Name		Strengt
WATER (UNII: 059Q	F0KO0R)			
ARNICA MONTANA	FLOWER (UNII: OZ	(0E5Y15PZ)		
NDIAN FRANKINC	ENSE (UNII: 4PW410	QCO2M)		
CETEARYL OLIVAT	<b>E</b> (UNII: 58B69Q84J	0)		
CETYL ALCOHOL (	JNII: 936JST6JCN)			
DIMETHYL SULFO	NE (UNII: 9H4PO4Z4	IFT)		
THYLHEXYLGLYC	ERIN (UNII: 147D24	7K3P)		
GLYCERIN (UNII: PC	C6A3C0OX)			
GLYCERYL MONOS	TEARATE (UNII: 23	0OU9XXE4)		
HEMP (UNII: TD1MU	T01Q7)			
PEG-100 STEARAT	E (UNII: YD01N1999	R)		
PHENOXYETHANO	L (UNII: HIE492ZZ3	Г)		
POLYSORBATE 20	(UNII: 7T1F30V5YH)			
RESVERATROL (UN	II: Q36908926L)			
		OXYPROPYLSULFONATE (U	NII: Z6GFR7R72Y)	
	E (UNII: MDL271E3G	iR)		
STEARIC ACID (UN	I: 4ELV7Z65AP)			
Packaging				
	Packa	ge Description	Marketing Start Date	Marketing End Date
# Item Code		ge Description ype 0: Not a Combination	-	-
# Item Code 1 NDC:79643-004-	100 g in 1 TUBE; T		Date	-
<ul> <li># Item Code</li> <li>1 NDC:79643-004- 01</li> </ul>	100 g in 1 TUBE; T Product	ype 0: Not a Combination	Date	-
<pre># Item Code 1 NDC:79643-004- 01 Marketing</pre>	100 g in 1 TUBE; T Product	ype 0: Not a Combination	<b>Date</b> 05/01/2024	Date
NDC:79643-004-	100 g in 1 TUBE; T Product	ype 0: Not a Combination	<b>Date</b> 05/01/2024	-

# Labeler - PHARMACURE LLC (055983858)

Revised: 5/2024

PHARMACURE LLC