

**ACID REDUCER PLUS ANTACID- famotidine, calcium carbonate, magnesium hydroxide tablet, chewable**

CVS Pharmacy

-----  
**CVS Pharmacy, Inc. Acid Reducer Plus Antacid Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purpose**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

## **Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## **Directions**

- adults and children 12 years and over:
- do not swallow tablet whole: chew completely
- to relieve symptoms, chew 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

## **Other information**

- **each tablet contains:** calcium 335 mg; magnesium 80 mg
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

## **Inactive ingredients**

anhydrous lactose, crospovidone, D&C yellow #10 aluminum lake, ethylcellulose aqueous dispersion, FD&C yellow #6 aluminum lake, glyceryl monostearate, hydroxypropyl cellulose, isomalt, magnesium stearate, maltodextrin, mannitol, mineral oil, natural and artificial tropical type flavor, polysorbate 80, sodium metabisulfite, sucralose, talc, triethyl citrate

## **Questions or comments?**

**1-800-719-9260**

## **Package/Label Principal Display Panel**

Compare to the active ingredients in Pepcid Complete®

Dual-Action Complete

Acid Reducer Plus Antacid

FAMOTIDINE 10 mg/CALCIUM CARBONATE 800 mg/MAGNESIUM HYDROXIDE 165 mg  
TABLETS (CHEWABLE)

Acid reducer plus antacid

Just One Tablet:

Relieves heartburn due to acid indigestion

Tropical Fruit Flavor

Actual Size

50 CHEWABLE TABLETS

#281597

**Drug Facts** **DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING**

Active Ingredients (in each chewable tablet)	Purpose
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

**Use** relieves heartburn associated with acid indigestion and sour stomach

**Warnings**  
**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath, sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are presently taking a prescription drug.** Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days



Compare to the active ingredients in Pepcid Complete®\*  
NDC 69842-802-71

**Dual-Action Complete Acid Reducer Plus Antacid**

FAMOTIDINE 10 mg/CALCIUM CARBONATE 800 mg/MAGNESIUM HYDROXIDE 165 mg TABLETS (CHEWABLE)

Acid reducer plus antacid

**Just One Tablet:**  
Relieves heartburn due to acid indigestion



**50 CHEWABLE TABLETS**

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Drug Facts (continued)**

**Inactive Ingredients** anhydrous lactose, croscopolone, D&C yellow #10 aluminum lake, ethylcellulose aqueous dispersion, FD&C yellow #6 aluminum lake, glyceryl monostearate, hydroxypropyl cellulose, isomalt, magnesium stearate, maltodextrin, mannitol, mineral oil, natural and artificial tropical fruit flavor, polysorbate 80, sodium metabisulfite, sucralose, talc, triethyl citrate

**Questions or comments?** 1-800-719-9260

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete®.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02995  
© 2017 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-16467

**CVS Quality**  
Money Back Guarantee

**Drug Facts (continued)**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years and over:
  - do not swallow tablet whole; chew completely
  - to relieve symptoms, chew 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- each tablet contains: calcium 335 mg; magnesium 50 mg
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

<b>ACID REDUCER PLUS ANTACID</b>			
famotidine, calcium carbonate, magnesium hydroxide tablet, chewable			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-802
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg	
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ50PE7D)	CALCIUM CARBONATE	800 mg	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY04S) (HYDROXIDE ION - UNII:9159UV381P, MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	165 mg	

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOMALT (UNII: S870P55O2W)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MANNITOL (UNII: 3OWL53L36A)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
CROSPVIDONE (15 MPAS AT 5%) (UNII: 68401960MK)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	

## Product Characteristics

Color	YELLOW (Mottled, yellow-orange and white)	Score	no score
Shape	ROUND	Size	17mm
Flavor	FRUIT	Imprint Code	Plus
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-802-71	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/03/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204782	04/03/2018	

**Labeler** - CVS Pharmacy (062312574)