WALGREENS SPF 50 SPORT CONTINUOUS SUNSCREEN- avobenzone, homosalat, octisalate, octocrylene spray WALGREEN COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens SPF 50 Sport Continuous Spray

Active ingredients

Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures

(see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it.

 \bullet do not puncture or incinerate. Contents under pressure. \bullet do not store at temperatures above 120° F.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection

measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

• protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol, fragrance,

Labels



VALUE SIZE | 65% MORE



port CONTINUOUS SPRAY

BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB

Oxybenzone Free


Paraben Free*

Fresh Scent

 Won't run into eyes Water resistant (80 minutes)







Walgreens 😴

Sport **CONTINUOUS SPRAY**

BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB

 Won't run into eyes Water resistant (80 minutes)



-NO-

TOTAL - NET WT 11 OZ (312 g)

Octocrviene 4.0% Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun *Warnings* For external use on**l**y For extend use own Formaniatie: • do not use new heats, fame or while smoking • avoid log terms instagate above 104°F (40°C) De not use • on damaged or horders skin. When using this product • keep out of eyes, Rinse with water to remove, • keep away from face temperatures show 120° F. Byog use and ask as of the ond guarduce or interests. Contents under pressure. • do not store at temperatures show 120° F. Byog use and ask as of control if • nah occurs. Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions • Spray Iberally and spread evenly by hand 15 minutes before sun exposure • Spray Iberally and spread with the skin to apply • Do not spray (incerdy into hand. Spray into hands then apply in windy conditions • Do not apply in windy conditions • De is in a val—emiliated area С reapp): - after 80 minutes of swimming or sweating - immodalizity after towed cirying - at least every 70 roug - rikition under 5 months of age. Ask a doctor Sum Protection Measures. Sponding time in the sum increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sumcreen with a Stroat Spectrum SPF value of 15 or higher and other aun protoch measures inducting: - Bint time in the sum, expecting from 10 a.m. - 2 p.m.4. - was (on-gleened with); pums, risk, ast anglasses LO 50

Drug Facts Active Active ingred Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0%

Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces

Inactive ingredients alcohol derat, butybotyl salloylate, acrylateslootykacrylamide copolymer, panthenol, tocopherol, fragran stearoxytrimethylsilane, caprylioclophic triglyceride, glycerin

(Questions or comments? Call tol free 1-800-925-4733

*No parabens separately added to preserve this product



Purpo Suns

> PLASTIC METAL Our pharmacists reco the Walgreens brand.

> > DISTRIBUTED BY WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED ©2021 Walgreen Co.



ITEM 414372 W10998-0322-F



500 Sport CONTINUOUS SPRAY BROAD SPECTRUM SPF 50

SUNSCREEN UVA/UVB

Fresh Scent

- Won't run into eyes
- Water resistant (80 minutes)





NET WT 5.5 OZ (156 g)

1	Drug Facts	
	Active ingredients	Purpos
	Avobenzone 3.0% Homosalate 10.0% Octosrylene 4.0%	Sunscree
	Uses + helps prevent sunburn + if used as directed with other sun pro Directions), decreases the risk of skin cancer and early skin aging caused by	
	Warnings For external use only	
	Flammable: + do not use near heat, flame or while smoking + avoid long term storage above 104°F (40°C)	
	Do not use + on damaged or broken skin.	
	When using this product + keep out of eyes. Rinse with water to remove. + i avoid breathing it. + do not puncture or incinerate. Contents under pressur temperatures above 120° F.	
	Stop use and ask a doctor if + rash occurs,	
	Keep out of reach of children. If swallowed, get medical help or contact a right away.	Poison Contro Cente
	Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-b inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windly conditions • Use in a well-emilistic area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin sging. To decrease this risk, regularly use a sunscreme with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 am, - 2 p.m, • wear long-dieeved shiris, pants, hats, and sunglasses	W30RG0122- ♦ 0,228 1,6
	Other information + protect the product in this container from excessive heat and direct sun + may stain or damage some fabrics, materials or surfaces	V10396
	Inactive ingredients alcohol denst, confloctyl salicylete, scrylatesloctylacrylarnide copolymer, panthenol, tocopherol, fragrance, stearcoytrimethylellane, caprylic/capric triglyceride, glycerin	TEM 413106 \
	Questions or comments? Call tall free 1-800-925-4733	M 41

*No parabens separately added to preserve this product. 'Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.







WALGREENS SPF 50 SPORT CONTINUOUS SUNSCREEN

avobenzone, homosalat, octisalate, octocrylene spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0128
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	100 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g	

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
ALCOHOL (UNII: 3K9958V90M)	
PANTHENOL (UNII: WV9CM0067Z)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0128- 48	258 g in 1 CAN; Type 0: Not a Combination Product	10/11/2019	
2	NDC:0363-0128- 37	156 g in 1 CAN; Type 0: Not a Combination Product	10/11/2019	
3	NDC:0363-0128- 63	2 in 1 PACKAGE	10/19/2019	
3	NDC:0363-0128- 37	156 g in 1 CAN; Type 0: Not a Combination Product		
4	NDC:0363-0128- 38	312 g in 1 CAN; Type 0: Not a Combination Product	10/11/2019	
5	NDC:0363-0128- 74	76.5 g in 1 CAN; Type 0: Not a Combination Product	10/11/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/11/2019	

Labeler - WALGREEN COMPANY (008965063)

Revised: 1/2023

WALGREEN COMPANY