

EQUALINE SPORT CONTINUOUS SUNSCREEN SPF 50- avobenzone, homosalate, octisalate, octocrylene aerosol, spray SUPERVALU INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

EQUALINE SPORT CONTINUOUS SPRAY SUNSCREEN SPF 50

☐Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ☐**Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

▣ Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area.
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol (provitamin B5), tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

Label

VALUE
SIZE

EQUALINE®

COMPARE TO Coppertone® Sport®
SPF 50 Clear Continuous Spray Sunscreen*

SPORT
Continuous Spray Sunscreen



UVA/UVB protection
Broad Spectrum SPF 50

octinoxate & oxybenzone free

water resistant (80 minutes)
paraben free**

NET WT 9.1 OZ (258 g)

Equaline® SPORT Continuous Spray Sunscreen helps provide broad spectrum protection from the sun's harmful UVA and UVB rays. This non-greasy easy-on spray provides water and sweat resistant sun protection that stays on in the ocean, at the pool, on the beach, and in the heat.

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Hemisulfate 10.0%	
Octisalate 5.0%	
Octocrylene 4.2%	
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes, rinse with water to remove. • keep away from face to avoid breathing in. • do not inhale or inhale, contents under pressure. • do not store at temperatures above 122°F.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• Spray evenly and spread evenly by hand 15 minutes before sun exposure	
• hold can 4-6 inches away from the skin to apply	
• Do not spray directly into face. Spray into hands then apply to face	
• Do not apply in windy conditions	
• Use in a well-ventilated area	
• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
• children under 6 months of age. Ask a doctor	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 4 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information	
• protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylalcohol, octylalcohol, acrylates/acrylamide copolymer, parabenyl tosylphenyl (vitamin E) fragrance, oleoethoxymethylsiloxane, caprylic/capric triglyceride, glycerin	
Questions? Call 1-855-423-2630	

DISTRIBUTED BY UNF, PROVIDENCE, RI 02908 USA
MADE IN THE US WITH DOMESTIC AND IMPORTED INGREDIENTS

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Sport®.

**No parabens separately added to preserve this product.



100% Quality
GUARANTEED

Like it or let us make it right.
That's our quality promise.
855-423-2630


TWIN
PACK

EQUALINE®

EQUALINE®

COMPARE TO Coppertone® Sport®
SPF 50 Clear Continuous Spray Sunscreen*

SPORT
Continuous Spray Sunscreen



UVA/UVB protection
Broad Spectrum SPF 50
reef-conscious formula†

water resistant (80 minutes)
octinoxate, oxybenzone &
paraben free**

2 - NET WT 5.5 OZ (156 g) CANS TOTAL - NET WT 11 OZ (312 g)

100% Quality
GUARANTEED

Like it or let us make it right.
That's our quality promise.
855-423-2630



Equaline® SPORT Continuous Spray Sunscreen helps provide broad spectrum protection from the sun's harmful UVA and UVB rays. This non-greasy easy-on spray provides water and sweat resistant sun protection that stays on in the ocean, at the pool, on the beach, and in the heat.

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 10.0%	
Octinoxate 5.0%	
Oxybenzone 4.0%	

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.

• do not inhale or ingest. Swallows under pressure. • do not store at temperatures above 100°F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not spray in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age. Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 4 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or change some fabrics, materials or surfaces

Inactive ingredients

aluminum hydroxide, caprylyl methylacrylate, acrylates/acrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, glycerin, polybutene-1, capryl glycol, hydroxyethyl acrylate, stearyl alcohol

Questions?

Call 1-855-423-2630

DISTRIBUTED BY UNFI, PROVIDENCE, RI 02808 USA

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Sport®.

**No parabens separately added to preserve this product. Formula is compliant with H1 S82571.



EQUALINE®

Equaline® SPORT Continuous Spray Sunscreen helps provide broad spectrum protection from the sun's harmful UVA and UVB rays. This non-greasy easy-on spray provides water and sweat resistant sun protection that stays on in the ocean, at the pool, on the beach, and in the heat.

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 4.0%	

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
FLAMMABLE:
 • do not use near heat, flame or while smoking
 • avoid long term storage above 104°F (40°C)
Do not use • on damaged or broken skin
When using this product • keep out of eyes, rinse with water to remove. • keep away from face to avoid breathing it.
 • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.
Stop use and ask a doctor if • rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure
 • Hold can 4-6 inches away from the skin to apply
 • Do not spray directly into face. Spray into hands then apply to face
 • Do not apply in windy conditions
 • Use in a well-ventilated area
 • reapply:
 • after 80 minutes of swimming or sweating
 • immediately after towel drying
 • at least every 2 hours
 • children under 6 months of age: Ask a doctor
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-sleeved shirts, pants, hats, and sunglasses

Other information

• protect the product in this container from excessive heat and direct sun
 • may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., acryloyl ethyl dimethyl ammonium chloride, acrylates/octylacrylamide copolymer, panthenol, tocopherol (vitamin E), fragrance, stearyltrimethylammonium propyl dimethylsulfosuccinate, glycerin

Questions?

Call 1-855-423-2630

DISTRIBUTED BY UNFI, PROVIDENCE, RI 02908 USA
 MADE IN THE US WITH DOMESTIC AND IMPORTED INGREDIENTS

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Sport®.

**No parabens separately added to preserve this product.



Like it or let us make it right,
 That's our quality promise.
 855-423-2630

COMPARE TO Coppertone® Sport®
 SPF 50 Clear Continuous Spray Sunscreen*

SPORT
 Continuous Spray Sunscreen



UVA/UVB protection
 Broad Spectrum SPF 50

octinoxate & oxybenzone free

water resistant (80 minutes)
 paraben free**

NET WT 5.5 OZ (156 g)

EQUALINE SPORT CONTINUOUS SUNSCREEN SPF 50

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-966
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
PANTHENOL (UNII: WW9CM0067Z)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-966-63	2 in 1 PACKAGE	10/14/2020	
1	NDC:41163-966-37	156 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:41163-966-48	258 g in 1 CAN; Type 0: Not a Combination Product	10/14/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/14/2020	

Labeler - SUPERVALU INC. (006961411)

Revised: 1/2023

SUPERVALU INC.