

**GOOD NEIGHBORHOOD PHARMACY SPORT SUNSCREEN BROAD SPECTRUM
SPF 50- avobenzone, homosalate, octisalate, octocrylene aerosol, spray
Amerisource Bergen**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**GOOD NEIGHBORHOOD PHARMACY SPORT SUNSCREEN BROAD SPECTRUM
SPF 50 CONTINUOUS SPRAY**

☐ Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ☐ **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

▣ Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area.
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol (provitamin B5), tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

Label



Compare to
Coppertone® SPORT®
active ingredients*

VALUE SIZE

Sport Sunscreen

Broad Spectrum
SPF 50

continuous spray

- Paraben Free**
- Hypoallergenic
- Water Resistant (80 Minutes)

Oxybenzone &
Octinoxate Free

50

net wt 7.3 oz
(206 g)

Drug Facts		
Active ingredients	Purpose	
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen	
Uses - helps prevent sunburn. - if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun		
Warnings For external use only		
FLAMMABLE: - do not use near heat, flame or while smoking - avoid long term storage above 104°F (40°C)		
Do not use - on damaged or broken skin.		
When using this product - keep out of eyes. Rinse with water to remove. - do not puncture or incinerate. Contents under pressure. - do not store at temperatures above 120° F.		
Stop use and ask a doctor if - rash occurs.		
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		
Directions - spray liberally and spread evenly by hand 15 minutes before sun exposure - hold can 4-6 inches away from skin to apply - do not spray directly into face. Spray into hand and then apply to face. - do not apply in windy conditions - use in well-ventilated area - reapply: - after 80 minutes of swimming or sweating - immediately after towel drying - at least every 2 hours - children under 6 months of age: Ask a doctor Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses		
Other information - protect the product in this container from excessive heat and direct sun - may stain or damage some fabrics, materials or surfaces		
Inactive ingredients: Alcohol Denat., Butylacetyl Salicylate, Acrylates/Octylacrylamide Copolymer, Parifened, Tocopherol (Vitamin E), Fragrance, Stearoyldimethylsulfonium, Caprylyl/Capric Triglyceride, Glycerin		



*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Sport®.
**No parabens separately added to preserve this product
Distributed By AmerisourceBergen
1 West First Avenue, Conshohocken, PA 19428
Questions or Concerns? www.mygnp.com

GOOD NEIGHBORHOOD PHARMACY SPORT SUNSCREEN BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-948
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
	HOMOSALATE (UNII: V065V4M95S) (HOMOSALATE - UNII:V065V4M95S)	HOMOSALATE	100 mg in 1 g
	OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
PANTHENOL (UNII: WW9CM0O67Z)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-948-86	207 g in 1 CAN; Type 0: Not a Combination Product	11/03/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/03/2020	

Labeler - Amerisource Bergen (007914906)

Revised: 1/2023

Amerisource Bergen