

**FIRST AID MEDICATED RITE AID- benzalkonium chloride 0.10% benzocaine 20.00% spray
Rite Aid**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients	Purpose
Benzalkonium Chloride 0.10%.....	First aid antiseptic
Benzocaine USP 20.00%.....	External Analgesic

Uses • for temporary relief of pain and itching associated with minor cuts, scrapes, minor burns and

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame

Do not use • in the eyes • over large areas of the body • longer than 1 week unless directed by a doctor.

When using this product • keep out of eyes. Rinse with water to remove. • use only as directed. • Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

Stop use and ask doctor if • condition worsens • symptoms persist for more than 7 days or clear up and occur again with in a few days • needed for longer than 1 week

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • adults and children 2 years of age and older: clean the affected area. Spray small amount of this product on the area, not more than 1 to 3 times daily. • may be covered with a sterile bandage, let dry first. • children under 2 years of age: consult a doctor

Inactive ingredients

Alcohol Denat., Diisopropyl Adipate, Propylene Glycol, Tocopheryl Acetate.

Questions? 1-800-RITEAID (1-800-748-3243)

Drug Facts

Active ingredients

Benzalkonium Chloride 0.10%.....First aid antiseptic
Benzocaine USP 20.00%.....External Analgesic

Purpose

Uses • for temporary relief of pain and itching associated with minor cuts, scrapes, minor burns and insect bites • first aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame

Do not use • in the eyes • over large areas of the body • longer than 1 week unless directed by a doctor.

When using this product • keep out of eyes. Rinse with water to remove. • use only as directed. • Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

Stop use and ask doctor if • condition worsens • symptoms persist for more than 7 days or clear up and occur again with in a few days • needed for longer than 1 week

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • adults and children 2 years of age and older: clean the affected area. Spray small amount of this product on the area, not more than 1 to 3 times daily. • may be covered with a sterile bandage, let dry first. • children under 2 years of age: consult a doctor

Inactive ingredients Alcohol Denat., Diisopropyl Adipate, Propylene Glycol, Tocopheryl Acetate.

Questions? 1-800-RITEAID (1-800-748-3243)

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE
CAMP HILL, PA 17011



IF YOU'RE NOT
SATISFIED, WE'LL
HAPPILY REFUND
YOUR MONEY.



first aid medicated spray

benzalkonium chloride 0.1% / first aid
benzocaine USP 20.0%
/ external analgesic

with vitamin E

antiseptic pain relief
treats minor burns, cuts,
scrapes & itchy insect bites
continuous spray at any angle

NET WT 3 OZ (85 g)

FIRST AID MEDICATED RITE AID

benzalkonium chloride 0.10% benzocaine 20.00% spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-7801
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzalkonium Chloride (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	Benzalkonium Chloride	0.1 g in 100 g
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	
Diisopropyl Adipate (UNII: P7E6YFV72X)	
Propylene Glycol (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-7801-3	85 g in 1 CAN; Type 0: Not a Combination Product	08/03/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/03/2017	

Labeler - Rite Aid (014578892)

Registrant - Product Quest Mfg (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(11822-7801) , label(11822-7801)

Revised: 6/2018

Rite Aid