

**DYE FREE ALLERGY CHILDRENS- diphenhydramine hydrochloride liquid
QUALITY CHOICE (Chain Drug Marketing Association)**

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

| age (yr) | dose (mL) |
|------------------------|--|
| children 6 to 11 years | 5 mL to 10 mL |
| children 2 to 5 years | do not use unless directed by a doctor |
| children under 2 years | do not use |

Other information

- **each 5 mL contains:** sodium 8 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- Protect from light. Store in outer carton until contents are used.

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, flavor, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol

Questions or comments?

Call **1-248-449-9300 Monday-Friday 9AM-5PM EST**

Principal Display Panel

*Compare to the active ingredient in Children's Benadryl® Allergy

Dye-Free

Children's

Allergy

Antihistamine

Diphenhydramine Hydrochloride 12.5mg / 5 mL Oral Solution

Liquid Medication

Relieves

Runny Nose | Sneezing |

Itchy, Watery Eyes | Itchy Throat

For Ages 6 to 11 Years

-
Alcohol-Free

Dye-Free

Bubble Gum Flavored

FL OZ (mL)

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed by C.D.M.A., Inc, ©

43157 W.Nine Mile

Novi, MI 48376-0995

www.qualitychoice.com

Package Label

Drug Facts (continued)
Inactive ingredients carboxymethylcellulose sodium, citric acid, flavor, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol
Questions or comments?
 Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

100% SATISFACTION GUARANTEED
 Distributed by C.D.M.A., Inc.®
 43157 W. Nine Mile
 Novi, MI 48375
 www.qualitychoice.com
 Questions: 248-449-9300

QC QUALITY CHOICE NDC 63868-128-04
 *Compare to the active ingredient in Children's Benadryl® Allergy

Dye-Free
Children's Allergy

Antihistamine

Diphenhydramine Hydrochloride
 12.5 mg/5 mL Oral Solution

Liquid Medication

Relieves
 Runny Nose | Sneezing |
 Itchy, Watery Eyes |
 Itchy Throat

For Ages 6 to 11 Years
 Alcohol-Free

Dye-Free
 Bubble Gum
 Flavored



4 FL OZ (118 mL)

QC QUALITY CHOICE NDC 63868-128-04
 *Compare to the active ingredient in Children's Benadryl® Allergy

Dye-Free
Children's Allergy

Antihistamine

Diphenhydramine Hydrochloride
 12.5 mg/5 mL Oral Solution

Liquid Medication

Relieves
 Runny Nose | Sneezing |
 Itchy, Watery Eyes |
 Itchy Throat

For Ages 6 to 11 Years
 Alcohol-Free

Dye-Free
 Bubble Gum
 Flavored



4 FL OZ (118 mL)

Drug Facts

| | |
|--|---------------------------------|
| Active ingredient (in each 5 mL) Diphenhydramine HCl 12.5 mg | Purpose Antihistamine |
|--|---------------------------------|

Uses
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
 ■ sneezing ■ runny nose ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
Do not use
 ■ with any other product containing diphenhydramine, even one used on the skin
 ■ to make a child sleepy

Ask a doctor before use if the child has
 ■ a breathing problem such as chronic bronchitis
 ■ glaucoma
 ■ a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product
 ■ marked drowsiness may occur
 ■ sedatives and tranquilizers may increase drowsiness
 ■ excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 ■ do not take more than 6 doses in 24 hours
 ■ take every 4 to 6 hours, or as directed by a doctor
 ■ measure only with dosing cup provided. Do not use any other dosing device.
 ■ mL = milliliter ■ keep dosing cup with product
 ■ find the right dose on the chart below

| Age (yr) | Dose (mL) |
|------------------------|--|
| children 6 to 11 years | 5 mL to 10 mL |
| children 2 to 5 years | do not use unless directed by a doctor |
| children under 2 years | do not use |

Other information
 ■ each 5 mL contains: sodium 8 mg
 ■ store between 20-25°C (68-77°F). Do not refrigerate
 ■ protect from light. Store in outer carton until contents are used.



PLD-C242C F0004051
 Lot No.:
 Exp. Date:

QUALITY CHOICE Dye-Free Children's Allergy

| | | | |
|--|---|----------------------------------|--------------------|
| DYE FREE ALLERGY CHILDRENS | | | |
| diphenhydramine hydrochloride liquid | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63868-128 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| | Ingredient Name | Basis of Strength | Strength |
| | DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 12.5 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K) | |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SORBITOL (UNII: 506T60A25R) | |

Product Characteristics

| | | | |
|-----------------|------------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | BUBBLE GUM | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:63868-128-04 | 1 in 1 BOX | 02/29/2016 | |
| 1 | | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 02/29/2016 | |

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 4/2024

QUALITY CHOICE (Chain Drug Marketing Association)