

GERI-HYDROLAC- ammonium lactate cream
GERITREX CORP

Geri-Hydrolac 12 Cream

Drug Facts

Active Ingredient: Ammonium lactate 12%

Purpose: Stimulates cell renewal for improved skin condition

Uses

For moisturizing and softening dry scaly skin

Directions

Apply to affected areas and rub in thoroughly, twice daily or as directed by a physician

FOR EXTERNAL USE ONLY

When using this product

Avoid contact with eyes, lips or mucous membranes

Do not apply over deep or punctured wounds,
infections or lacerations.

Cautions: Irritation may occur on the face. Fair skinned individuals

may experience mild stinging. Burning or peeling may occur on sensitive or irritated skin areas.

If irritation occurs, Discontinue use immediately and consult a physician for appropriate therapy.

Inactive Ingredient

Water, Light mineral oil, Petrolatum, Peg 100 stearate, Propylene Glycol,
Oleth 5, Glycerin, cetyl Alcohol, DMDM Hydantoin, Magnesium Aluminum silicate, Methyl and propyl
paraben,
Guarcel

Keep out of reach of children. In the event of accidental ingestion contact a poison control center right
away.

Store at room temperature (59'-86'F)

Twice daily or as directed by a physician

NDC# 54162-012-50

Geri-Hydrolac™ 12% Cream

Ammonium Lactate cream: For moisturizing and softening dry scaly skin (elbows, knees, legs, feet and hands)

Fragrance Free

NET WT. 50g



Geritrex Corporation
144 Kingsbridge Road East
Mount Vernon, New York 10550
1-800-736-3437
www.geritrex.com

DRUG FACTS:
Active Ingredient: Ammonium Lactate 12% Purpose: Stimulates cell renewal for improved skin condition.
Uses: For moisturizing and softening dry scaly skin.
Warnings: FOR EXTERNAL USE ONLY When using this product: Avoid contact with eyes, lips or mucous membranes; DO NOT apply over deep or punctured wounds, infections or lacerations.
Cautions: Irritation may occur on the face. Fair-skinned individuals may experience mild stinging. Burning or peeling may occur on sensitive or irritated skin areas. IF IRRITATION OCCURS, DISCONTINUE USE IMMEDIATELY AND CONSULT A PHYSICIAN FOR APPROPRIATE THERAPY. KEEP OUT OF REACH OF CHILDREN. In the event of accidental ingestion contact a Poison Control Center right away.
Directions: <i>(Usual Use)</i> Apply to affected areas and rub in thoroughly, twice daily or as directed by a physician.
Other information: Store at room temperature (59°- 86°F)
Inactive Ingredients: Water, Light Mineral Oil, Petrolatum, Peg 100 Stearate, Glycerol Stearate, Propylene Glycol, Laureth 4, Glycerin, Cetyl Alcohol, DMDM Hydantoin, Magnesium Aluminum Silicate, Methyl and Propyl Parabens, Methylcellulose, Aromatic oil.

GERI-HYDROLAC

ammonium lactate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54162-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIUM LACTATE (UNII: 67M901L9NQ) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	12 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LAURETH-4 (UNII: 6HQ855798J)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GUAR GUM (UNII: E89I1637KE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54162-012-50	50 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		06/25/2013	

Labeler - GERITREX CORP (112796248)

Registrant - GERITREX CORP (112796248)

Establishment

Name	Address	ID/FEI	Business Operations
GERITREX CORP		112796248	manufacture(54162-012)

