PETROSELINUM SATIVUM- petroselinum sativum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PETROSELINUM SATIVUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

PETROSELINUM SATIVUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PETROSELINUM SATIVUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PETROSELINUM SATIVUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

PETROSELINUM SATIVUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PETROSELINUM SATIVUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

PETROSELINUM SATIVUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PETROSELINUM SATIVUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

PETROSELINUM SATIVUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PETROSELINUM SATIVUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PETROSELINUM SATIVUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PETROSELINUM SATIVUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

PETROSELINUM SATIVUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

PETROSELINUM SATIVUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PETROSELINUM SATIVUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PETROSELINUM SATIVUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

PETROSELINUM SATIVUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

PETROSELINUM SATIVUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PETROSELINUM SATIVUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

PETROSELINUM SATIVUM

petroselinum sativum pellet

Product Information

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-2333

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PETROSELINUM CRISPUM (UNII: 1WZA4Y92EX) (PETROSELINUM CRISPUM - UNII: 1WZ A4Y92EX)	PETROSELINUM CRISPUM	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Character	ristics		
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2333-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023			
2	NDC:37662- 2333-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023			
3	NDC:37662- 2333-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023			
4	NDC:37662- 2333-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	01/11/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2337
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

PETROSELINUM CRISPUM (UNII: 1WZA4Y92EX) (PETROSELINUM CRISPUM - UNII:1WZA4Y92EX)

PETROSELINUM CRISPUM

1 [hp_M]

•

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

_				
Drod	liict	Char	acta	ristics
	uct	Cilai	acte	1 13 LIC3

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

Ш	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:37662- 2337-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023		
	2	NDC:37662- 2337-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023		
	3	NDC:37662- 2337-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023		
	4	NDC:37662- 2337-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023		

Marketing Info	
Marvatina into	rmation
Markelliu IIII	n illativii

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
unapproved homeopathic		01/11/2023	

PETROSELINUM SATIVUM

petroselinum sativum pellet

Droduct	Information
Product	Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2338

Route of Administration ORAL

A		1	/ A	
Active	Inarpa	IANT/	ACTINA	MAIATV
ACLIVE	ı i i di e u	ICIIL/	ALLIVE	MOIELV

ı	Active ingredient/Active Molecy		
	Ingredient Name	Basis of Strength	Strength
	PETROSELINUM CRISPUM (UNII: 1WZA4Y92EX) (PETROSELINUM CRISPUM - UNII: 1WZ A4Y92EX)	PETROSELINUM CRISPUM	1 [hp_Q]

Inactive Ingredients	
Ingredient Name	Strength
SUCPOSE (LINII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:37662- 2338-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	01/11/2023		
1	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2331
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PETROSELINUM CRISPUM (UNII: 1WZA4Y92EX) (PETROSELINUM CRISPUM - UNII:1WZA4Y92EX)	PETROSELINUM CRISPUM	6 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 2331-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023		
2	NDC:37662- 2331-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023		
3	NDC:37662- 2331-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023		

Marketing Information			
Marketing Application Number or Monograph Mark Category Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic		01/11/2023	
homeopathic		01,11,2023	

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2332	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
	PETROSELINUM CRISPUM	12 [hp_C]	

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	

Flavor	Imprint Code	
Contains		

P	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 2332-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023		
2	NDC:37662- 2332-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023		
3	NDC:37662- 2332-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Marketing Start Citation Date		Marketing End Date	
unapproved homeopathic		01/11/2023		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2334	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength	
	PETROSELINUM CRISPUM (UNII: 1WZA4Y92EX) (PETROSELINUM CRISPUM - UNII:1WZA4Y92EX)	PETROSELINUM CRISPUM	100 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 2334-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023	
2	NDC:37662- 2334-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023	
3	NDC:37662- 2334-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023	
4	NDC:37662- 2334-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	01/11/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2336	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PETROSELINUM CRISPUM (UNII: 1WZA4Y92EX) (PETROSELINUM CRISPUM - UNII: 1WZA4Y92EX)	PETROSELINUM CRISPUM	500 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 2336-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023	
2	NDC:37662- 2336-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023	
3	NDC:37662- 2336-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023	
4	NDC:37662- 2336-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		01/11/2023		

petroselinum sativum pellet

Droduc	t Info	rmation
riouu	. L IIII O	ıııatıvıı

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-2335

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength PETROSELINUM CRISPUM (UNII: 1WZA4Y92EX) (PETROSELINUM CRISPUM - PETROSELINUM CRISPUM CRISPUM

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC.37663	200 in 1 VIAL CLACC. Time O. Not a Combination		

1	NDC:37002- 2335-1	Product	01/11/2023
	NDC:37662- 2335-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/11/2023
3	NDC:37662- 2335-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023
4	NDC:37662- 2335-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/11/2023

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	01/11/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2331, 37662-2332, 37662-2333, 37662-2334, 37662-2335, 37662-2336, 37662-2337, 37662-2338)

Revised: 1/2023 Hahnemann Laboratories, INC.