PODOPHYLLUM PELTATUM- podophyllum peltatum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PODOPHYLLUM PELTATUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

PODOPHYLLUM PELTATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PODOPHYLLUM PELTATUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use: Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients
sucrose

PODOPHYLLUM PELTATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PODOPHYLLUM PELTATUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

PODOPHYLLUM PELTATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PODOPHYLLUM PELTATUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:Sucrose

PODOPHYLLUM PELTATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PODOPHYLLUM PELTATUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

mann Labs Inc. 1940 Fourth St. San Rafael, CA

PODOPHYLLUM PELTATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

PODOPHYLLUM PELTATUM 3M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:Sucrose

PODOPHYLLUM PELTATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



PODOPHYLLUM PELTATUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PODOPHYLLUM PELTATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

PODOPHYLLUM PELTATUM

podophyllum peltatum pellet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-2340

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	12 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
ColorwhiteScoreno score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2340-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023			
2	NDC:37662- 2340-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			
3	NDC:37662- 2340-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		01/12/2023			

podophyllum peltatum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2339	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Basis of Strength	Strength			
PODOPHYLLUM	6 [hp_C]			
	Basis of Strength			

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2339-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023			
2	NDC:37662- 2339-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			
3	NDC:37662- 2339-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		01/12/2023			

podophyllum peltatum pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2343		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
l	PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	200 [hp_C]	

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

F	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2343-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023			
2	NDC:37662- 2343-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023			
3	NDC:37662- 2343-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			
4	NDC:37662- 2343-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	01/12/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

podophyllum peltatum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2344	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	500 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			

Contains

Packaging	ackaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:37662- 2344-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023			
NDC:37662- 2344-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023			
3 NDC:37662-2344-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			
4 NDC:37662- 2344-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		01/12/2023		

PODOPHYLLUM PELTATUM

podophyllum peltatum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2345	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	1 [hp_M]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 2345-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023		
2	NDC:37662- 2345-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023		
3	NDC:37662- 2345-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023		
4	NDC:37662- 2345-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		01/12/2023		

podophyllum peltatum pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2346
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	1 [hp Q]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape ROUND Size 1mm				
Flavor		Imprint Code		
Contains	Contains			

F	Packaging			
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date

	NDC:37662-	10000 in 1 BOTTLE, GLASS; Type 0: Not a	01/12/2023	
ı	2 346-1	Combination Product	01/12/2023	

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marke Category Citation Date D				
unapproved homeopathic		01/12/2023		

podophyllum peltatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2341
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 2341-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023		
2	NDC:37662- 2341-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023		
3	NDC:37662- 2341-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023		
4	NDC:37662- 2341-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		01/12/2023		

podophyllum peltatum pellet

Product	Intorm	ation

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2342
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PODOPHYLLIM (LINII) 2571344/P3) (PODOPHYLLIM LINII) 2571344/P3)	DODODHALLIM	100 [hp. C]

PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3) PODOPHYLLUM 100 [hp_C]

Inactive Ingredients

macarro mg. carenas				
	Ingredient Name	Strength		
	SUCROSE (UNII: C151H8M554)			

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:37662- 2342-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023	
2	NDC:37662- 2342-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/12/2023	
3	NDC:37662- 2342-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023	
4	NDC:37662- 2342-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/12/2023	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

unapproved homeopathic	01/12/2023	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2339, 37662-2340, 37662-2341, 37662-2342, 37662-2343, 37662-2344, 37662-2345, 37662-2346)	

Revised: 1/2023 Hahnemann Laboratories, INC.