

**DAYTIME COUGH CONGESTION NIGHTTIME COLD COUGH- dextromethorphan  
hbr, guaifenesin, diphenhydramine hcl  
KinderFarms, LLC**

-----  
**Drug Facts**

**Active ingredient Daytime (in each 5 mL)**

Dextromethorphan HBr USP, 5 mg

**Active ingredient Nighttime (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purposes for Day Time**

Cough suppressant

Expectorant

**Purposes for Night Time**

Antihistamine/Cough suppressant

**Uses**

Daytime

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep

Nighttime

- temporarily relieves:
  - sneezing
  - runny nose
  - itching of the nose or throat
  - itchy, watery eyes due to hay fever or other upper respiratory allergies
  - the impulse to cough
  - cough to help you get to sleep
  - cough due to minor throat and bronchial irritation as may occur with cold or inhaled irritants
  - the intensity of coughing

## **Warnings**

### **Do not use**

#### **DAYTIME**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

#### **NIGHTTIME**

- in a child under 4 years of age
- with any other product containing diphenhydramine even one used on the skin
- for the purpose of making your child sleepy

### **Ask a doctor before use your child has**

#### **DAYTIME**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such occurs with asthma

#### **NIGHTTIME**

- glaucoma
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occur with smoking, asthma, or emphysema
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

### **Ask a doctor or pharmacist before use if the child is**

#### **NIGHTTIME**

taking sedatives or tranquilizers.

### **When using this product**

#### **Nighttime**

- do not exceed recommended dosage
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

#### **DAYTIME**

cough lasts more than 7 days, comes back, or occurs with a fever, rash, or headache that lasts. These could be signs of a serious condition.

#### **NIGHTTIME**

cough persists for more than 1 weeks, tend to recur, or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Daytime**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Nighttime**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

**Daytime**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

| age                          | dose                   |
|------------------------------|------------------------|
| children 6 to under 12 years | 5-10 mL every 4 hours  |
| children 4 to under 6 years  | 2.5-5 mL every 4 hours |
| children under 4 years       | do not use             |

**Nighttime**

- adults and children 6 years and over: do not exceed more than 6 doses in 24 hour unless directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL = milliliter

| Age  | Dose                                   |
|--|--|
| adults and children 12 years of age and over | 10 mL every 4 hours                    |
| children 6 to under 12 years of age          | 5 mL every 4 hours                     |
| children 4 to under 6 years of age           | do not use unless directed by a doctor |
| children under 4 years of age                | do not use                             |

## **Other information**

### Daytime

- store between 20-25°C (68°-77°F).
- Do not refrigerate.

### Nighttime

- store between 20-25°C (68-77°F).
- Do not refrigerate
- protect from light

## **Inactive ingredients**

### **Day Time**

Organic agave syrup, non-GMO citric acid, glycerin, organic natural flavors, purified water

### **Night Time**

Organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

## **Questions or comments?**

Call **424-235-0355**

## **Principal Display Panel**

Same active ingredients as Mucinex Children's® Cough

KIDS' COUGH & CONGESTION Ages 4-11 yrs

Dextromethorphan HBr 5 mg per 5 mL

Cough Suppressant

Guaifenesin 100 mg per 5 mL

Expectorant

Organic Berry Flavor

DOSING CUP INCLUDED

FL OZ (mL)

keep outer carton for complete warnings and product information

**KIDS'** Ages 6+

**NIGHTTIME**

# COLD & COUGH

## Diphenhydramine HCl 12.5 mg per 5 mL

### Antihistamine/Cough Suppressant

### Organic Cherry Flavor

DOSING CUP INCLUDED

fl oz (mL)

Keep outer carton for complete warnings and product information.

**TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.**

**DO NOT TAKE KIDS' COUGH & CONGESTION AND KIDS' NIGHTTIME COLD & COUGH AT THE SAME TIME.**

†THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY RB HEALTH (us) LLC, DISTRIBUTOR OF MUCINEX CHILDREN'S® COUGH

DISTRIBUTED BY: KinderFarm®

Redondo Beach, CA 90277

## Product Label

Keep outer carton for complete warnings and product information.

| <b>Kids' Cough &amp; Congestion Drug Facts</b>  | <b>Kids' Nighttime Cold &amp; Cough Drug Facts</b>  |
|---|---|
| <b>Active Ingredients</b><br>(in each 5 mL)<br>Dextromethorphan HBr USP, 5 mg<br>Guaifenesin USP, 100 mg  | <b>Active ingredient</b><br>(in each 5 mL)<br>Diphenhydramine HCl 12.5 mg   |
| <b>Purposes</b><br>Cough suppressant<br>Expectorant   | <b>Purposes</b><br>Antihistamine/<br>Cough suppressant  |
| <b>Uses</b><br>■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive<br>■ temporarily relieves:<br>■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants<br>■ the intensity of coughing<br>■ the impulse to cough to help your child get to sleep  | <b>Uses</b> temporarily relieves:<br>■ sneezing ■ runny nose ■ itching of the nose or throat<br>■ itchy, watery eyes due to hay fever or other upper respiratory allergies ■ the impulse to cough<br>■ cough to help you get to sleep<br>■ cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants<br>■ the intensity of coughing  |
| <b>Warnings</b><br>Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.<br><b>Ask a doctor before use if the child has</b><br>■ persistent or chronic cough such as occurs with asthma<br><b>Step use and ask a doctor if</b> cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.<br><b>Keep out of reach of children.</b><br>In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. | <b>Warnings</b><br>Do not use ■ in a child under 4 years of age ■ with any other product containing diphenhydramine, even one used on skin ■ for the purpose of making your child sleepy<br><b>Ask a doctor before use if you have</b><br>■ glaucoma ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ a breathing problem such as emphysema or chronic bronchitis ■ difficulty in urination due to enlargement of the prostate gland<br><b>Ask a doctor or pharmacist before use if you are</b> taking sedatives or tranquilizers.<br><b>When using this product:</b> ■ do not exceed recommended dosage ■ marked drowsiness may occur ■ excitability may occur, especially in children ■ alcohol, sedatives and tranquilizers may increase the drowsiness effect ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery<br><b>Step use and ask a doctor if</b> cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.<br><b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. |
| <b>Directions</b><br>■ do not take more than 6 doses in any 24-hour period<br>■ measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product<br>■ mL = milliliter ■ shake well before using  | <b>Directions</b><br>■ adults and children 6 years of age and over: do not exceed more than 6 doses in 24 hours unless directed by a doctor<br>■ measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product<br>■ shake well before using ■ mL = milliliter   |
| <b>Other information</b><br>■ store between 20-25°C (68-77°F) ■ do not refrigerate  | <b>Other information</b><br>■ store between 20-25°C (68-77°F) ■ do not refrigerate  |
| <b>Inactive ingredients</b> Organic agave syrup, non-GMO citric acid, glycerin, organic natural flavors, purified water   | <b>Inactive ingredients</b> Organic agave syrup, non-GMO citric acid, glycerin, organic natural flavors, purified water   |

**OUR STORY**

We founded **KinderFarms**® to make the clean and effective health products we wanted for our own families available to everyone. By offering values-driven options that are backed by science, and giving back to our communities, we promise to do our part to create a kinder future for every family.

Jessica Biel  
Co-founder and Parent

JOIN US   

www.kinderfarms.com

**PARENTS:**  
Look for the **NON-GMO VERIFIED** logo.

**Kids' Nighttime Cold & Cough Drug Facts (continued)**

| Age  | Dose                                   |
|--|--|
| adults and children 12 years of age and over | 10 mL every 4 hours                    |
| children 6 to under 12 years of age          | 5 mL every 4 hours                     |
| children 4 to under 6 years of age           | do not use unless directed by a doctor |
| children under 4 years of age                | do not use                             |

**Other information**  
■ store between 20-25°C (68-77°F) ■ do not refrigerate  
■ protect from light

**Inactive ingredients**  
Organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

**TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.**

**DO NOT TAKE KIDS' COUGH & CONGESTION AND KIDS' NIGHTTIME COLD & COUGH AT THE SAME TIME.**

DISTRIBUTED BY: KinderFarms®  
Redondo Beach, CA 90277 USA kinderfarms.com  
QUESTIONS? hello@kinderfarms.com or call 424-236-0365

NO DYES • NO ARTIFICIAL FLAVORS OR SWEETENERS

**VALUE PACK**

**KinderMed**  
DAY & NIGHT

Some active ingredients as Mucinex Children's Cough

**KIDS' Ages 4-11 yrs. COUGH & CONGESTION**  
Dextromethorphan HBr 5 mg per 5 mL  
Cough Suppressant  
Guaifenesin 100 mg per 5 mL  
Expectorant  
Organic Berry Flavor

**KIDS' Ages 6+ NIGHTTIME COLD & COUGH**  
Diphenhydramine HCl 12.5 mg per 5 mL  
Antihistamine/Cough Suppressant  
Organic Cherry Flavor

**DAYTIME**  
7 Ingredients, that's it!  
**REAL MEDICINE**  
Dextromethorphan HBr  
Guaifenesin  
**CLEAN INACTIVES**  
Organic Agave Syrup  
Organic Berry Flavor  
Non-GMO Citric Acid  
Glycerin  
Purified Water

**NIGHTTIME**  
5 Ingredients, that's it!  
**REAL MEDICINE**  
Diphenhydramine HCl  
**CLEAN INACTIVES**  
Organic Agave Syrup  
Organic Cherry Flavor  
Non-GMO Citric Acid  
Purified Water

NON-GMO VERIFIED

NON-GMO VERIFIED

4 FL OZ (118 mL) 8 FL OZ (236 mL) TOTAL 4 FL OZ (118 mL)

DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.

DO NOT TAKE KIDS' COUGH & CONGESTION AND KIDS' NIGHTTIME COLD & COUGH AT THE SAME TIME.

DISTRIBUTED BY: KinderFarms®  
Redondo Beach, CA 90277 USA kinderfarms.com  
QUESTIONS? hello@kinderfarms.com or call 424-236-0365

Made in the USA with globally sourced ingredients.



NDC # 82673-901-08  
PLD-A770A  
PLD-AB78A F0007535

Lot No:  
Exp. Date:

# KINDERMED Day & Night Kids' Cough & Congestion Kids' Nighttime Cold & Cough

## DAYTIME COUGH CONGESTION NIGHTTIME COLD COUGH

dextromethorphan hbr, guaifenesin, diphenhydramine hcl kit

### Product Information

|                     |                |                           |               |
|---------------------|----------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:82673-901 |
|---------------------|----------------|---------------------------|---------------|

### Packaging

| # | Item Code        | Package Description                           | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:82673-901-08 | 1 in 1 KIT; Type 0: Not a Combination Product | 05/30/2024           |                    |

### Quantity of Parts

| Part # | Package Quantity  | Total Product Quantity |
|--------|-------------------|------------------------|
| Part 1 | 1 BOTTLE, PLASTIC | 118 mL                 |
| Part 2 | 1 BOTTLE, PLASTIC | 118 mL                 |

### Part 1 of 2

## MUCUS RELIEF COUGH AND CONGESTION CHILDRENS

dextromethorphan hbr, guaifenesin liquid

### Product Information

|                           |               |
|---------------------------|---------------|
| <b>Item Code (Source)</b> | NDC:82673-102 |
|---------------------------|---------------|

|                                |      |
|--------------------------------|------|
| <b>Route of Administration</b> | ORAL |
|--------------------------------|------|

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength                | Strength          |
|---|----------------------------------|-------------------|
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 5 mg<br>in 5 mL   |
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                           | GUAIFENESIN                      | 100 mg<br>in 5 mL |

### Inactive Ingredients

| Ingredient Name                                   | Strength |
|---|----------|
| <b>AGAVE TEQUILANA JUICE</b> (UNII: GVG8G02070)   |          |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                |          |

WATER (UNII: 059QF0KO0R)

## Product Characteristics

|          |       |              |  |
|----------|-------|--------------|--|
| Color    |       | Score        |  |
| Shape    |       | Size         |  |
| Flavor   | BERRY | Imprint Code |  |
| Contains |       |              |  |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:82673-102-04 | 1 in 1 BOX   |                      |                    |
| 1 |                  | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 05/30/2024           |                    |

## Part 2 of 2

### NIGHTTIME COLD AND COUGH

diphenhydramine hcl liquid

## Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:82673-191 |
| Route of Administration | ORAL          |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength                | Strength           |
|--|----------------------------------|--------------------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)<br>(DIPHENHYDRAMINE - UNII: 8GTS82S83M) | DIPHENHYDRAMINE<br>HYDROCHLORIDE | 12.5 mg<br>in 5 mL |

## Inactive Ingredients

| Ingredient Name                            | Strength |
|--|----------|
| AGAVE TEQUILANA JUICE (UNII: GVG8G02070)   |          |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) |          |
| WATER (UNII: 059QF0KO0R)                   |          |

### Product Characteristics

|                 |        |                     |  |
|-----------------|--------|---------------------|--|
| <b>Color</b>    |        | <b>Score</b>        |  |
| <b>Shape</b>    |        | <b>Size</b>         |  |
| <b>Flavor</b>   | CHERRY | <b>Imprint Code</b> |  |
| <b>Contains</b> |        |                     |  |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:82673-191-04 | 1 in 1 BOX   |                      |                    |
| 1 |                  | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 05/30/2024           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 05/30/2024           |                    |

**Labeler** - KinderFarms, LLC (075458767)

Revised: 4/2024

KinderFarms, LLC