

**ACIDUM PICRICUM- acidum picricum pellet**  
**Hahnemann Laboratories, INC.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM

## 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM  
PICRICUM  
30C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM  
PICRICUM  
100C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM  
PICRICUM  
200C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM  
PICRICUM  
500C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM  
PICRICUM  
1M**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**ACIDUM  
PICRICUM  
10M**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as headache.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# ACIDUM PICRICUM 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

## ACIDUM PICRICUM

acidum picricum pellet

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-2360 |
| Route of Administration | ORAL           |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name  |  | Basis of Strength   | Strength             |                    |
|--|--|---|----------------------|--------------------|
| PICRIC ACID (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) |  | PICRIC ACID   | 200 [hp_C]           |                    |
| <b>Inactive Ingredients</b>                                    |  |   |                      |                    |
| Ingredient Name  |  | Strength  |                      |                    |
| SUCROSE (UNII: C151H8M554)                                     |  |   |                      |                    |
| <b>Product Characteristics</b>                                 |  |   |                      |                    |
| Color  | white                                    | Score   | no score             |                    |
| Shape  | ROUND                                    | Size  | 2mm                  |                    |
| Flavor   |  | Imprint Code  |                      |                    |
| Contains   |  |   |                      |                    |
| <b>Packaging</b>   |  |   |                      |                    |
| #  | Item Code                                | Package Description   | Marketing Start Date | Marketing End Date |
| 1  | NDC:37662-2360-1                         | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 2  | NDC:37662-2360-2                         | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 3  | NDC:37662-2360-3                         | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 01/12/2023           |                    |
| 4  | NDC:37662-2360-4                         | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |
| <b>Marketing Information</b>                                   |  |   |                      |                    |
| Marketing Category   | Application Number or Monograph Citation | Marketing Start Date  | Marketing End Date   |                    |
| unapproved homeopathic   |  | 01/12/2023  |                      |                    |

| ACIDUM PICRICUM  |                |                    |                |
|--|----------------|--------------------|----------------|
| acidum picricum pellet   |                |                    |                |
| <b>Product Information</b>                                     |                |                    |                |
| Product Type   | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-2363 |
| Route of Administration  | ORAL           |                    |                |
| <b>Active Ingredient/Active Moiety</b>                         |                |                    |                |
| Ingredient Name  |                | Basis of Strength  | Strength       |
| PICRIC ACID (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) |                | PICRIC ACID        | 10 [hp_M]      |

| Inactive Ingredients       |  |   |                      |                    |
|----------------------------|--|---|----------------------|--------------------|
| Ingredient Name            |  |   | Strength             |                    |
| SUCROSE (UNII: C151H8M554) |  |   |                      |                    |
|                            |  |   |                      |                    |
| Product Characteristics    |  |   |                      |                    |
| Color                      | white                                    | Score   | no score             |                    |
| Shape                      | ROUND                                    | Size  | 2mm                  |                    |
| Flavor                     |  | Imprint Code  |                      |                    |
| Contains                   |  |   |                      |                    |
|                            |  |   |                      |                    |
| Packaging                  |  |   |                      |                    |
| #                          | Item Code                                | Package Description   | Marketing Start Date | Marketing End Date |
| 1                          | NDC:37662-2363-1                         | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 2                          | NDC:37662-2363-2                         | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 3                          | NDC:37662-2363-3                         | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 01/12/2023           |                    |
| 4                          | NDC:37662-2363-4                         | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |
|                            |  |   |                      |                    |
| Marketing Information      |  |   |                      |                    |
| Marketing Category         | Application Number or Monograph Citation |   | Marketing Start Date | Marketing End Date |
| unapproved homeopathic     |  |   | 01/12/2023           |                    |

| ACIDUM PICRICUM  |                |                    |                |
|--|----------------|--------------------|----------------|
| acidum picricum pellet   |                |                    |                |
|  |                |                    |                |
| Product Information  |                |                    |                |
| Product Type   | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-2361 |
| Route of Administration  | ORAL           |                    |                |
|  |                |                    |                |
| Active Ingredient/Active Moiety                                |                |                    |                |
| Ingredient Name  |                | Basis of Strength  | Strength       |
| PICRIC ACID (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) |                | PICRIC ACID        | 500 [hp_C]     |
|  |                |                    |                |
| Inactive Ingredients   |                |                    |                |
| Ingredient Name  |                |                    | Strength       |
| SUCROSE (UNII: C151H8M554)                                     |                |                    |                |



## Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 2mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |          |
| <b>Contains</b> |       |                     |          |

## Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-2361-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 2 | NDC:37662-2361-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 3 | NDC:37662-2361-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 01/12/2023           |                    |
| 4 | NDC:37662-2361-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 01/12/2023           |                    |

## ACIDUM PICRICUM

acidum picricum pellet

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:37662-2358 |
| <b>Route of Administration</b> | ORAL           |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength  |
|---|-------------------|-----------|
| <b>PICRIC ACID</b> (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) | PICRIC ACID       | 30 [hp_C] |

### Inactive Ingredients

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| <b>SUCROSE</b> (UNII: C151H8M554) |          |

## Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 3mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |          |
| <b>Contains</b> |       |                     |          |

| <b>Packaging</b> |                  |  |                      |                    |
|------------------|------------------|--|----------------------|--------------------|
| #                | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
| 1                | NDC:37662-2358-1 | 80 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 2                | NDC:37662-2358-2 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product    | 01/12/2023           |                    |
| 3                | NDC:37662-2358-3 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |
| 4                | NDC:37662-2358-4 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |

| <b>Marketing Information</b> |  |                      |                    |
|------------------------------|--|----------------------|--------------------|
| Marketing Category           | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic       |  | 01/12/2023           |                    |

## ACIDUM PICRICUM

acidum picricum pellet

| <b>Product Information</b>     |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:37662-2359 |
| <b>Route of Administration</b> | ORAL           |                           |                |

| <b>Active Ingredient/Active Moiety</b>                         |  |                   |            |
|--|--|-------------------|------------|
| Ingredient Name  |  | Basis of Strength | Strength   |
| PICRIC ACID (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) |  | PICRIC ACID       | 100 [hp_C] |

| <b>Inactive Ingredients</b> |          |
|-----------------------------|----------|
| Ingredient Name             | Strength |
| SUCROSE (UNII: C151H8M554)  |          |

| <b>Product Characteristics</b> |       |                     |          |
|--------------------------------|-------|---------------------|----------|
| <b>Color</b>                   | white | <b>Score</b>        | no score |
| <b>Shape</b>                   | ROUND | <b>Size</b>         | 2mm      |
| <b>Flavor</b>                  |       | <b>Imprint Code</b> |          |

**Contains****Packaging**

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:37662-2359-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 2 | NDC:37662-2359-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023           |                    |
| 3 | NDC:37662-2359-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 01/12/2023           |                    |
| 4 | NDC:37662-2359-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |

**Marketing Information**

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 01/12/2023           |                    |

**ACIDUM PICRICUM**

acidum picricum pellet

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:37662-2357 |
| <b>Route of Administration</b> | ORAL           |                           |                |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength  |
|---|-------------------|-----------|
| <b>PICRIC ACID</b> (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) | PICRIC ACID       | 12 [hp_C] |

**Inactive Ingredients**

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| <b>SUCROSE</b> (UNII: C151H8M554) |          |

**Product Characteristics**

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 3mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |          |
| <b>Contains</b> |       |                     |          |

| Packaging |                  |  |                      |                    |
|-----------|------------------|--|----------------------|--------------------|
| #         | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
| 1         | NDC:37662-2357-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product    | 01/12/2023           |                    |
| 2         | NDC:37662-2357-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |
| 3         | NDC:37662-2357-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |

  

| Marketing Information  |  |                      |                    |
|------------------------|--|----------------------|--------------------|
| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic |  | 01/12/2023           |                    |

| ACIDUM PICRICUM  |                  |   |                      |                    |
|--|------------------|---|----------------------|--------------------|
| acidum picricum pellet   |                  |   |                      |                    |
| Product Information  |                  |   |                      |                    |
| Product Type   | HUMAN OTC DRUG   | Item Code (Source)                                      | NDC:37662-2362       |                    |
| Route of Administration  | ORAL             |   |                      |                    |
| Active Ingredient/Active Moiety                                |                  |   |                      |                    |
| Ingredient Name  |                  | Basis of Strength                                       | Strength             |                    |
| PICRIC ACID (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) |                  | PICRIC ACID   | 1 [hp_M]             |                    |
| Inactive Ingredients   |                  |   |                      |                    |
| Ingredient Name  |                  | Strength  |                      |                    |
| SUCROSE (UNII: C151H8M554)                                     |                  |   |                      |                    |
| Product Characteristics  |                  |   |                      |                    |
| Color  | white            | Score   | no score             |                    |
| Shape  | ROUND            | Size  | 2mm                  |                    |
| Flavor   |                  | Imprint Code  |                      |                    |
| Contains   |                  |   |                      |                    |
| Packaging  |                  |   |                      |                    |
| #  | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
| 1  | NDC:37662-2362-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |

|   |                  |   |            |  |
|---|------------------|---|------------|--|
| 2 | NDC:37662-2362-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product     | 01/12/2023 |  |
| 3 | NDC:37662-2362-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product  | 01/12/2023 |  |
| 4 | NDC:37662-2362-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023 |  |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 01/12/2023           |                    |

## ACIDUM PICRICUM

acidum picricum pellet

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-2356 |
| Route of Administration | ORAL           |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| PICRIC ACID (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S) | PICRIC ACID       | 6 [hp_C] |

### Inactive Ingredients

| Ingredient Name            | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) |          |

### Product Characteristics

|          |       |              |          |
|----------|-------|--------------|----------|
| Color    | white | Score        | no score |
| Shape    | ROUND | Size         | 3mm      |
| Flavor   |       | Imprint Code |          |
| Contains |       |              |          |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:37662-2356-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product    | 01/12/2023           |                    |
| 2 | NDC:37662-2356-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |
| 3 | NDC:37662-2356-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 01/12/2023           |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 01/12/2023           |                    |

**Labeler** - Hahnemann Laboratories, INC. (147098081)

## Establishment

| Name                         | Address | ID/FEI    | Business Operations   |
|------------------------------|---------|-----------|---|
| Hahnemann Laboratories, INC. |         | 147098081 | manufacture(37662-2356, 37662-2357, 37662-2358, 37662-2359, 37662-2360, 37662-2361, 37662-2362, 37662-2363) |

Revised: 1/2023

Hahnemann Laboratories, INC.