

CIRCLE K PAIN RELIEVER EXTRA STRENGTH- acetaminophen tablet
Lil' Drug Store Products, Inc.

Circle K[®] Pain Reliever

Extra Strength

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 tablets every 6 hours while symptoms last• do not take more than 6 tablets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- **do not use if inner pouch or carton is open or damaged**
- store at room temperature 59-86°F (15-30°C)
- see bottom panel for lot number and expiration date

Inactive ingredients

corn starch, hypromellose, maltodextrin ¹, microcrystalline cellulose ¹, polyethylene glycol, povidone ¹, pregelatinized starch ¹, sodium starch glycolate ¹, stearic acid, titanium dioxide ¹

¹ may contain

Questions or comments?

call toll-free **1-877-507-6516 (M-F 8 AM-4:30PM CST)**

Proudly distributed by Circle K Stores Inc.

PRINCIPAL DISPLAY PANEL - 500 mg Tablet Pouch Carton - 66715-5733

Compare to the Active Ingredient
in Tylenol[®] Extra Strength**

CIRCLE K[®]

Pain Reliever

Acetaminophen 500 mg

Pain Reliever/Fever Reducer

Extra Strength

ACTUAL SIZE

6 Tablets

3 POUCHES, 2 TABLETS PER POUCH

Compare to the Active Ingredient
In Tylenol® Extra Strength**

CIRCLE K

Pain Reliever

Acetaminophen 500 mg
Pain Reliever/Fever Reducer



Extra Strength

ACTUAL SIZE

6 Tablets
3 POUCHES, 2 TABLETS PER POUCH

Pain Reliever 6 Tablets



DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!

Drug Facts

Active ingredient (in each tablet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

LIFT PANEL FOR CONTINUED DRUG FACTS

Drug Facts (continued)

Ask a doctor before use if you have liver disease

Ask a doctor before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> take 2 tablets every 6 hours while symptoms last do not take more than 6 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- do not use if inner pouch or carton is open or damaged
- store at room temperature 59-86°F (15-30°C)
- see bottom panel for lot number and expiration date

Pain Reliever

CIRCLE K

Drug Facts (continued)

Inactive ingredients
corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide*
*may contain

Questions or comments?
call toll-free 1-877-507-6516 (M-F 8 AM-4:30PM CST)

Product manufactured for:
Lil' Drug Store Products, Inc.
9300 Earhart Lane SW
Cedar Rapids, IA 52404
www.lildrugstore.com 57333C-US-08-18-A

Proudly distributed by Circle K Stores Inc.

**This product is not manufactured or distributed by JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division. Tylenol® is a registered trademark of the Johnson & Johnson Corporation.

CIRCLE K

Pain Reliever 6 Tablets

LOT
EXP

7 85059 3 8226 1



PRINCIPAL DISPLAY PANEL - 500 mg Tablet Pouch Carton - 66715-5633

Compare to the Active Ingredient
in Tylenol[®] Extra Strength**

CIRCLE K[®]

Pain Reliever
Acetaminophen 500 mg
Pain Reliever/Fever Reducer

Extra Strength

ACTUAL SIZE

6 Tablets
3 POUCHES, 2 TABLETS PER POUCH

Compare to the Active Ingredient
In Tylenol® Extra Strength**

CIRCLE K

Pain Reliever

Acetaminophen 500 mg
Pain Reliever/Fever Reducer



Extra Strength

ACTUAL SIZE

6 Tablets
3 POUCHES, 2 TABLETS PER POUCH

Pain Reliever 6 Tablets



DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!

Drug Facts

Active ingredient (in each tablet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

LIFT PANEL FOR CONTINUED DRUG FACTS

Drug Facts (continued)

Ask a doctor before use if you have liver disease

Ask a doctor before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> take 2 tablets every 6 hours while symptoms last do not take more than 6 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- do not use if inner pouch or carton is open or damaged
- store at room temperature 59-86°F (15-30°C)
- see bottom panel for lot number and expiration date

Pain Reliever

CIRCLE K

Drug Facts (continued)

Inactive ingredients
corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide*
*may contain

Questions or comments?
call toll-free 1-877-507-6516 (M-F 8 AM-4:30PM CST)

Product manufactured for:
Lil' Drug Store Products, Inc.
9300 Earhart Lane SW
Cedar Rapids, IA 52404
www.lildrugstore.com 57333C-US-08-18-A

Proudly distributed by Circle K Stores Inc.

**This product is not manufactured or distributed by
JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division.
Tylenol® is a registered trademark of the Johnson & Johnson Corporation.

CIRCLE K

Pain Reliever 6 Tablets

LOT
EXP

7 85059 3 8226 1



PDP/Package - NDC 66715-5533

TEMPORARILY RELIEVES MINOR ACHES & PAINS

Compare to the active ingredient in

Tylenol® Extra Strength**

CIRCLE K™

**extra strength
pain reliever**

**Acetaminophen 500 mg,
Pain Reliever/Fever Reducer**

[tablet image]

actual size

6 tablets (2 per pouch)



CIRCLE K PAIN RELIEVER EXTRA STRENGTH

acetaminophen tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-5733
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg

Inactive Ingredients			
Ingredient Name			Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR33
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5733-3	3 in 1 CARTON	12/03/2019	05/20/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/27/2011	05/20/2024

CIRCLE K PAIN RELIEVER EXTRA STRENGTH

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-5633
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5633-3	3 in 1 CARTON	12/03/2019	05/20/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/27/2011	05/20/2024

CIRCLE K PAIN RELIEVER EXTRA STRENGTH

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-5533
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3S)	

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5533-3	3 in 1 CARTON	03/01/2021	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/01/2021	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2023

Lil' Drug Store Products, Inc.