

## **MAXIMUM STRENGTH CORTISONE- hydrocortisone ointment ointment**

**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Active Ingredient**

Hydrocortisone, USP 1%

### **Purpose**

Anti-itch

### **Uses**

for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, jewelry, detergents, cosmetics, psoriasis, seborrheic dermatitis, for external genital, feminine and anal itching, other uses of this product should be only under the advice and supervision of a doctor

### **Warnings**

For external use only

### **Do not use**

for external feminine itching if you have a vaginal discharge. Consult a doctor.

for the treatment of diaper rash. Consult a doctor.

### **When using this product**

avoid contact with the eyes, do not begin the use of any other hydrocortisone product unless directed by a doctor, for external anal itching: do not use more than directed unless directed by a doctor, do not put this product into the rectum by using fingers or any mechanical device or applicator

### **Stop use and ask a doctor if**

symptoms last for more than 7 days, the condition gets worse, symptoms clear up and occur again in a few days, rectal bleeding occurs, consult doctor promptly

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

Adults and children 2 years of age and older \* apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age \* do not use, consult a doctor.

For external anal itching - Adults: when practical, clean the affected area with mild soap and warm

water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.

Children under 12 years of age: consult a doctor.

**Other information**

Store at room temperature 59°-86°F (15°-30°C).

Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive Ingredients**

mineral oil, white petrolatum

**Carton Label**

**Drug Facts**

**Active Ingredient**

Hydrocortisone, USP 1%

**Purpose**

Anti-itch

**Uses** for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:  
■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps  
■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis  
■ for external genital, feminine and anal itching  
■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use** ■ for external feminine itching if you have a vaginal discharge. Consult a doctor.  
■ for the treatment of diaper rash. Consult a doctor.

**When using this product** ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor  
■ do not put this product into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

■ symptoms last for more than 7 days ■ the condition gets worse  
■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs, consult doctor promptly

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and children 2 years of age and older** ■ apply to affected area not more than 3 to 4 times daily  
**Children under 2 years of age** ■ do not use, consult a doctor

**For external anal itching**

**Adults:** when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product  
**Children under 12 years of age:** consult a doctor

**Other information**

■ Store at room temperature 59°-86°F (15°-30°C).  
■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive Ingredients** mineral oil, white petrolatum.



\*This product is not affiliated with, manufactured with, or produced by the makers or owners of Cortizone-10®.

V-32866  
CVS.com® 1-800-SHOP CVS  
© 2016 CVS/Pharmacy  
One CVS Drive, Woonsocket, RI 02895  
Distributed by: CVS Pharmacy, Inc.



#373092

NET WT 1 OZ (28 g)

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment



Compare to the active ingredient in Cortizone-10®

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment



- Relieves itch from:**
- Rash
  - Eczema
  - Psoriasis
  - Insect bites
  - Other skin irritations

Compare to the active ingredient in Cortizone-10®



**Drug Facts**

**Active Ingredient**

Hydrocortisone, USP 1%

**Purpose**

Anti-itch

**Uses**

for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:  
■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps  
■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis  
■ for external genital, feminine and anal itching  
■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use** ■ for external feminine itching if you have a vaginal discharge. Consult a doctor.  
■ for the treatment of diaper rash. Consult a doctor.

**When using this product** ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor  
■ do not put this product into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

■ symptoms last for more than 7 days ■ the condition gets worse  
■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs, consult doctor promptly

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and children 2 years of age and older** ■ apply to affected area not more than 3 to 4 times daily  
**Children under 2 years of age** ■ do not use, consult a doctor

**For external anal itching**

**Adults:** when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product  
**Children under 12 years of age:** consult a doctor

**Other information**

■ Store at room temperature 59°-86°F (15°-30°C).  
■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive Ingredients** mineral oil, white petrolatum.



\*This product is not affiliated with, manufactured with, or produced by the makers or owners of Cortizone-10®.  
Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2016 CVS Pharmacy  
CVS.com® 1-800-SHOP CVS  
V-328666



#373092

NET WT 1 OZ (28 g)

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment



Compare to the active ingredient in Cortizone-10®

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment



- Relieves itch from:**
- Rash
  - Eczema
  - Psoriasis
  - Insect bites
  - Other skin irritations

Compare to the active ingredient in Cortizone-10®





**Drug Facts**

**Active Ingredient**

Hydrocortisone, USP 1%

**Purpose**

Anti-itch

**Uses**

for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:  
■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps  
■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis  
■ for external genital, feminine and anal itching  
■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use** ■ for external feminine itching if you have a vaginal discharge. Consult a doctor.  
■ for the treatment of diaper rash. Consult a doctor.

**When using this product** ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor  
■ do not put this product into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

■ symptoms last for more than 7 days ■ the condition gets worse  
■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs, consult doctor promptly

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and children 2 years of age and older** ■ apply to affected area not more than 3 to 4 times daily  
**Children under 2 years of age** ■ do not use, consult a doctor

**For external anal itching**

**Adults:** when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product  
**Children under 12 years of age:** consult a doctor

**Other information**

■ Store at room temperature 59°-86°F (15°-30°C).  
■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive Ingredients** mineral oil, white petrolatum.



Money Back Guarantee

V-32866  
CVS.com® 1-800-SHOP CVS  
© 2016 CVS/Pharmacy  
One CVS Drive, Woonsocket, RI 02896  
Distributed by: CVS Pharmacy, Inc.

\*This product is not affiliated with, manufactured by, or produced by the makers or owners of Cortizone® 10®.



0 50428 34255 8

#373092

NET WT 1 OZ (28 g)

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment



**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment

**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment

Compare to the active ingredient in Cortizone® 10®



**Cortisone Ointment**

**MAXIMUM STRENGTH**

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment



**Relieves itch from:**

- Rash
- Eczema
- Psoriasis
- Insect bites
- Other skin irritations

Compare to the active ingredient in Cortizone® 10®



**Drug Facts**

**Active Ingredient**  
Hydrocortisone, USP 1%

**Purpose**  
Anti-itch

**Uses** for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to:  
■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps  
■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis  
■ for external genital, feminine and anal itching  
■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use** ■ for external feminine itching if you have a vaginal discharge. Consult a doctor.  
■ for the treatment of diaper rash. Consult a doctor.

**When using this product** ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor  
■ do not put this product into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

■ symptoms last for more than 7 days ■ the condition gets worse  
■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs, consult doctor promptly

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**Adults and children 2 years of age and older** ■ apply to affected area not more than 3 to 4 times daily  
**Children under 2 years of age** ■ do not use, consult a doctor

**For external anal itching**

**Adults:** when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product  
**Children under 12 years of age:** consult a doctor

**Other information**

■ Store at room temperature 59°-86°F (15°-30°C).  
■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive Ingredients** mineral oil, white petrolatum.



V-32866  
CVS.com® 1-800-SHOP CVS  
© 2016 CVS/Pharmacy  
One CVS Drive, Woonsocket, RI 02896  
Distributed by: CVS Pharmacy, Inc.  
\*This product is not affiliated with, manufactured by, or produced by the makers or owners of Cortizone® 10®.



#373092

NET WT 1 OZ (28 g)

**MAXIMUM STRENGTH**  
**Cortisone Ointment**  
HYDROCORTISONE OINTMENT, USP 1%  
Anti-itch ointment

**MAXIMUM STRENGTH**  
**Cortisone Ointment**  
HYDROCORTISONE OINTMENT, USP 1%  
Anti-itch ointment

**MAXIMUM STRENGTH**  
**Cortisone Ointment**  
HYDROCORTISONE OINTMENT, USP 1%  
Anti-itch ointment



Compare to the active ingredient in Cortizone® 10®



**MAXIMUM STRENGTH**  
**Cortisone Ointment**  
HYDROCORTISONE OINTMENT, USP 1%  
Anti-itch ointment



**Relieves itch from:**  
• Rash  
• Eczema  
• Psoriasis  
• Insect bites  
• Other skin irritations



Compare to the active ingredient in Cortizone® 10®

Tube Label



CVS Health.

**MAXIMUM STRENGTH**

# Cortisone Ointment

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment

NET WT 1 OZ (28 g)



**Drug Facts**    **Active ingredient** Hydrocortisone, USP 1%    **Purpose** Anti-itch

**Uses** for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: ■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps ■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis ■ for external genital, feminine and anal itching ■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings** For external use only    Do not use ■ for external feminine itching if you have a vaginal discharge. Consult a doctor ■ for the treatment of diaper rash. Consult a doctor.    When using this product ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor ■ do not put this product into the rectum by using fingers or any mechanical device or applicator    Stop use and ask a doctor if ■ symptoms last for more than 7 days ■ the condition gets worse ■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs; consult doctor promptly

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 2 years of age and older ■ apply to affected area not more than 3 to 4 times daily

Children under 2 years of age ■ do not use; consult a doctor

For external anal itching

Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product

Children under 12 years of age: consult a doctor

**Other information** ■ Store at room temperature 59°-86°F (15°-30°C).

■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive ingredients** mineral oil, white petrolatum

Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895  
© 2016 CVS/pharmacy    CVS.com®    1-800-SHOP CVS    V-32858

 **CVS Quality**  
Money Back Guarantee

ITEM 373082

CVS Health.

**MAXIMUM STRENGTH**

# Cortisone Ointment

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment

NET WT 1 OZ (28 g)



**Drug Facts**    **Active ingredient** Hydrocortisone, USP 1%    **Purpose** Anti-itch

**Uses** for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: ■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps ■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis ■ for external genital, feminine and anal itching ■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings** For external use only    Do not use ■ for external feminine itching if you have a vaginal discharge. Consult a doctor ■ for the treatment of diaper rash. Consult a doctor.    When using this product ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor ■ do not put this product into the rectum by using fingers or any mechanical device or applicator    Stop use and ask a doctor if ■ symptoms last for more than 7 days ■ the condition gets worse ■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs; consult doctor promptly

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 2 years of age and older ■ apply to affected area not more than 3 to 4 times daily

Children under 2 years of age ■ do not use; consult a doctor

For external anal itching

Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product

Children under 12 years of age: consult a doctor

**Other information** ■ Store at room temperature 59°-86°F (15°-30°C).

■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive ingredients** mineral oil, white petrolatum

Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895  
© 2016 CVS/pharmacy    CVS.com®    1-800-SHOP CVS    V-32858

 **CVS Quality**  
Money Back Guarantee

ITEM 373082



CVS Health.

**MAXIMUM STRENGTH**

# Cortisone Ointment

HYDROCORTISONE OINTMENT, USP 1%

Anti-Itch ointment

NET WT 1 OZ (28 g)



**Drug Facts**    **Active Ingredient** Hydrocortisone, USP 1%    **Purpose** Anti-Itch

**Uses** for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: ■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps ■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis ■ for external genital, feminine and anal itching ■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings** For external use only    Do not use ■ for external feminine itching if you have a vaginal discharge. Consult a doctor ■ for the treatment of diaper rash. Consult a doctor.    When using this product ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor ■ do not put this product into the rectum by using fingers or any mechanical device or applicator    Stop use and ask a doctor if ■ symptoms last for more than 7 days ■ the condition gets worse ■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs, consult doctor promptly

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 2 years of age and older ■ apply to affected area not more than 3 to 4 times daily

Children under 2 years of age ■ do not use, consult a doctor

For external anal itching

Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product

Children under 12 years of age: consult a doctor

**Other Information** ■ Store at room temperature 59°-86°F (15°-30°C).

■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive Ingredients** mineral oil, white petrolatum

Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895  
© 2016 CVS/pharmacy    CVS.com®    1-800-SHOP CVS    V-32858

 **CVS Quality**  
Money Back Guarantee

ITEM 373082



MAXIMUM STRENGTH

# Cortisone Ointment

HYDROCORTISONE OINTMENT, USP 1%

Anti-itch ointment

NET WT 1 OZ (28 g)



**Drug Facts**    **Active ingredient** Hydrocortisone, USP 1%    **Purpose** Anti-itch

**Uses** for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: ■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps ■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis ■ for external genital, feminine and anal itching ■ other uses of this product should be only under the advice and supervision of a doctor

**Warnings** For external use only    Do not use ■ for external feminine itching if you have a vaginal discharge. Consult a doctor ■ for the treatment of diaper rash. Consult a doctor.    When using this product ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor ■ for external anal itching: ■ do not use more than directed unless directed by a doctor ■ do not put this product into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if** ■ symptoms last for more than 7 days ■ the condition gets worse ■ symptoms clear up and occur again in a few days ■ rectal bleeding occurs; consult doctor promptly

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 2 years of age and older ■ apply to affected area not more than 3 to 4 times daily

Children under 2 years of age ■ do not use, consult a doctor

**For external anal itching**

Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product

Children under 12 years of age: consult a doctor

**Other information** ■ Store at room temperature 59°-86°F (15°-30°C).

■ Before using any medication, read all label directions. Keep carton, it contains important information.

**Inactive ingredients** mineral oil, white petrolatum

Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895  
 © 2016 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-32858



ITEM 373082

## MAXIMUM STRENGTH CORTISONE

hydrocortisone ointment ointment

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-259
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: WI4X0X7BPJ) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE	1.02 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	96.98 g in 100 g
MINERAL OIL (UNII: T5L8T28FGP)	2 g in 100 g

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-259-03	1 in 1 CARTON	11/01/2016	
1	NDC:69842-259-01	28 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	11/01/2016	

**Labeler** - CVS Pharmacy (062312574)

### Establishment

Name	Address	ID/FEI	Business Operations
Unipack, Inc.		009248480	manufacture(69842-259)

Revised: 1/2021

CVS Pharmacy