#### HEAD AND SHOULDERS SCALP X MINOXIDIL HAIR REGROWTH TREATMENT FOR MEN- minoxidil solution The Procter & Gamble Manufacturing Company

-----

## Head & Shoulders Scalp X Minoxidil Hair Regrowth Treatment for Men Drug Facts

#### Active ingredient

Minoxidil 5% w/v

#### Purpose

Hair regrowth treatment for men

#### Use

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

#### Warnings

For external use only.

Flammable: Keep away from fire or flame

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton, or your hair loss is on the front of the scalp. Minoxidil topical solution 5% is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children
- your scalp is red, inflamed, infected, irritated or painful
- you use other medicines on the scalp

#### Ask a doctor before use if you have heart disease

#### When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.
   For some men, you may need to use this product for at least 4 months before you see results.

• the amount of hair regrowth is different for each person. This product will not work for all men.

## Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

## May be harmful if used when pregnant or breast-feeding

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

(1-800-222-1222)

## Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

## Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clincial trials with continuous treatment with minoxidil topical solution 5% for men
- in clincial studies with mostly white men aged 18-49 years with moderate degrees of hair loss, minoxidil topical solution 5% for men proided more hair regrowth than minoxidil topical solution 2%
- store at 20-25° C (68-77° F). Keep tightly closed.

## Inactive ingredients

alcohol, propylene glycol, purified water

#### **Questions or comments?**

## 1-800-723-9569

DIST. BY PROCTER & GAMBLE

CINCINNATI OH 45202.

### **PRINCIPAL DISPLAY PANEL - Carton**

Head & Shoulders SCALP X MINOXIDIL TOPICAL SOLUTION USP, 5% HAIR REGROWTH TREATMENT FOR MEN Extra Strength Topical Solution CLINICALLY PROVEN TO HELP REGROW HAIR Reactivates Hair Follicles to Stimulate Regrowth Three month supply Unscented 3 - 60 mL (2 FL OZ) BOTTLES



# HEAD AND SHOULDERS SCALP X MINOXIDIL HAIR REGROWTH TREATMENT FOR MEN

minoxidil solution

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69423-559		
Route of Administration	TOPICAL				

istive ing	redie	nt/Active Moiety		
		Ingredient Name	Basis of Streng	gth Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	5 g in 100 mL	
Inactive Ingredients Ingredient Name				Strength
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII:	059QF0	DKOOR)		
PROPYLENE	GLYCO	L (UNII: 6DC9Q167V3)		
Packaging				
ı acragii	J			
		Package Description	Marketing Start Date	: Marketing End Date
# Item Co	de	Package Description	-	-
<ul> <li># Item Co</li> <li>1 NDC:69423 559-01</li> </ul>	<b>de</b> - 3 i 60		Date	-
# Item Co	<b>de</b> - 3 i 60	n 1 CARTON mL in 1 BOTTLE, DROPPER; Type 0: Not a	Date	-
<ul> <li># Item Co</li> <li>1 NDC:69423 559-01</li> <li>1</li> </ul>	de 3 i 60 Co	n 1 CARTON mL in 1 BOTTLE, DROPPER; Type 0: Not a	Date	-
<ul> <li># Item Co</li> <li>1 NDC:69423 559-01</li> <li>1</li> </ul>	de 3 i 60 Co ng Ir	n 1 CARTON mL in 1 BOTTLE, DROPPER; Type 0: Not a ombination Product	Date	-

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 1/2023

The Procter & Gamble Manufacturing Company