

ACT ANTICAVITY FLUORIDE CINNAMON- sodium fluoride rinse
Chattem, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACT Anticavity Fluoride Rinse Cinnamon

Drug Facts

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. Fill to FILL LINE
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- contains FD&C yellow no. 5 (tartrazine) as a color additive
- do not use if safety seal is broken or missing

Inactive ingredients

water, sorbitol, poloxamer 407, propylene glycol, sodium phosphate, disodium phosphate, polysorbate

80, sodium saccharin, flavor, cetylpridinium chloride, calcium disodium EDTA, benzyl alcohol, sodium benzoate, red 33, yellow 5 (309-098)

Learn more at www.ACTFLUORIDE.com

PRINCIPAL DISPLAY PANEL

#1 DENTIST RECOMMENDED
FLUORIDE BRAND

ACT

Anitcavity

Fluoride Mouthwash

alcohol free

CINNAMON

18 fl. oz. (532 mL)

ZERO ALCOHOL



#1 DENTIST RECOMMENDED
FLUORIDE BRAND¹

ACT

1X Daily

ANTICAVITY

FLUORIDE MOUTHWASH

- +** HELPS PREVENT Cavities
- +** STRENGTHENS Teeth
- +** FRESHENS Breath



CINNAMON

Sodium Fluoride 0.05%
IMPORTANT: Read directions for proper use.

18 fl oz (532 mL)

0170904-01



ACT[®] ANTICAVITY

FLUORIDE MOUTHWASH
alcohol free

Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion).....	Anticavity

Use ■ aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. **FILL to FILL LINE.**
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- contains FD&C yellow no. 5 (tartrazine) as a color additive
- do not use if safety seal is broken or missing

Inactive ingredients water, sorbitol, poloxamer 407, propylene glycol, sodium phosphate, disodium phosphate, flavor, polysorbate 80, sodium saccharin, cetylpyridinium chloride, calcium disodium EDTA, benzyl alcohol, sodium benzoate, red 33, yellow 5

Bottle configuration is a trademark of Chatterm, Inc. 309-038

Learn more at www.ACTFLUORIDE.com

SANOFI 

Dist. by Chatterm, Inc., a Sanofi Company
P.O. Box 2219, Chattanooga, TN 37409 USA
†among mouth rinses ©2017 Chatterm, Inc.



0170905-01

ACT ANTICAVITY FLUORIDE CINNAMON

sodium fluoride rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0940
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Product Characteristics

Color	RED	Score	
Shape		Size	
Flavor	CINNAMON	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0940-8	532 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	04/01/1994	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part355	04/01/1994	

Labeler - Chattem, Inc. (003336013)

Establishment

Name	Address	ID/FEI	Business Operations
CHATTEM, INC.		832973031	MANUFACTURE(41167-0940)

Revised: 4/1994

Chattem, Inc.