

**GENTLE LAXATIVE- bisacodyl tablet, delayed release
BETTER LIVING BRANDS LLC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

14R_Albertsons_21130-410_Bisacodyl Delayed Release Tablets 5 mg

Drug Facts

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you cannot swallow without chewing

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- it may cause stomach discomfort, faintness and cramps
- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take with a glass of water
-

adults and children 12 years of age and over
 children 6 to under 12 years of age
 children under 6 years of age

1 to 3 tablets in a single daily dose
 1 tablet in a single daily dose
 ask a doctor

Other information

- **each tablet contains:** magnesium 5 mg
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package
- protect from excessive humidity

Inactive ingredients acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow (iron oxide ochre), magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Questions or comments? 1-877-290-4008

DISTRIBUTED BY: BETTER LIVING BRANDS LLC P.O. BOX 99 PLEASANTON, CA 94566-0099 41-888-723-3829 14R 0232		Questions or comments? 1-877-290-4008	Drug Facts (continued) Stop use and ask a doctor if ■ you have rectal bleeding or fail to have a bowel movement after using this product. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 Week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).
			Directions ■ Take with a glass of water adults and childre 12 1 to 3 tablets in a years of age or older 1 tablet in a single daily dose children 6 to under 12 1 tablet in a single daily dose children under 6 years of age ask a doctor

 <p>Compare to Dulcolax® Laxative Tablets active ingredient! NDC 21130-410-20</p>	<p>Gentle Laxative BISACODYL DELAYED-RELEASE TABLETS USP, 5 mg Stimulant Laxative Actual Size  200 TABLETS</p>	<p>Warnings Do not use if you cannot swallow without chewing Ask a doctor before use if you have ■ stomach pain, nausea or vomiting ■ noticed a sudden change in bowel habits that lasts more than 2 weeks When using this product ■ it may cause stomach discomfort, faintness and cramps ■ do not chew or crush tablet(s) ■ do not use within 1 hour after taking an antacid or milk</p>	<p>Drug Facts (continued under label) Scan for info  *This product is not manufactured or distributed by Sanofi Consumer Healthcare, distributor of Dulcolax® Laxative RD 23087 S5954  591211301994319 LOVE IT OR IT'S ON US. Lot No.: Exp. Date:</p>	<p>Varnish Omit Area</p>



GENTLE LAXATIVE

bisacodyl tablet, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-410
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)	
POLYVINYL ACETATE PHTHALATE (UNII: 58QVG85GW3)	

SHELLAC (UNII: 46N107B71O)
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)
STEARIC ACID (UNII: 4ELV7Z65AP)
CARNAUBA WAX (UNII: R12CBM0EIZ)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)
SUCROSE (UNII: C151H8M554)
TALC (UNII: 7SEV7J4R1U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)
ACACIA (UNII: 5C5403N26O)
GELATIN (UNII: 2G86QN327L)
POVIDONE (UNII: FZ989GH94E)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
STARCH, CORN (UNII: O8232NY3SJ)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	TCL003
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-410-52	1 in 1 CARTON	06/01/2023	
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:21130-410-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	06/22/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	06/01/2023	

Labeler - BETTER LIVING BRANDS LLC. (009137209)

Registrant - Time Cap Labs Inc. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

TIME CAP LABORATORIES, INC.

037052099

manufacture(21130-410)

Revised: 6/2023

BETTER LIVING BRANDS LLC.