

**BIO IMMUNE- chelidonium majus, lobelia inflata, rumex crispus, sambucus nigra, scrophularia nodosa, senega officinalis, spongia tosta, taraxacum officinale, myristica sebifera, sticta pulmonaria, sulphur, ustilago maidis, polyporus officinalis, candida albicans, carduus marianus, crotalus horridus, agaricus muscarius, bovista, secale cornutum, anas barbariae, hepatis et cordis extractum, anthracinum, arsenicum album, baptisia tinctoria, berberis vulgaris, botulinum, dysentery bacillus, gaertner bacillus liquid**  
**Energique, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DRUG FACTS:**

### **ACTIVE INGREDIENTS:**

Chelidonium Majus, Lobelia Inflata, Rumex Crispus, Sambucus Nigra, Scrophularia Nodosa, Senega Officinalis, Spongia Tosta, Taraxacum Officinale 3X. Myristica Sebifera, Sticta Pulmonaria, Sulphur, Ustilago Maidis 6X. Polyporus Officinalis, Candida Albicans, Carduus Marianus, Crotalus Horridus 12X. Agaricus Muscarius, Bovista, Secale Cornutum 10C. Anas Barbariae, Hepatis Et Cordis Extractum, Anthracinum, Arsenicum Album, Baptisia Tinctoria, Berberis Vulgaris, Botulinum, Dysentery Bacillus, Gaertner Bacillus, Influenzinum, Malandrinum, Pertussinum, Pneumococcinum, Pyrogenium, Variolinum 30C.

### **INDICATIONS:**

For temporary relief of bacterial and viral conditions.\*\*

\*\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

### **WARNINGS:**

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### **DIRECTIONS:**

Adults and children 5 to 10 drops orally, 1 time daily or as otherwise directed by a health care professional. If symptoms persist, consult your health care professional.

Consult a physician for use in children under 12 years of age.

### **INDICATIONS:**

For temporary relief of bacterial and viral conditions.\*\*

**\*\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.**

## INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

## QUESTIONS:

Dist. by Energique, Inc.  
201 Apple Blvd  
Woodbine, IA 51579 **800-869-8078**

## PACKAGE LABEL DISPLAY:

### ENERGIQUE

SINCE 1987

### HOMEOPATHIC REMEDY

### BIO-IMMUNE

1 FL. OZ. (30 ml)

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

**INDICATIONS:** For temporary relief of bacterial and viral conditions.\*\*

**DIRECTIONS:** Adults and children 5 to 10 drops orally, 1 time daily or as otherwise directed by a health care professional. If symptoms persist, consult your health care professional. Consult a physician for use in children under 12 years of age.

Dist. by Energique, Inc., 201 Apple Blvd.  
Woodbine, IA 51579 **800.869.8078**



HOMEOPATHIC REMEDY

**BIO-IMMUNE™**

**1 fl. oz. (30 ml) 20% Ethanol**

**Active Ingredients:** Chelidonium Maj, Lobelia Inf, Rumex Crisp, Sambucus Nig, Scrophularia Nodosa, Senega, Spongia, Taraxacum 3X, Myristica, Sticta, Sulphur, Ustilago Maidis 6X, Polyporus Off 8X, Candida Alb, Carduus Mar, Crotalus Hor 12X, Agaricus Musc, Bovista, Secale 10C, Anas Barbariae, Anthracinum, Arsenicum Alb, Baptisia, Berberis Vulg, Botulinum, Dysentery Bacillus, Gaertner Bacillus, Influenzinum, Malandrinum, Pertussinum, Pneumococcinum, Pyrogenium, Variolinum 30C.

**Inactive Ingredients:**  
Demineralized water, 20% Ethanol.

**\*\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.**

LOT: XXXXXX

## BIO IMMUNE

chelidonium majus, lobelia inflata, rumex crispus, sambucus nigra, scrophularia nodosa, senega officinalis, spongia tosta, taraxacum officinale, myristica sebifera, sticta pulmonaria, sulphur, ustilago maidis, polyporus officinalis, candida albicans, carduus marianus, crotalus horridus, agaricus muscarius, bovista, secale cornutum, anas barbariae, hepatitis et cordis extractum, anthracinum, arsenicum album, baptisia tinctoria, berberis vulgaris, botulinum, dysentery bacillus, gaertner bacillus liquid

### Product Information

|                         |                |                    |                  |
|-------------------------|----------------|--------------------|------------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:449 11-0 269 |
| Route of Administration | ORAL           |                    |                  |

| Active Ingredient/Active Moiety                                                                                                                               |                                                         |                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------|
| Ingredient Name                                                                                                                                               | Basis of Strength                                       | Strength          |
| <b>CHELIDONIUM MAJUS</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)                                                                             | CHELIDONIUM MAJUS                                       | 3 [hp_X] in 1 mL  |
| <b>LOBELIA INFLATA</b> (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)                                                                                 | LOBELIA INFLATA                                         | 3 [hp_X] in 1 mL  |
| <b>RUMEX CRISPUS ROOT</b> (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)                                                                           | RUMEX CRISPUS ROOT                                      | 3 [hp_X] in 1 mL  |
| <b>SAMBUCUS NIGRA FLOWERING TOP</b> (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)                                                       | SAMBUCUS NIGRA FLOWERING TOP                            | 3 [hp_X] in 1 mL  |
| <b>SCROPHULARIA NODOSA</b> (UNII: 7H443NUB2T) (SCROPHULARIA NODOSA - UNII:7H443NUB2T)                                                                         | SCROPHULARIA NODOSA                                     | 3 [hp_X] in 1 mL  |
| <b>POLYGALA SENEGA ROOT</b> (UNII: M7T6H7D4IF) (POLYGALA SENEGA ROOT - UNII:M7T6H7D4IF)                                                                       | POLYGALA SENEGA ROOT                                    | 3 [hp_X] in 1 mL  |
| <b>SPONGIA OFFICINALIS SKELETON, ROASTED</b> (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)                                     | SPONGIA OFFICINALIS SKELETON, ROASTED                   | 3 [hp_X] in 1 mL  |
| <b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)                                                                       | TARAXACUM OFFICINALE                                    | 3 [hp_X] in 1 mL  |
| <b>VIROLA SEBIFERA RESIN</b> (UNII: GHJ5XX5SGS) (VIROLA SEBIFERA RESIN - UNII:GHJ5XX5SGS)                                                                     | VIROLA SEBIFERA RESIN                                   | 6 [hp_X] in 1 mL  |
| <b>LOBARIA PULMONARIA</b> (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)                                                                           | LOBARIA PULMONARIA                                      | 6 [hp_X] in 1 mL  |
| <b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)                                                                                                   | SULFUR                                                  | 6 [hp_X] in 1 mL  |
| <b>USTILAGO MAYDIS</b> (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)                                                                                 | USTILAGO MAYDIS                                         | 6 [hp_X] in 1 mL  |
| <b>LARICIFOMES OFFICINALIS FRUITING BODY</b> (UNII: 7IFM8431X3) (LARICIFOMES OFFICINALIS FRUITING BODY - UNII:7IFM8431X3)                                     | LARICIFOMES OFFICINALIS FRUITING BODY                   | 8 [hp_X] in 1 mL  |
| <b>CANDIDA ALBICANS</b> (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)                                                                               | CANDIDA ALBICANS                                        | 12 [hp_X] in 1 mL |
| <b>MILK THISTLE</b> (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)                                                                                       | MILK THISTLE                                            | 12 [hp_X] in 1 mL |
| <b>CROTALUS HORRIDUS HORRIDUS VENOM</b> (UNII: YHA2XLJ956) (CROTALUS HORRIDUS HORRIDUS VENOM - UNII:YHA2XLJ956)                                               | CROTALUS HORRIDUS HORRIDUS VENOM                        | 12 [hp_X] in 1 mL |
| <b>AMANITA MUSCARIA FRUITING BODY</b> (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)                                                   | AMANITA MUSCARIA FRUITING BODY                          | 10 [hp_C] in 1 mL |
| <b>LYCOPERDON UTRIFORME FRUITING BODY</b> (UNII: K2A74U428F) (LYCOPERDON UTRIFORME FRUITING BODY - UNII:K2A74U428F)                                           | LYCOPERDON UTRIFORME FRUITING BODY                      | 10 [hp_C] in 1 mL |
| <b>CLAVICEPS PURPUREA SCLEROTIUM</b> (UNII: 01G9XEA93N) (CLAVICEPS PURPUREA SCLEROTIUM - UNII:01G9XEA93N)                                                     | CLAVICEPS PURPUREA SCLEROTIUM                           | 10 [hp_C] in 1 mL |
| <b>CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE</b> (UNII: RN2HC612GY) (CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE - UNII:RN2HC612GY)                                 | CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE                 | 30 [hp_C] in 1 mL |
| <b>BACILLUS ANTHRACIS IMMUNOSERUM RABBIT</b> (UNII: 41LZ22DD4N) (BACILLUS ANTHRACIS IMMUNOSERUM RABBIT - UNII:41LZ22DD4N)                                     | BACILLUS ANTHRACIS IMMUNOSERUM RABBIT                   | 30 [hp_C] in 1 mL |
| <b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)                                                                            | ARSENIC TRIOXIDE                                        | 30 [hp_C] in 1 mL |
| <b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)                                                                 | BAPTISIA TINCTORIA ROOT                                 | 30 [hp_C] in 1 mL |
| <b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)                                                         | BERBERIS VULGARIS ROOT BARK                             | 30 [hp_C] in 1 mL |
| <b>BOTULINUM TOXIN TYPE A</b> (UNII: E211KPY694) (ABOBOTULINUMTOXINA - UNII:E211KPY694)                                                                       | BOTULINUM TOXIN TYPE A                                  | 30 [hp_C] in 1 mL |
| <b>SHIGELLA DYSENTERIAE</b> (UNII: 1EP6R5562J) (SHIGELLA DYSENTERIAE - UNII:1EP6R5562J)                                                                       | SHIGELLA DYSENTERIAE                                    | 30 [hp_C] in 1 mL |
| <b>SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS</b> (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS - UNII:Y3V16D4PV4) | SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS | 30 [hp_C] in 1 mL |

|                                                                                                                                                                                 |                                                                  |                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|----------------------|
| <b>INFLUENZA A VIRUS</b> (UNII: R9HH0NDE2E) (INFLUENZA A VIRUS - UNII:R9HH0NDE2E)                                                                                               | INFLUENZA A VIRUS                                                | 30 [hp_C]<br>in 1 mL |
| <b>INFLUENZA B VIRUS</b> (UNII: 1314JZ2X6W) (INFLUENZA B VIRUS - UNII:1314JZ2X6W)                                                                                               | INFLUENZA B VIRUS                                                | 30 [hp_C]<br>in 1 mL |
| <b>VACCINIA VIRUS</b> (UNII: JDS6958QAG) (VACCINIA VIRUS - UNII:JDS6958QAG)                                                                                                     | VACCINIA VIRUS                                                   | 30 [hp_C]<br>in 1 mL |
| <b>HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED</b> (UNII: U364V64HUN) (HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED - UNII:U364V64HUN)                                           | HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED                      | 30 [hp_C]<br>in 1 mL |
| <b>STREPTOCOCCUS PNEUMONIAE</b> (UNII: BT6U234YR2) (STREPTOCOCCUS PNEUMONIAE - UNII:BT6U234YR2)                                                                                 | STREPTOCOCCUS PNEUMONIAE                                         | 30 [hp_C]<br>in 1 mL |
| <b>RANCID BEEF</b> (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)                                                                                                           | RANCID BEEF                                                      | 30 [hp_C]<br>in 1 mL |
| <b>VACCINIA VIRUS STRAIN NEW YORK CITY BOARD OF HEALTH LIVE ANTIGEN</b> (UNII: 4SV59689SK) (VACCINIA VIRUS STRAIN NEW YORK CITY BOARD OF HEALTH LIVE ANTIGEN - UNII:4SV59689SK) | VACCINIA VIRUS STRAIN NEW YORK CITY BOARD OF HEALTH LIVE ANTIGEN | 30 [hp_C]<br>in 1 mL |

### Inactive Ingredients

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)   |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M) |          |

### Packaging

| # | Item Code         | Package Description                                           | Marketing Start Date | Marketing End Date |
|---|-------------------|---------------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:449 11-0269-1 | 30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | 09/28/2015           | 10/15/2020         |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|------------------------------------------|----------------------|--------------------|
| unapproved homeopathic |                                          | 09/24/2015           |                    |

**Labeler** - Energique, Inc. (789886132)

**Registrant** - Apotheca Company (844330915)

### Establishment

| Name             | Address | ID/FEI    | Business Operations                                                                              |
|------------------|---------|-----------|--------------------------------------------------------------------------------------------------|
| Apotheca Company |         | 844330915 | manufacture(449 11-0269) , api manufacture(449 11-0269) , label(449 11-0269) , pack(449 11-0269) |