

1% IODINE TEAT DIP- iodine solution

Metz Sales

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

1% Iodine Teat Dip

DIRECTIONS:

Immediately after each cow is milked, dip the teats in undiluted METZ IODINE TEAT DIP. Ideally a fresh teat dip solution should be provided for each cow and in no case should the same cup of solution be used for more than 3 or 4 cows before discarding and providing a fresh solution. Just prior to the next milking, thoroughly wash the treated udder and teats in potable water. Use a fresh towel for each cow and never dip used towels back into the solution. When a cow is being dried off, dip the teats for 3 or 4 days after the last milking. Do not use for cleaning and/or sanitizing milk equipment.

ACTIVE INGREDIENTS

a-(p-Nonylphenyl) - omegahydroxypoly (oxyethylene) iodine complex.

(Provides 1.0% titratable iodine. Equivalent to 10,000 parts per million titratable iodine.)

CAUTION:

AVOID CONTACT WITH FOOD

KEEP OUT OF REACH OF CHILDREN!

FIRST AID

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

IN CASE OF CONTACT: Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary

CONTAINS
10% GLYCERINE

METZ IODINE TEAT DIP

MINIMUM
pH 4.0

An aid in controlling the spread of bacteria that may cause mastitis.

DIRECTIONS

Immediately after each cow is milked, dip the teats in undiluted METZ IODINE TEAT DIP. Ideally a fresh teat dip solution should be provided for each cow and in no case should the same cup of solution be used for more than 3 or 4 cows before discarding and providing a fresh solution. Just prior to the next milking, thoroughly wash the treated udder and teats in potable water. Use a fresh towel for each cow and never dip used towels back into the solution. When a cow is being dried off, dip the teats for 3 or 4 days after the last milking. Do not use for cleaning and/or sanitizing milk equipment.

ACTIVE INGREDIENTS

a-(p-Nonylphenyl) - omegahydroxypoly (oxyethylene) iodine complex.

(Provides 1.0% titratable iodine. Equivalent to 10,000 parts per million titratable iodine.)

LOT NUMBER

EXPIRES

NET CONTENTS

CAUTION:

AVOID CONTACT WITH FOOD

KEEP OUT OF REACH OF CHILDREN!

FIRST AID

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.

IN CASE OF CONTACT: Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.

IF INHALED: Move to fresh air. If symptoms persist, call a physician.

IF SWALLOWED: Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary

Manufactured By:

METZ SALES, LLC.
Williamsburg, PA 16693

24 HOUR EMERGENCY SERVICE ASSISTANCE CALL:
CHEMTREC AT 1-800-424-9300

1% IODINE TEAT DIP

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50748-0017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.004 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	0.7886 g in 1 g
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	0.006 g in 1 g
NONOXYNOL-12 (UNII: 6NR43D77O6)	0.059 g in 1 g
GLYCERIN (UNII: PDC6A3C0OX)	0.0954 g in 1 g

SODIUM HYDROXIDE (UNII: 55X04QC32I)			0.0476 g in 1 g	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50748-0017-2	4 in 1 CASE		
1	NDC:50748-0017-1	1 g in 1 JUG		
2	NDC:50748-0017-3	5 g in 1 PAIL		
3	NDC:50748-0017-4	15 g in 1 DRUM		
4	NDC:50748-0017-5	30 g in 1 DRUM		
5	NDC:50748-0017-6	55 g in 1 DRUM		
6	NDC:50748-0017-7	250 g in 1 CONTAINER		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			04/11/2016	

Labeler - Metz Sales (054824487)

Establishment			
Name	Address	ID/FEI	Business Operations
Metz Sales		054824487	manufacture, api manufacture