

GUAIFENESIN AND DEXTROMETHORPHAN HBR- guaifenesin and dextromethorphan hbr tablet, extended release
OHM LABORATORIES INC

Guaifenesin and Dextromethorphan HBr

Drug Facts

<i>Active ingredients (in each extended-release tablet)</i>	<i>Purposes</i>
Dextromethorphan HBr 30 mg	Cough suppressant
Guaifenesin 600 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-

800-222-1222).

Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 extended-release tablets every 12 hours; not more than 4 extended-release tablets in 24 hours
- children under 12 years of age: do not use

Other information

- Store between 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer, colloidal silicon dioxide, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone (K-30), stearic acid

Questions?

(1-800-406-7984)

You may also report side effects to this phone number.

Distributed by:

Ohm Laboratories Inc.

New Brunswick, NJ 08901

PRINCIPAL DISPLAY PANEL - 40 Tablet Blister Pack Carton

†Compare To
the active ingredients of
Mucinex[®] DM

NDC 51660-301-41

ohm[®]

Guaifenesin 600 mg
& Dextromethorphan HBr 30 mg
Extended-Release Tablets

Expectorant & Cough Suppressant

12 Hour

- Controls Cough
- Thins and Loosens Mucus
- Immediate and Extended Release

40 Extended-Release Tablets

ohm®

Guaifenesin **600 mg**
& Dextromethorphan HBr **30 mg**
Extended-Release Tablets
Expectorant & Cough Suppressant

40 Extended-Release
Tablets

NDC 51660-301-41

†Compare To
the active ingredients of
Mucinex® DM

ohm®

Guaifenesin **600 mg**
& Dextromethorphan HBr **30 mg**
Extended-Release Tablets
Expectorant & Cough Suppressant


12 Hour

- Controls Cough
- Thins and Loosens Mucus
- Immediate and Extended Release



40 Extended-Release Tablets

Guaifenesin **600 mg**
& Dextromethorphan HBr **30 mg**
Extended-Release Tablets
Expectorant & Cough Suppressant



Keep the carton.
It contains important information.
See end panel for expiration date.

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Distributed by:
Ohm Laboratories Inc.
New Brunswick, NJ 08901

PRODUCT OF INDIA


Lot No.

Expiration Date:

NON VARNISH



5217322



Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg.....Cough suppressant
 Guaifenesin 600 mg.....Expectorant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 extended-release tablets every 12 hours; not more than 4 extended-release tablets in 24 hours
- children under 12 years of age: do not use

Other information

- Store between 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer, colloidal silicon dioxide, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone (K-30), stearic acid

Questions? (1-800-406-7984)


You may also report side effects to this phone number.

Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.

Keep the carton. It contains important information. See end panel for expiration date.

†Ohm® is a registered trademark of Sun Pharmaceutical Industries, Inc. All other trademarks are property of their respective owners.

0821



GUAIFENESIN AND DEXTROMETHORPHAN HBR

guaifenesin and dextromethorphan hbr tablet, extended release

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:51660-301

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POVIDONE K30 (UNII: U725QWY32X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE (off-white)	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	054
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660-301-21	1 in 1 CARTON	07/01/2021	
1		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:51660-301-41	2 in 1 CARTON	07/01/2021	
2		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA214781	07/01/2021	

Labeler - OHM LABORATORIES INC (184769029)

Registrant - SUN PHARMACEUTICAL INDUSTRIES, INC. (146974886)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharmaceutical Industries Limited		650456002	MANUFACTURE(51660-301)

Revised: 8/2021

OHM LABORATORIES INC