#### MANGANUM BROMATUM- manganum bromatum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

#### MANGANUM BROMATUM 6C

Min. net wt: 5g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



N - USE ONLY IF SEALED

## Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

#### MANGANUM BROMATUM 6C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

#### MANGANUM BROMATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

#### MANGANUM BROMATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

 $\blacksquare$  If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### MANGANUM BROMATUM 12C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

#### MANGANUM BROMATUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### MANGANUM BROMATUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEA

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

## MANGANUM BROMATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## MANGANUM BROMATUM 30C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## MANGANUM BROMATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### MANGANUM **BROMATUM** 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use such as headache. Keep out of reach

of children Directions: Take 5

pellets orally once Inactive ingredients:

sucrose

#### MANGANUM BROMATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### MANGANUM BROMATUM 100C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### MANGANUM BROMATUM 100C

Min. net wt: 100g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### MANGANUM BROMATUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

## MANGANUM BROMATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## MANGANUM BROMATUM 200C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## MANGANUM BROMATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### MANGANUM **BROMATUM** 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use

such as headache.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients:

sucrose

## MANGANUM BROMATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### MANGANUM BROMATUM 500C

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## MANGANUM BROMATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### MANGANUM BROMATUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

## MANGANUM BROMATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

## MANGANUM BROMATUM 1M

Min. net wt: 30g of pellets

#### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

## MANGANUM BROMATUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### MANGANUM BROMATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If s

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

#### **MANGANUM BROMATUM**

manganum bromatum pellet

#### **Product Information**

Product Type

HUMAN OTC DRUG

**Item Code (Source)** 

NDC:37662-2474

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII: H6EP7W5457)	MANGANESE BROMIDE	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2474-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023			
2	NDC:37662- 2474-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023			
3	NDC:37662- 2474-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023			
4	NDC:37662- 2474-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		01/24/2023		
unapproved homeopathic		01/24/2023		

#### **MANGANUM BROMATUM**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2476	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII: H6EP7W5457)

MANGANESE BROMIDE

1 [hp\_Q]

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

**Product Characteristics** 

Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

Contains

**Packaging** 

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:37662- 2476-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	

**Marketing Information** 

Harketing mornation				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		01/24/2023		

#### **MANGANUM BROMATUM**

manganum bromatum pellet

**Product Information** 

<b>Product Type</b>	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2470
---------------------	----------------	--------------------	----------------

**Route of Administration** ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE BROMIDE	12 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2470-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023			
2	NDC:37662- 2470-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023			
3	NDC:37662- 2470-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		01/24/2023			

#### **MANGANUM BROMATUM**

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2472
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE BROMIDE	100 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2472-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023			
2	NDC:37662- 2472-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023			
3	NDC:37662- 2472-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023			
4	NDC:37662- 2472-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	01/24/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

#### **MANGANUM BROMATUM**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2473	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE BROMIDE	200 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		

#### Contains

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:37662- 2473-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023	
NDC:37662- 2473-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023	
NDC:37662- 2473-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	
NDC:37662- 2473-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		01/24/2023		

#### **MANGANUM BROMATUM**

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2475
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE BROMIDE	1 [hp_M]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 2475-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023	
2	NDC:37662- 2475-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023	
3	NDC:37662- 2475-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	
4	NDC:37662- 2475-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	

Marketing Applicati			
Category	on Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/24/2023	

#### **MANGANUM BROMATUM**

manganum bromatum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2471	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE BROMIDE	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 2471-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023	
2	NDC:37662- 2471-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023	
3	NDC:37662- 2471-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	
4	NDC:37662- 2471-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	01/24/2023		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

#### **MANGANUM BROMATUM**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2469	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MANGANESE BROMIDE (UNII: U70U4T7N6S) (MANGANOUS CATION - UNII: H6EP7W5457)	MANGANESE BROMIDE	6 [hp_C]		

Inactive Ingredients			
Ingredient Name Strength			
SUCROSE (UNII: C151H8M554)			

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains	Contains				

ı	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		

1	NDC:37662- 2469-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	01/24/2023	
2	NDC:37662- 2469-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	
3	NDC:37662- 2469-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/24/2023	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	01/24/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

#### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2469, 37662-2470, 37662-2471, 37662-2472, 37662-2473, 37662-2474, 37662-2475, 37662-2476)	

Revised: 1/2023 Hahnemann Laboratories, INC.