# ALLERGY MULTI-SYMPTOM- acetaminophen, chlorpheniramine maleate and phenylephrine hcl tablet, film coated ARMY AND AIR FORCE EXCHANGE SERVICE

-----

## **Exchange Select 44-455C AMSR**

## Active ingredients (in each caplet)

Acetaminophen 325 mg Chlorpheniramine maleate 2 mg Phenylephrine HCl 5 mg

## **Purpose**

Pain reliever Antihistamine Nasal decongestant

#### Uses

- temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
  - headache
  - nasal congestion
  - runny nose and sneezing
  - minor aches and pains
  - sinus congestion and pressure
- temporarily relieves these additional symptoms of hay fever:
  - itchy, watery eyes
  - itching of the nose or throat
- helps clear nasal passages
- helps decongest sinus openings and passages

# Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

## Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- high blood pressure
- a breathing problem such as emphysema or chronic bronchitis
- heart disease
- thyroid disease
- diabetes
- liver disease

## Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

# When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- drowsiness may occur

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- do not take more than directed
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - swallow whole do not crush, chew, or dissolve
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

## Inactive ingredients

corn starch, crospovidone, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

## **Questions or comments?**

1-800-426-9391

# **Principal Display Panel**

exchange**∕select**™

Pseudoephedrine Free

## ALLERGY MULTI-SYMPTOM

# Acetaminophen,

Chlorpheniramine maleate, Phenylephrine HCl Pain Reliever, Antihistamine, Nasal Decongestant

- Headache
- Runny Nose
- Sinus Pressure
- Sneezing
- Nasal Congestion
- Itchy, Watery Eyes

**Actual Size** 

**24** Cool

Caplets

✓ quality value

# TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 REV0818K45508

### "SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges Distributed by: LNK International, Inc. Hauppauge, NY 11788





**Exchange Select 44-455** 

### **ALLERGY MULTI-SYMPTOM**

acetaminophen, chlorpheniramine maleate and phenylephrine hcl tablet, film coated

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-455
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: 08232NY3SJ)			
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)			

MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MJQ0SDW1A)

POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)

STEARIC ACID (UNII: 4ELV7Z65AP)

SUCRALOSE (UNII: 96K6UQ3ZD4)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	17mm	
Flavor	MENTHOL	Imprint Code	44;455	
Contains				

l	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	<b>1</b> NDC:55301-455-08	2 in 1 CARTON	06/28/2005	
	1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	06/28/2005			

# Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55301-455)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55301-455) , pack(55301-455)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55301-455)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55301-455)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55301-455)

Revised: 7/2024 ARMY AND AIR FORCE EXCHANGE SERVICE