

**FEXOFENADINE HCL- fexofenadine hcl tablet**  
**Safeway, Inc**

-----  
**Fexofenadine Hydrochloride Tablets, USP 180mg**

**Allergy Relief**  
**Non-Drowsy**

**Antihistamine**  
**Indoor/Outdoor Allergy Relief**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

**Active Ingrdient (in each tablet)**

Fexofenadine HCL Tablets, USP 180mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 12 years of age and over: take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours

children under 12 years of age: do not use

adults 65 years of age and older: ask a doctor

consumers with kidney disease: ask a doctor

**Other information**

■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened ■ store between

20° and 25°C (68° and 77°F) ■ protect from excessive moisture

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow,

lactose monohydrate, macrogol, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium

dioxide

**Questions or comments?**

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

**PDP**

size	:1+3/4 X 1+3/8 X 3+3/8	via
col #	:P0180408	date
material	:.016 585	

COATING  
FREE AREA

700000003405  
200000004478

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED FOLDED INNER SEAL ON BOTTLE IS BROKEN OR MISSING.**  
Important: Read the directions and warnings before use.  
Keep the carton. It contains important information.

**Drug Facts**

**Active Ingredient** Purpose  
Fexofenadine HCl USP, 180 mg Antihistamine

**Uses**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
runny nose itchy, watery eyes sneezing  
itching of the nose or throat

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)
- Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
- If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours

children under 12 years of age do not use

adults 65 years of age and older ask a doctor

consumers with kidney disease ask a doctor

**Other information**

- safety sealed: do not use if imprinted foil under bottle cap is opened or torn
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

**Inactive ingredients**

cellulose, silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, macrogol, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide

**Questions or Comments?**

contact 1-877-770-2188 Mon-Fri 8:00 AM EST to 5:00 PM PST

\*This product is not manufactured or distributed by Chatham, Inc., distributor of Allegra® Allergy 24 Hour

MADE IN INDIA



DISTRIBUTED BY:  
BETTER LIVING BRANDS LLC  
P.O. BOX 96  
PLEASANTON, CA 94566-0096  
11-858-724-1879



Compare to Allegra® Allergy 24 Hour with pseudo-efferal® NDC 21130-769-03

30 Tablets

Non-Drowsy  
**Allergy Relief**  
Fexofenadine HCl Tablets USP, 180 mg  
Antihistamine  
Indoor/Outdoor Allergy Relief

• Sneezing  
• Runny Nose  
• Itchy, Watery Eyes  
• Itchy Nose or Throat

24 HR

Actual Size

Compare to Allegra® Allergy 24 Hour with pseudo-efferal® NDC 21130-769-03

30 Tablets

200000004478  
700000003405

COATING  
FREE AREA

COATING  
FREE AREA



Lot  
Exp.



## FEXOFENADINE HCL

fexofenadine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-769
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FEXOFENADINE HYDROCHLORIDE</b> (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX43802MRT)	
<b>POLYETHYLENE GLYCOL 6000</b> (UNII: 30IQX730WE)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FX9V2JJP)	

<b>HYPROMELLOSE 2910 (15 MPA.S)</b> (UNII: 36SF2JZ0W)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>STARCH, CORN</b> (UNII: O8232NY3S)	

### Product Characteristics

<b>Color</b>	orange (Peach)	<b>Score</b>	no score
<b>Shape</b>	OVAL (Capsule-shaped)	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	G6
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-769-07	15 in 1 BLISTER PACK; Type 0: Not a Combination Product	11/06/2023	
2	NDC:21130-769-03	30 in 1 BOTTLE; Type 0: Not a Combination Product	11/06/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211075	11/06/2023	

**Labeler** - Safeway, Inc (009137209)

Revised: 12/2023

Safeway, Inc