

**MEDIBEST MILK OF MAGNESIA- magnesium hydroxide liquid**  
**Purine Pharma LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Medibest Milk of Magnesia**

**Drug Facts**

Active ingredient (in each 15 mL Tablespoon) Purpose

Magnesium hydroxide 1200 mg.....Saline laxative

Saline laxative

**Use**

**Use** relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use if you are**

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor.
  - Drink a full glass (8 oz) of liquid with each dose.
- mL = milliliter; TBSP = Tablespoon

---

adults and children 12 years and older

30 mL (2 TBSP) to 60 mL (4 TBSP)

children 6 to 11 years  
 children under 6 years

15 mL (1 TBSP) to 30 mL (2 TBSP)  
 ask a doctor

**Other information**

- each tablespoon (15 mL) contains: magnesium 500 mg
- each tablespoon (15 mL) contains: Sodium 3mg
- store at room temperature and avoid freezing. Close cap tightly after use.

**Inactive ingredients:** Citric acid, purified water, sodium hypochlorite

**Questions or comments? 1-800-403-5328**



Revised: kRams Packaging Services  
 krams.packaging@gmail.com  
 Date: 04.03.2016 V4  
 V1: Text Changed  
 V2, V3, V4: Orientation & Texts changed

**MEDIBEST MILK OF MAGNESIA**

magnesium hydroxide liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58599-058
<b>Route of Administration</b>	ORAL		

<b>Active Ingredient/Active Moiety</b>				
		<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
		<b>MAGNESIUM HYDRO XIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL
<b>Inactive Ingredients</b>				
		<b>Ingredient Name</b>	<b>Strength</b>	
		<b>WATER</b> (UNII: 059QF0KO0R)		
		<b>SODIUM HYPOCHLORITE</b> (UNII: DY38VHM5OD)		
<b>Product Characteristics</b>				
<b>Color</b>		white	<b>Score</b>	
<b>Shape</b>			<b>Size</b>	
<b>Flavor</b>			<b>Imprint Code</b>	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58599-058-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/12/2016	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	10/12/2016		

**Labeler** - Purine Pharma LLC (019950491)

**Registrant** - Purine Pharma LLC (019950491)

### Establishment

Name	Address	ID/FEI	Business Operations
Purine Pharma LLC		019950491	manufacture(58599-058)