

LIDOCAINE- burn relief aerosol, spray
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)

Dollar General Health Burn Relief Spray

Active Ingredients

Lidocaine 0.5%

Purpose

External analgesic

Uses

for the temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- scrapes
- insect bites
- minor skin irritations

Warnings

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F

Do not use

in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clears up and occurs again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake can well
- for adults and children 2 years and older, apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age, ask a doctor
- to apply to face spray in palm of hand and gently apply

Other information

store between 20° and 25°C (68° and 77°F)

Inactive ingredients

aloe barbadensis gel, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerine, methylparaben, propane, propylene glycol, propylparaben, tocopheryl acetate (vitamin E acetate), triethanolamine, simethicone, water

Questions?

Call 1-888-423-0139

Principal Display Panel**Dollar General Health****Medicated
Burn Relief****Spray**

with Aloe

- **Relieves pain instantly with lidocaine**
- **Cools, moisturizes, soothes sunburn**
- **Relieves itching**

NET WT 4.5 OZ (127 g)

Medicated Burn Relief Spray
with Aloe

Compare to Solarcaine®
Cool Aloe Burn Relief*

- Relieves pain instantly with lidocaine
- Cools, moisturizes, soothes sunburn
- Relieves itching

NET WT 4.5 OZ (127 g)

Drug Facts

Active ingredient	Purpose
Lidocaine 0.5%	External analgesic

Uses temporarily relieves pain and itching due to:

- sunburn
- minor burns
- minor cuts
- scrapes
- insect bites
- minor skin irritations

Warnings
For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use in large quantities, particularly over raw surfaces or blistered areas

When using this product

- keep out of eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days
- symptoms clear up and occur again in a few days

Keep out of reach of children.
If swallowed get medical help or contact a Poison Control Center right away.

Directions

- shake can well
- adults and children 2 years and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- to apply to face, spray in palm of hand and gently apply

Inactive ingredients
aloe barbadensis gel, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine

0 34197 00832 7

100% QUALITY GUARANTEED (888) 309-9030
DISTRIBUTED BY DOLGENCORP, LLC
100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 MADE IN U.S.A.

*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., owner of the registered trademark Solarcaine®.

LIDOCAINE

burn relief aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-842
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.64 g in 127 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTANE (UNII: 6LV4FOR43R)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPANE (UNII: T75W9911L6)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-842-45	127 g in 1 CAN; Type 0: Not a Combination Product	12/19/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/19/2017	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 1/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)