

**MAGNESIUM CITRATE- magnesium citrate liquid  
AMERISOURCE BERGEN**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**GNP Magnesium Citrate Oral Solution - Cherry**

**Active Ingredient**

Magnesium citrate 1.745 g (in each fl oz)

**Purpose**

Saline laxative

**Uses**

- For relief of occasional constipation (irregularity)
- Generally produces bowel movement in 1/2 to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- Kidney disease
- a magnesium restricted diet
- Abdominal pain, nausea, or vomiting
- Noticed a sudden change in bowel habits that persists over a period of 2 weeks
- Already used a laxative for a period longer than 1 week

**Ask a doctor or pharmacist before use if you are**

- Taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30° C)

### Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

### Other Information

each fl oz contains: magnesium 290 mg

each fl oz contains: sodium 1 mg

### Inactive Ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

### Questions?

1-888-235-2466

Distributed By AmerisourceBergen

1 West First Ave, Conshohocken, PA 19428

Questions or Concerns? [www.mygnp.com](http://www.mygnp.com)

L0000660 ABC#: 102751738 R1022

NDC 46122-741-38

GOOD

NEIGHBOR

PHARMACY®

• DYE-FREE • SUGAR-FREE

Magnesium

Citrate

Saline Laxative

Oral Solution

Alcohol content 0.0025%

(from flavouring)

Cherryflavor

10 FL OZ (296 mL)

DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each fl oz) Purpose</b> Magnesium citrate 1.745 g .....Saline laxative</p> <p><b>Uses:</b> ■ For relief of occasional constipation (irregularity). ■ Generally produces bowel movement in ½ to 6 hours</p> <p><b>Warnings:</b> Ask a doctor before use if you have ■ Kidney disease ■ a magnesium restricted diet ■ Abdominal pain, nausea, or vomiting ■ Noticed a sudden change in bowel habits that persists over a period of 2 weeks ■ Already used a laxative for a period longer than 1 week</p> <p>Ask a doctor or pharmacist before use if you are ■ Taking any other drug. ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.</p> <p>Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶</p>	<p><b>GOOD NEIGHBOR PHARMACY®</b></p> <p><b>NDC 46122-741-38</b></p> <p>• DYE-FREE • SUGAR-FREE</p> <p><b>Magnesium Citrate</b> <b>Saline Laxative</b></p> <p><b>Oral Solution</b></p> <p>Alcohol content 0.005% (from flavoring)</p> <p><b>Cherry Flavor</b></p> <p><b>10 fl oz   (296 mL)</b></p> <p>DO NOT USE IF TAMPER-EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING</p>	<p><b>Drug Facts (continued)</b></p> <p>Store at temperatures between 46° and 86°F (8° and 30°C)</p> <p><b>Directions:</b> ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses</p> <table border="1"><tr><td>adults and children 12 years of age and over</td><td>6.5 to 10 fl oz maximum 10 fl oz in 24 hours</td></tr><tr><td>children 6 to under 12 years of age</td><td>3 to 7 fl oz maximum 7 fl oz in 24 hours</td></tr><tr><td>children 2 to under 6 years of age</td><td>2 to 3 fl oz maximum 3 fl oz in 24 hours</td></tr><tr><td>children under 2 years of age</td><td>ask a doctor</td></tr></table> <p><b>Other Information:</b> ■ each fl oz contains: magnesium 290 mg ■ each fl oz contains: sodium 1 mg</p> <p><b>Inactive ingredients:</b> benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water</p> <p><b>Questions?</b> 1-888-235-2466</p> <p><small>Distributed By AmerisourceBergen 1 West First Ave, Conshohocken, PA 19428 Questions or Concerns? <a href="http://www.mygnp.com">www.mygnp.com</a> L0000660 ABC#: 10275173 R1022</small></p>  <p>0 87701 43503 4</p>	adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours	children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours	children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours	children under 2 years of age	ask a doctor
adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours									
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours									
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours									
children under 2 years of age	ask a doctor									

## MAGNESIUM CITRATE

magnesium citrate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-741
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM CITRATE</b> (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-741-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	01/31/2023	

**Labeler** - AMERISOURCE BERGEN (007914906)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(46122-741)

Revised: 1/2023

AMERISOURCE BERGEN