

**LIQUID BANDAGE- benzethonium chloride and dyclonine hydrochloride liquid
Wal-Mart Stores, Inc.**

Equate Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic
Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts, scrapes and burns
- For the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- symptoms persists for more than 7 days or clear up and occur again within a few days
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20° to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more liquid bandages and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-888-287-1915

Principal Display Panel

Equate

Liquid

Bandage

Topical Analgesic & Antiseptic

Seals to Protect

- Helps prevent infection
- Invisible & Flexible
- Water Resistant
- Built-in applicator brush

0.3 FL OZ (9 mL)



equate™

Compare to the active ingredient in **Novo-Silva™**

Liquid Bandage

Topical Analgesic & Antiseptic



Seals To Protect

- Helps prevent infection
- Invisible & flexible
- Water-resistant
- Built-in applicator brush

0.3 FL. OZ. (9 mL)

Use Liquid Bandage for:

Blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

Great for:

Athletes, active lifestyles, outdoor sportsmen & musicians.

53-033WM

equate™

Liquid Bandage

For Small Cuts & Wounds

0.3 FL. OZ. (9 mL)

NO VARNISH AREA (WHITE ONLY)

DISTRIBUTED BY: Wal-Mart Inc., Bentonville, AR 72718
*This product is not manufactured or distributed by ADVANTICE HEALTH, LLC, owner of the registered trademark Novo-Silva.

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.



www.equate.com



Care
 ■ Wipe top of bottle clean after each use.
 ■ Do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain.

Questions? Call 1-888-287-1915

Inactive ingredients acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

■ to remove, apply more Liquid Bandage and quickly wipe off
 ■ 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application
Other information ■ cap bottle tightly ■ store between

Directions ■ for adults and children 2 years of age and older
 ■ clean affected area ■ apply a small amount on the area 1 to 3
 times daily and let dry ■ a second coating may be applied for
 extra protection ■ children under 2 years of age: consult a doctor

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Stop use and ask a doctor if ■ condition persists or gets worse
 ■ symptoms persist for more than 7 days or clear up and occur
 again within a few days ■ infection occurs



LIQUID BANDAGE

benzethonium chloride and dyclonine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-485
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.06 mg in 29.6 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.23 mg in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-485-30	29.6 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/31/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/12/2012	

Labeler - Wal-Mart Stores, Inc. (051957769)

Revised: 2/2024

Wal-Mart Stores, Inc.