VITASTEM ULTRA TOPICAL ANTIBIOTIC- bacitracin zinc ointment Native First Health, LLC

Vitastem Ultra Topical Antibiotic Ointment

Drug Facts

Active Ingredient

Bacitracin Zinc (500 units Bacitracin in 1g)

Purpose

First Aid/Antibiotic

Indications

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings

For external use only. May be harmful if swallowed.

Allergy Alert

Do not use if allergic to any ingredients in VitaStem™ ULTRA.

Do not use

- in eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or punture wounds
- animal bites
- serious trauma

Stop use and ask a doctor if

condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

· clean the affected area

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- no claims regarding stem cell healing are implied for this product

Stop use if product is misused

Other Information

Keep refrigerated

Inactive Ingredients

ascorbic acid, cholecalciferol, dimethyl sulfoxide, propanediol

Package Labeling:

topical antibiotic ointment

first aid & antibiotic







Drug Facts

Active Ingredient

Purpose

Bacitracin Zinc (500 units Bacitracin in 1 g) . . First Aid/Antibiotic

Indications

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings
For external use only. May be harmful if swallowed.

Allergy Alert

Do not use if allergic to any ingredients in VitaStem™ ULTRA Do not use

■ in eyes
 ■ over large areas of the body
 ■ longer than 1 week unless directed by doctor

Ask a doctor before use if you have

■ deep or puncture wounds ■ animal bites
■ serious trauma Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

clean the affected area
 apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area
 1 to 3 times daily
 may be covered with a sterile bandage

Stop use if product is misused

In this product is misused
 In this product is an OTC antibiotic for human use
 Confains no alcohd, no animal ingredients
 In blended for typical skin color
 no claims regarding stem cell healing are implied for this product

Other Information

Keep refrigerated

Inactive Ingredients

ascorbic acid, cholecalciferol, dimethyl sulfoxide, propanediol



TASTEM

first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc 500 units Bacitracin in 1 gram (active ingredients)



Keep this and all drugs away from children, In case of accidental ingestion, seek medical assistance or contact Poison Control Center immediately.

0.5 FL OZ (15ml)







first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc

500 units Bacitracin in 1 gram (active ingredients)



0.5 FLOZ (15ml)



first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc 500 units Bacitracin in 1 gram (active ingredients)



Side Effect: Same as any other ingredients in **VitaStem™ ULTRA** products. See back panel for additional information.

Licensed by ViaDerma Distribution to Native First Health, a Native American company. Distributed by Native First Health. Report any side effects to: ViaDerma Distribution

2235 E. Flamingo Rd, Suite 152 Las Vegas, NV 891191 Tel: 1-800-585-86851 | www.viaderma.com

PATENT PENDING



censed by Viaberma Distribution to ative First Health, a Native American company. Istributed by Native First Health. eport any side effects to: Viaberma Distribution 235 E. Flamingo Rd, Suite 152 Las Vegas, NV 891191 el: 1-800-585-86851 I www.viaderma.com



first aid & antibiotic

topical antibiotic ointment

Bacitracin Zinc

(500 units Bacitracin)

0.5 FLOZ (15ml)



KEEP THIS AND ALL DRUGS AWAY FROM CHILDREN. IN CASE OF ACCIDENTAL INGESTION, SEEK MEDICAL ASSISTANCE OR CONTACT POISON CONTROL IMMEDIATELY.

VITASTEM ULTRA TOPICAL ANTIBIOTIC

bacitracin zinc ointment

D		1 £	 :
Prod	IUCT	intori	mation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82973-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	500 U in 1 mL

Inactive Ingredients Ingredient Name Strength ASCORBIC ACID (UNII: PQ6CK8PD0R) CHOLECALCIFEROL (UNII: 1C6V77QF41) DIMETHYL SULFOXIDE (UNII: YOW8V9698H) PROPANEDIOL (UNII: 5965N8W85T)

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:82973-001- 15	1 in 1 CARTON	09/01/2022				
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M004	09/01/2022				

Labeler - Native First Health, LLC (118782998)

Revised: 12/2023 Native First Health, LLC