

**NIGHT TIME COLD AND FLU RELIEF MULTI SYMPTOM- acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled Family Dollar (FAMILY WELLNESS)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each softgel)**

**Acetaminophen 325 mg**

Dextromethorphan HBr 15 mg

Doxylamine succinate 6.25 mg

**Purpose**

**Pain reliever/Fever Reducer**

**Uses**

- temporarily relieves common cold and flu symptoms:
  - sore throat
  - headache
  - minor aches and pains
  - fever
  - runny nose and sneezing
  - cough due to minor throat and bronchial irritation

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists more than 2 days, is

accompanied or followed by fever, headache rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do

not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see Overdose warning)**
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 6 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to insure correct dosing**

### **Other information**

- store between 15°-30°C (59°-86°F)
- avoid excessive heat

### **Inactive ingredients**

D&C yellow #10, edible white ink, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol titanium dioxide

\*may contain this ingredient

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® NYQUIL® COLD & FLU LIQUICAPS®†

### **Nighttime**

Multi-Symptom

Cold & Flu Relief

Acetaminophen

Dextromethorphan HBr,

Doxylamine Succinate

For Relief of:

- Aches
- Fever
- Sore Throat
- Cough
- Sneezing
- Runny Nose

## LIQUID-FILLED SOFTGELS

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® , NyQuil®, and LiquiCaps® are registered trademark of The Procter & Gamble Company

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

DISTRIBUTED BY: MIDWOOD BRANDS, LLC

10611 MONROE., MATTHEWS, NC 28105

**Package Label**

COMPARE TO THE ACTIVE INGREDIENTS IN  
VICKS® NYQUIL® COLD & FLU LIQUICAPS®

NDC 55319-743-16

# Nighttime Multi-Symptom Cold & Flu Relief

Acetaminophen, Dextromethorphan HBr,  
Doxylamine Succinate  
Alcohol-free

For Relief of:

- Aches • Fever • Sore Throat
- Cough • Sneezing • Runny Nose

FAMILY  
wellness™



ACTUAL SIZE



16 LIQUID FILLED SOFTGELS

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

## Drug Facts

### Active ingredients (in each softgel)

Acetaminophen 325 mg  
Dextromethorphan HBr 15 mg  
Doxylamine succinate 6.25 mg

### Purposes

Pain reliever/fever reducer  
Cough suppressant  
Antihistamine

### Uses

- temporarily relieves common cold and flu symptoms
- sore throat
- headache
- minor aches and pains
- runny nose and sneezing
- cough due to minor throat and bronchial irritation

## Drug Facts (continued)

## Drug Facts (continued)

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take: more than 4,000 mg of acetaminophen in 24 hours or with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** if you are now taking a prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** liver disease or glaucoma

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin or tranquilizers

**When using this product** do not exceed recommended dosage

excitability may occur, especially in children

marked drowsiness may occur

alcohol, sedatives, and tranquilizers may increase drowsiness

be careful when driving a motor vehicle or operating machinery

## Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

## Other information

store between 15-30°C (59-86°F) avoid excessive heat

**Inactive ingredients** D&C yellow #10, FD&C blue #1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide, white ink

## Directions

do not take more than 4 doses in 24 hours

adults and children 12 years and over: take 2 softgels with water every 6 hours

swallow whole; do not crush, chew, or dissolve

children under 12 years: do not use

when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

## Overdose warning

Keep out of reach of children. Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Stop use and ask a doctor if** pain or cough gets worse or lasts more than 7 days

fever gets worse or lasts more than 3 days

redness or swelling is present

cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

20 LIQUID-FILLED SOFTGELS

DISTRIBUTED BY: MIDWOOD BRANDS, LLC  
10611 MONROE RD., MATTHEWS, NC 28105

NOT 100% SATISFIED?

Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, NyQuil®, and LiquiCaps® are registered trademarks of The Procter & Gamble Company.

PLD-E41T FC005082

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

SKU 0903038



0 3 2 2 5 1 0 3 9 1 6 4

FAMILY WELLNESS Nighttime Cold & Flu Relief

NIGHT TIME COLD AND FLU RELIEF MULTI SYMPTOM			
acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-743
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	15 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)		DOXYLAMINE SUCCINATE	6.25 mg
Inactive Ingredients			
Ingredient Name			Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POVIDONE (UNII: FZ989GH94E)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SORBITAN (UNII: 6O92ICV9RU)			
SORBITOL (UNII: 506T60A25R)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
Product Characteristics			
Color	green	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	P30;94A;P120;AP017
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-743-16	16 in 1 CARTON	04/30/2018	04/26/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/30/2018	04/26/2024

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 9/2022

Family Dollar (FAMILY WELLNESS)