

DR. SELBY DIAPER RASH- zinc oxide ointment
Terry S.A.

Dr. Selby Diaper Rash

Drug Facts

Active ingredient

Zinc Oxide 6.5%

Purpose

Skin Protectant

Use

- Helps treat and prevent diaper rash.
- Protects chafed skin due to diaper rash and helps seal out wetness.

Warnings

For external use only

When using this product

- do not get into eyes

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Change wet and soiled diapers promptly.
- Cleanse the diaper area and allow to dry.
- Apply ointment liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged.

Other information

store at 59° - 86°F (15°-30°C)

Inactive ingredients

boric acid, lanolin, light mineral oil, petrolatum, talc, vitamin D, water

Package Labeling:

D^r. SELBY

CURATIVE

TRUSTED FOR OVER 60 YEARS

D^r. SELBY
Dr. SELBY BRAND IS GUARANTEED SUPERIOR QUALITY

D^r. SELBY



D^r. SELBY
Dr. SELBY BRAND IS GUARANTEED SUPERIOR QUALITY

PROTECTS

CHAFED SKIN

AND

MINOR SKIN IRRITATION

DUE TO

DIAPER RASH

OVERNIGHT RELIEF!

CURATIVE

Zinc Oxide 6.5%

MUST HAVE IN THE MEDICINE CABINET!

Net Wt. 1.4 oz (40 g)

PROTECTS

CHAFED SKIN

AND

MINOR SKIN IRRITATION

DUE TO

DIAPER RASH

OVERNIGHT RELIEF!

Drug Facts

Active ingredient **Purpose**
Zinc Oxide 6.5%Skin Protectant

Use ■ Helps treat and prevent diaper rash.
■ Protects chafed skin due to diaper rash and helps seal out wetness.

Warnings

For external use only

When using this product ■ do not get into eyes

Stop use and ask a doctor if ■ condition worsens
■ symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Change wet and soiled diapers promptly.
- Cleanse the diaper area and allow to dry.
- Apply ointment liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged.

Other information store at 59° - 86°F (15° - 30°C)

Inactive ingredients boric acid, lanolin, light mineral oil, petrolatum, talc, vitamin D, water

Made by:

Terry S.A. Ruta 101, Km 30
Canelones, Uruguay. Ind.Uruguaya
Dr. Selby USA, P.O. Box 1703
New York NY 10010. @drselbyusa



Made in Uruguay



12032403



D^r. SELBY
CURATIVE
DIAPER RASH
OINTMENT
&
SKIN PROTECTANT
ZINC OXIDE 6.5%

PROTECTS

CHAFED SKIN

AND

MINOR SKIN IRRITATION

DUE TO

DIAPER RASH

MUST HAVE IN THE
MEDICINE CABINET!

Net Wt. 1.4 oz (40 g)

Drug Facts

Active ingredient	Purpose
Zinc Oxide 6.5%	Skin Protectant

Use ■ Helps treat and prevent diaper rash.
■ Protects chafed skin due to diaper rash and helps seal out wetness.

Warnings

For external use only

When using this product ■ do not get into eyes
Stop use and ask a doctor if ■ condition worsens
■ symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children If swallowed, get medical help or contact Poison Control Center right away.

Directions

■ Change wet and soiled diapers promptly.
■ Cleanse the diaper area and allow to dry.
■ Apply ointment liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged.

Other information store at 59° - 86°F (15° - 30°C)

Inactive ingredients boric acid, lanolin, light mineral oil, petrolatum, talc, vitamin D, water

Made by: Terry S.A.
Ruta 101, Km 30
Canelones, Uruguay. Ind.Uruguaya
Dr. Selby USA. P.O. Box 1703
New York NY 10010. @drselbyusa

Made in Uruguay

12032403

DR. SELBY DIAPER RASH

zinc oxide ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47143-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	65 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
LANOLIN (UNII: 7EV65EAW6H)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PETROLATUM (UNII: 4T6H12BN9U)	
TALC (UNII: 7SEV7J4R1U)	
VITAMIN D (UNII: 9VU1KI44GP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47143-003-40	40 g in 1 TUBE; Type 0: Not a Combination Product	03/21/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/21/2014	

Labeler - Terry S.A. (966079147)

Establishment

Name	Address	ID/FEI	Business Operations
Terry S.A.		966079147	manufacture(47143-003)