

**MUCUS RELIEF SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH-  
dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid  
Family Dollar (FAMILY WELLNESS)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each 20 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

**Purposes**

Cough suppressant

Expectorant

Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

**Warnings**

**Do not use**

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

**When using this product,  
do not use more than directed.**

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or occur with a fever
- cough comes back, or occurs with rash or persistent headache

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in a 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- Keep dosing cup with product
- shake well before using
- mL=milliliter
- **adults and children 12 years of age and older:** 20 mL in dosing cup provided every 4 hours
- **children under 12 years of age:** do not use

**Other information**

- each 20 mL contains: **sodium 17 mg**
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

citric acid, EDTA disodium, FD&C blue #1, FD&C red #40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate, xanthan gum

**Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

**Principal Display Panel**

Compare to the active ingredients of Maximum Strength Mucinex® Fast-Max® Severe Congestion & Cough.

Maximum Strength

**Mucus Relief**

Severe Congestion & Cough

Multi-Symptom Relief

Cough Suppressant-Dextromethorphan HBr

Expectorant-Guaifenesin

Nasal Decongestant-Phenylephrine HCl

For relief of:

nasal congestion

mucus

cough

FL OZ (mL)

\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Fast-Max® Severe Congestion & Cough.

Distributed by:

FAMILY DOLLAR SERVICES, INC

10401 MONROE ROAD

MATTHEWS, NC 28105 USA

FAMILYDOLLAR.COM

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.**

**Package Label**

NDC 55319-337-06

**FAMILY**  
wellness™

COMPARE TO THE ACTIVE  
INGREDIENTS OF **MAXIMUM  
STRENGTH MUCINEX® FAST-MAX®**  
SEVERE CONGESTION & COUGH



Maximum Strength

# Mucus Relief

## Severe Congestion & Cough Multi-Symptom Relief

Cough Suppressant - Dextromethorphan HBr  
Expectorant - Guaifenesin  
Nasal Decongestant - Phenylephrine HCl

For Relief of:  
Nasal Congestion  
Mucus  
Cough

6 FL OZ  
(177 mL)

PLD-C283D  
LB003122

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY  
SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.**

\*This product is not manufactured or distributed by Reckitt  
Benckiser, distributor of Maximum Strength Mucinex®  
Fast-Max® Severe Congestion & Cough.



VISIT FAMILYDOLLAR.COM

DISTRIBUTED BY:  
FAMILY DOLLAR SERVICES, INC.,  
10401 MONROERD  
MATTHEWS, NC 28105 USA

PRODUCT OF USA

PLD-C283D LB003122

Not 100% satisfied? Return package  
And unused product within 30 days  
To any Family Dollar store for a  
Refund (with receipt) or exchange

**PARENTS:**  
Learn about safe medicine use at  
[www.DrugMattersAll.com.org](http://www.DrugMattersAll.com.org)

### Drug Facts

Active ingredients (in each 20 mL)	Purposes
Dextromethorphan HBr 20 mg.....	Cough suppressant
Guaifenesin 400 mg.....	Expectorant
Phenylephrine HCl 10 mg.....	Nasal decongestant

PEEL CORNER FOR MORE DRUG FACTS

### Drug Facts (continued)

#### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

#### Warnings

##### Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- for children under 12 years of age

### Drug Facts (continued)

#### Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

#### When using this product, do not use more than directed.

#### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

### Drug Facts (continued)

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using
- adults and children 12 years of age and older: 20 mL in dosing cup provided every 4 hours
- children under 12 years of age: do not use

#### Other information

- each 20 mL contains: sodium 17 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, disodium EDTA, FD&C blue #1, FD&C red

### Drug Facts (continued)

#40, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

#### Questions or comments?

Call 1-877-753-3935 Monday-Friday  
9AM-5PM EST

PEEL CORNER FOR MORE DRUG FACTS

Family Wellness Maximum Strength Mucus Relief

**MUCUS RELIEF SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH**

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-337
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55319-337-06	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/30/2014	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part341	11/30/2014	

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)