

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment
AmerisourceBergen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Triple Antibiotic

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily

- may be covered with a sterile bandage

Other information

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum

Questions?

Call **1-866-923-4914**

Distributed By AmerisourceBergen
1300 Morris Drive, Chesterbrook, PA 19087

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

Compare to the active ingredients in Neosporin®*
NDC 46122-414-05

Rx
GOOD
NEIGHBOR
PHARMACY®

Triple Antibiotic Ointment

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

First Aid Antibiotic Ointment

NET WT ½ oz (14.2 g)



Compare to the active ingredients in Neosporin[®]*

NDC 46122-414-06

Triple Antibiotic Ointment

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

First Aid Antibiotic Ointment

Helps Prevent Infection in
Minor Cuts, Scrapes, and Burns.



NDC 46122-414-06

Triple Antibiotic Ointment

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

First Aid Antibiotic Ointment



Compare to the active ingredients in Neosporin[®]*

NDC 46122-414-06

Triple Antibiotic Ointment

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

First Aid Antibiotic Ointment

NET WT 1/2 oz (14.2 g)



Distributed By AmerisourceBergen
1300 Morris Drive, Chesterbrook, PA 19087
Questions or Concerns? www.mygnp.com
Made in Canada

ABC# 10173737



0 87701 42937 8

LPK-8466-0
0317-0
9

T27
B51.3
ENG19.06

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin[®]

Drug Facts (continued) Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.	Directions • Clean the affected area • Apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • May be covered with a sterile bandage	Other information • Store at 20° to 25°C (68° to 77°F) • See carton or tube crimp for lot number and expiration date	Inactive ingredients coconut butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum	Questions? Call 1-866-923-4914
Active ingredients (in each gram) Purpose Bacitracin zinc USP 400 units.....First aid antibiotic Neomycin sulfate USP 3.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic	Uses First aid to help prevent infection in minor: • cuts • scrapes • burns	Warnings For external use only. Do not use • if you are allergic to any of the ingredients • in the eyes • over large areas of the body Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	Stop use and ask a doctor if • you need to use longer than 1 week • condition persists or gets worse • rash or other allergic reaction develops	

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46 122-414
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [iU] in 1 g
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin Sulfate	3.5 mg in 1 g
Polymyxin B Sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
cocoa butter (UNII: 512OYT1CRR)	
cottonseed oil (UNII: H3E878020N)	
olive oil (UNII: 6UYK2W1W1E)	
sodium pyruvate (UNII: POD38AIF08)	
.alpha.-tocopherol (UNII: H4N855PNZ1)	
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 122-414-05	1 in 1 CARTON	04/04/2017	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:46 122-414-03	1 in 1 CARTON	04/04/2017	
2		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	12/15/2015	

Labeler - AmerisourceBergen (007914906)

Revised: 7/2017

AmerisourceBergen