

**COPPERTONE KIDS ROLL-ON SUNSCREEN SPF 50- zinc oxide 24.08% lotion**  
**Beiersdorf Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Coppertone Kids Roll-On Lotion SPF 50**

***Drug Facts***

***Active ingredient***

Zinc Oxide 24.08%

***Purpose***

Sunscreen

***Use***

- helps prevent sunburn

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, C12-15 alkyl benzoate, isopropyl palmitate, butyloctyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer dilinoleate/propanediol copolymer, dimethicone, ethylhexyl methoxycrylene, polyester-27, sodium sulfate, triethoxycaprylylsilane, beeswax, hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, caprylyl glycol, 1,2-hexanediol, blue 1

### ***Questions?***

1-866-288-3330

Fun Roll-On

**Coppertone** ®

Zinc Oxide Sunscreen Lotion

#1 Pediatrician Recommended Sunscreen Brand

Kids with Blue Color

Tear Free

50

100% Mineral Sun Protection\*

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

Stays on strong, even in water

**FUN ROLL-ON**

**Coppertone**  
ZINC OXIDE SUNSCREEN LOTION

THE AMERICAN RECOMMENDED #1 SUNSCREEN BRAND

**Kids** with  
BLUE COLOR  
Tear Free

**50**

100% MINERAL  
SUN PROTECTION\*

Water Resistant (80 Minutes)  
Broad Spectrum SPF 50  
stays on strong, even in water

2.5 FL OZ (75mL)



72140 03607 2



Tear-free, mineral sun protection\* in a fun blue, easy to rub on formula. Allow to dry completely. Do not apply directly to and avoid contact with textiles and hard surfaces to prevent staining.

Drug Facts	
<b>Active ingredient</b>	<b>Purpose</b>
Zinc Oxide 24.08%	Sunscreen
<b>Use</b> ■ helps prevent sunburn	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ shake well before use ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection	
<b>Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	

www.coppertone.com 48991.790.AE.99  
\*based on a zinc oxide active

**Beiersdorf**  
Beiersdorf Inc. Stamford, CT 06901  
©=reg. TM. of Beiersdorf AG, Germany

Peel for Full Labeling

**Drug Facts** (continued)

■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Other information**

■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

**Inactive ingredients** water, C12-15 alkyl benzoate, isopropyl palmitate, butyloctyl salicylate, ethylhexyl isononanoate, cetyl PEG/PPG-10/1 dimethicone, propylene glycol, cyclopentasiloxane, bis-octyldodecyl dimer diinoleate/propanediol copolymer, dimethicone, ethylhexyl methoxycrylene, polyester-27, sodium sulfate, triethoxycaprylylsilane, beeswax, hydroxyacetophenone, sodium chloride, PEG-12 dimethicone crosspolymer, caprylyl glycol, 1,2-hexanediol, blue 1

**Questions?** 1-866-288-3330

## COPPERTONE KIDS ROLL-ON SUNSCREEN SPF 50

zinc oxide 24.08% lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-4026
<b>Route of Administration</b>	SUPRACHOROIDAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24.08 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
SODIUM SULFATE (UNII: 0YPR65R21J)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
BASIC BLUE 1 (UNII: 92N74OA24D)	
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BIS-OCTYLDODECYL DIMER DILINOLEATE/PROPANEDIOL COPOLYMER (UNII: TY3J98ZR7R)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	

<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4026-2	75 g in 1 CANISTER; Type 0: Not a Combination Product	01/01/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2023	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 2/2023

Beiersdorf Inc