

CHILDRENS PEDIACLEAR PD- triprolidine hydrochloride liquid
GM Pharmaceuticals, INC

Children's PediaClear PD

NDC 58809-651-50

Drug Facts

Active ingredients (in each 2 mL)

Tripolidine HCl 1.25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
- runny nose ■ itching of the nose or throat
- sneezing ■ itchy, watery eyes

Warnings

Do not exceed recommended dosage.

Ask a doctor before use if the child has

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor before use if the child is

taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- sedatives and tranquilizers may increase the drowsiness effect

Stop use and ask a doctor if

- new symptoms occur

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- use only with enclosed dropper ■ mL= milliliter
- do not use dropper for any other drug product

Age	Dose
Children 6 to under 12 years:	2 mL every 6 hours, not to exceed 4 doses in 24 hours, or as directed by a doctor.
Children under 6:	Ask a doctor.

Other information

- read all product information before using
- this packaging is child-resistant.
- store at room temperature 20-30°C (68-86°F)

Inactive ingredients

citric acid anhydrous, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol solution

Questions or comments?

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

PRINCIPAL DISPLAY PANEL

NDC 58809-651-50

Children's PediaClear PD Drops

1.69 fl oz (50 mL)

Children's PediaClear PD Drops Label

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING

NDC 58809-651-50

LIFT HERE

RELIEVES:

- Sneezing
- Runny Nose
- Itchy Eyes
- Watery Eyes
- Itchy Nose
- Itchy Throat

Children's PediaClear PD
ALLERGY RELIEF DROPS

Each 2 mL Contains:
Triprolidine HCl 1.25 mg
Antihistamine



401065-02 Rev. 0224

1.69 fl oz
(50 mL)

Distributed by: GM Pharmaceuticals, Inc.
Fort Worth, TX 76118

Children's PediaClear PD Drops Drug Facts

Drug Facts	
Active ingredients (in each 2 mL) Triprolidine HCl 1.25 mg	Purpose Antihistamine
Uses temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: runny nose itching of the nose or throat sneezing itchy, watery eyes	
Warnings Do not exceed recommended dosage. Ask a doctor before use if the child has a breathing problem such as emphysema or chronic bronchitis glaucoma	

Drug Facts (continued)
Ask a doctor before use if the child is taking sedatives or tranquilizers
When using this product excitability may occur, especially in children marked drowsiness may occur sedatives and tranquilizers may increase the drowsiness effect
Stop use and ask a doctor if new symptoms occur
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions use only with enclosed dropper mL= milliliter do not use dropper for any other drug product

Drug Facts (continued)	
Age	Dose
children 6 to under 12 years:	2 mL every 6 hours, not to exceed 4 doses in 24 hours, or as directed by a doctor.
children under 6:	ask a doctor.
Other information read all product information before using this packaging is child-resistant. store at room temperature 20-30°C (68-86°F)	
Inactive ingredients citric acid anhydrous, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol solution	
Questions or comments? Call 1-888-535-0305 9 a.m. - 5 p.m. CST.	

Children's PediaClear PD Drops Carton



CHILDRENS PEDIACLEAR PD

triprolidine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58809-651
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TRIPROLIDINE HYDROCHLORIDE (UNII: YAN7R5L890) (TRIPROLIDINE - UNII:2L8T9S52QM)	TRIPROLIDINE HYDROCHLORIDE	1.25 mg in 2 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58809-651-50	50 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	07/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2019	

Labeler - GM Pharmaceuticals, INC (793000860)

Revised: 3/2024

GM Pharmaceuticals, INC