FAMILY DOLLAR TROPIC SUN SPF 50 BABY SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion Family Dollar Services Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Family Dollar Tropic Sun SPF 50 Baby Sunscreen Lotion

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses


Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, tridecyl salicylate, propylene glycol, styrene/acrylates copolymer, polyamide-8, neopentyl glycol diheptanoate, oleth-3, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, disodium EDTA, chlorphenesin, benzyl alcohol, fragrance

Label



Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Sunscreen

SKU 2097913

œ

2

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product . keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure

apply liberally 15 minutes before sun exposure
reapply:
after 80 minutes of swimming or sweating
immediately after towel drying
at least every 2 hours
children under 6 months of age: Ask a doctor
Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
ilimit time in the sun, especially from 10 a.m. - 2 p.m.
wear long-sieved shirts, pants, hats, and sunglasses

Chiter information.

Other information

• protect the product in this container from excessive heat and direct sun

may stain or damage some fabrics, materials or surfaces

Inactive ingredients
Water, Tridecyl Salicylate, Propylene Glycol,
Styrene/Acrylates Copolymer, Polyamide-8, Neopentyl
Glycol Diheptanata, Clett-3, Acrylates/C10-30 Alkyl
Acrylate Crosspolymer, Triethanolamine, Tocopherol,
Disodium EDTA, Chlorphenesin, Benzyl Alcohol, Fragrance,

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone Baby®.

Not 100% satisfied? Return package and unused product within 30 days to any Family Dollar for a refund (with receipt) or exchange.

DISTRIBUTED BY:
MIDWOOD BRANDS, LLC, 500 VOLVO PARKWAY
CHESAPEAKE, VA 23320 USA





Pediatrician Tested



FAMILY DOLLAR TROPIC SUN SPF 50 BABY SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information HUMAN OTC DRUG NDC:55319-034 **Product Type** Item Code (Source) **TOPICAL Route of Administration**

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	150 mg in 1 mL	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
OLETH-3 (UNII: BQZ26235UC)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TRIDECYL SALICYLATE (UNII: AZ Q08K38Z1)	
TROLAMINE (UNII: 903K93S3TK)	
POLYAMIDE-8 (4500 MW) (UNII: 77723GV81A)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:55319-034- 14	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/27/2019	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	09/27/2019		

Labeler - Family Dollar Services Inc. (024472631)

Revised: 2/2023 Family Dollar Services Inc.