CVS HEALTH SPORT SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion CVS PHARMACY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Health Sport SPF 50 Sunscreen Lotion

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, tridecyl salicylate, propylene glycol, styrene/acrylates copolymer, polyamide-8, neopentyl glycol diheptanoate, oleth-3, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, disodium EDTA, chlorphenesin, benzyl alcohol, fragrance

Label



LOTION

Broad Spectrum SPF 50 Sunscreen **UVA/UVB** protection

- · Contains vitamin E
- · Formulated for active lifestyles
- Oxybenzone & octinoxate free



COMPARE TO COPPERTONE SPORT® LOTION*

8 FL OZ (237 mL)

CVS Health® Sport Lotion SPF 50 helps protect skin from the sun's harmful UVA/UVB rays, no matter what - sand, surf, or sweat. Non-greasy formula, Absorbs quickly, Contains vitamin E.

Drug Facts

Active ingredi Avoterane 3,0% Hamasiste 15,0% Octoordene 5,0% Octoordene 5,0%

Purpose

Sunscreen

- Uses:

 halps prevent surbum
 It used as directed with other sun protection measures (see
 Diffrections), decreases the risk of skin cancer and early skin
 aging caused by the sun

Warnings For external use only

Do not use + on damaged or broken skin,

When using this product keep out of eyes, Rinse with water to remove Stop use and ask a dector if + resh occurs,

Keep out of reach of children, if availaned, get medical help or contact a Polson Control Center right away.

- Other Information

 protect this product from excessive heat and direct sun

 may stain or damage some fabrics, materials or surfaces

water, tridecyl saticylate, propytene głycol, styrene/acrylates copolymer, polyamide-8, neopentyl głycol diheptanoate, djeth-3, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, disodium EDTA, chlorphenesin, benzyl alcohol, fragrance

This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Coppertone SPORT.

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2022 CVS/pharmacy CVS.com* 1-800-SHOP CVS V-13190



#308277





CVS Health™ Sport Lotion SPF 50 is a broadspectrum sunscreen specially formulated for people with active lifestyles, Water-resistant formula provides protection in and out of the water for up to 80 minutes,

A STATE OF THE PARTY OF THE PAR	-	
Active ingredients Purpose Avobenzone 3.0%		
Homosalate 15,0%	Consessed	
Octisable 5.0%	Sunscreen	
Octocryllene 5.0% J		
Uses		
helps prevent sunburn if used as directed with other sun protection measures (see		
Directions), decreases the risk of skin cancer and early skin		
aging caused by the sun		
Warnings For external use only		
Do not use . on damaged or broken sk	in.	
When using this product keep out of		
Stop use and ask a doctor if • rash	occurs.	
Keep out of reach of children. I swa		
contact a Poison Control Center right awa	ıy.	
Directions - apply liberally 15 minutes before sun e	WORLES	
response		
 after 80 minutes of swimming or swe 	eding	
immediately after towel drying at least every 2 hours		
at least every 2 hours children under 6 months of age: ask a	doctor	
 Sun Protection Measures, Spending 1 	ime in the sun increases	
your risk of skin cancer and early skin a regularly use a sunscrean with a horsel	iging 10 decrease this risk, expectrum SPF of 15 or	
your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:		
higher and other sun protection measu	res induding:	
higher and other sun protection measu • limit time in the sun, especially from	res induding: 10 a.m 2 p.m.	
 limit time in the sun, especially from wear long-aleeve shirts, pants, hats, 	res induding: 10 a.m 2 p.m. and sunglasses	
Imit time in the sun, especially from wear long-aleeve shirts, pants, hats, Other information	10 a.m 2 p.m. and sunglasses	
 Imit time in the sun, especially from wear long-aleeve shirts, pants, hats, 	10 a.m., - 2 p.m. and sunglesses heat and direct sun	
Imit time in the sun, especially from wear long-deeve shirts, pants, hats, Other information protect this product from excessive may stain or damage some fabrics, Inactive ingredients	10 a.m 2 p.m. and sunglesses heat and direct sun materials or surfaces	
Init time in the sun, especially from wear long-deeve shirts, ports, hats. Other information protect this product from excessive may stain or damage some fabrics, inactive ingredients	10 a.m 2 p.m. and sunglesses heat and direct sun materials or surfaces	
Init time in the sun, especially from wear long-deeve shirts, parts, hats. Other information protect this product from excessive may stain or damage some fabrics, inactive ingredients. Inactive ingredients	10 a.m 2 p.m. and sunglesses heat and direct sun materials or surfaces	
Init time in the sun, especially from wear long-deeve shirts, ports, hats. Other information protect this product from excessive may stain or damage some fabrics, inactive ingredients	10 a.m 2 p.m. and sunglesses heat and direct sun materials or surfaces	
Intrit me in the sun, especially from wear Imp-deser eithirs, pants, has wear Imp-deser eithirs, pants, has considered this product from excessive may stain or dramage some fabrics. Inactive ingradients water, trideryl salicylate, propyler copulymer, polyamide-8, neopen cieth-3, acrylates/CII-0-30 allyl at intritamolamine, tocooherol, discontrol, disco	10 a.m 2 p.m. and sunglesses heat and direct sun materials or surfaces	
Imintime in the sun, especially from wear long-deeve strirts, parts, hats. Other information protect this product from excessive may stain or damage some fabrics. Inactive ingredients	10 a.m 2 p.m. and sunglesses heat and direct sun materials or surfaces	
I mit the in the sun, expectally from wear king-dese-chirs, parish, kind. Other information - princt his product from excessive - interest his product from excessive - may stain or damage some fabrics. Inactive ingredients water indically salicytatin propulse couplyings: 4, pages 126,	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I mit the in the sun, especially from wear long-describts, paret, has, when long-describts, paret, has, other information - protect than procession in surjection of demange some fibrics. Inactive Ingredients water, tribody saloyate, propyler copolymer, polyamide-8, neopen doubt-3, acryptes/10-30 ally its tricthandamine, tocopherol, discobernyl alcohol, fragrance in product is not manufactured or distributed	10 a.m 2 p.m. and sunglesses heat and direct sun materials or surfaces	
I mit the in the sun, especially from wear king-dese-thins, parts, has, wear king-dese-thins, parts, has, wear king-dese-thins, parts, has, other in product from excessive may stain or damage some fabrics. I mactive ingredients water trideoly salicytate propulses, and parts of the product in the product of the product is not the product of the product in the product is not manufactured or distributed by Bayer HealthCare LLC.	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I mit the in the sun, especially from wear found-weet hirts, pursh, has, other information protect this product from excessive may stain or damage some fabrics. Inactive ingredients water, tridecy is alloyatio, propyler copolymer, polyamide-8, neopen cipits—3, any stain or damage some fabrics, experience (1 social wife product) and included a far included in the stain of the social product is not manufactured or distributed by Bayer HealthCare LLC, owner of the regulatered.	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I mit the in the sin, especially from wear flung-face during parts. Mrs. Other information - protect time social from excessive may stain or demage some habrice. Inactive ingredients wate, tridacyl salicylate, propyler copylmer, polyamide-8, neopenic international copylmer, polyamide-8, neopenic international mediants and salicylate in continuous manufactured or distributed by Bayer iterathicare LLC, overled in the control of the registered trademark Copportance SPORT®.	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I and then in the sun, expectally from wear bing-dese-chirts, parts, has, wear bing-dese-chirts, parts, has, other inflormation - protect his product from excessive - may stain or demangs some thartice. Inactive ingradients water, trideoly sali-glatic propyles copolymer, polyamide-8, neoperal delines, any places of 10-50 ality lateral hardwardshamiles, becopitered, discobernyl debook, largarance his product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Coppertions SPORT®. Distributed by:	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I mit the in the sun, expectally from wear lang-deed withs, parts, has, other information - words they accept from excessive may stain or demands some fiberies. Inactive ingredients water, trideoly sale/state, propyler copolymer, polyamides, neopen dethy, acrystates/10-30 allyda triethanciamine, tocophenol, discobernyl alcohold, fragrance limits product is not manufactured or distributed by Bayer HeathCare LLC, owner of the registered trademank Copportune SPORT®. Distributed by: OVS Pharmacy, Inc.	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I and then in the sun, expectally from wear bing-describing parts. Mrs. Other information - principle state of the surface of	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I mit the in the sun, especially from wear found-week or his, such a law. Other information - protect from excessive may stain or damage some therics. I machine ingredients water, tridecy salinyste, propyler copolymer, polyamides, neopen dethra, any states (Ti 1-30 ally lat friethandsmine, boogherot, discobered should, fragrance benezi aborbit, and the standard friethandsmine, boogherot, discobered benezi aborbit, and trademark Coppertune SPORT*. Distributed by Cistar Sport from the standard Coppertune SPORT*. Distributed by Cistar Sport from the standard Coppertune SPORT*.	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I mit the in the sin, especially from wear flow-deed eiths, spink, his. Other information - protect from excessive may stain or damage some thatice. I matcher ingroundents water, indexify is all of state, propyled couplymer, polyamide-3, mought of shers, any state of the 1-30 all kyl at friethand tamine, becopitered, discovered the propyled both, if agrance This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Coppertune SPORT®. Distributed by: CVS Pharmacy, Inc. One CVS Divariance, Inc.	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	
I mit the in the sin, especially from wear fung-dese othis, paris, his. Other information - protect from excessive may stain or damage some fabrics. I machine inproduct from excessive may stain or damage some fabrics. I machine inproducts water trickey safectation propole copiume, prejumide-8, neoperal eight-3, acrylefast/10-30 alityl at trethandamine, toocyaterol, disord benzyl abothol, fragrance. This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Copportione SPORT*. Distributed by: CVS Pharmacy, Inc. One CVS Driv. Distributed, 10-0. One CVS Driv. One Driv. One Driv. One Driv.	10 a.m 2 p.m. and sunglasses heat and direct sun materials or surfaces ne glycol, styrene/acrytates yf glycol diffeptanoate, ryfate crosspolymer, dium EDTA, chlorphenesin,	

CVS Quality





CVS HEALTH SPORT SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-030
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	150 mg in 1 mL	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
OLETH-3 (UNII: BQZ26235UC)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TRIDECYL SALICYLATE (UNII: AZ Q08K38Z1)	
TROLAMINE (UNII: 903K93S3TK)	
POLYAMIDE-8 (4500 MW) (UNII: 77723GV81A)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-030- 11	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/05/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/05/2018	

Labeler - CVS PHARMACY (062312574)

Revised: 2/2023 CVS PHARMACY