

**PUR-OXY- lactic acid and hydrogen peroxide solution**  
**Ecolab Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**FOR INDUSTRIAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**Attention**

For External Use Only

Wash hands thoroughly after handling.

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Get medical advice/ attention if you feel unwell.

**DIRECTIONS:**

**IMPORTANT:** Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

**Udder Prep:** When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

**Directions for Teat Dipping**

**Pre-Milk Dipping:** Before each cow is milked, and using fresh Pur-Oxy, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Using fresh Pur-Oxy, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, and using fresh Pur-Oxy, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Using fresh Pur-Oxy, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Pur-Oxy is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if

necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

**PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL**

**Ecolab**

**Pur-Oxy™**

**Sanitizing Teat Dip**

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

**ACTIVE INGREDIENTS:**

Lactic acid..... 1.7%

Hydrogen peroxide..... 0.5%

**INERT INGREDIENTS:** ..... 97.8%

(contains glycerin, sorbitol)

**TOTAL:**.....100.0%

208 L (55 US GAL)

6301978

Ecolab · 1 Ecolab Place · St Paul MN 55102 USA · tel: 1 800 392 3392

© 2018 Ecolab USA Inc. · All rights reserved

www.ecolab.com · 766469/5300/0518

# ECOLAB®



KEEP FROM  
FREEZING  
NO DEJE QUE  
SE CONGELE

## Pur-Oxy™

### Sanitizing Teat Dip Desinfectante de pezones por inmersión

An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis

**ACTIVE INGREDIENTS:**  
Lactic acid.....1.7%  
Hydrogen peroxide.....0.5%  
**INERT INGREDIENTS:**.....97.8%  
(contains glycerin, sorbitol)  
**TOTAL:**.....100.0%

#### Attention | Atención

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS  
FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE  
NOT FOR HUMAN USE | NO ES PARA USO HUMANO



Teat Dip  
Baño de tetina



Teat Spray  
Roceador de tetina

Read other label for directions for use, first aid and precautionary statements  
Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas

766466/5300/1016

208 L (55 US GAL)  
6301978



# Pur-Oxy™

## Sanitizing Teat Dip

FOR INDUSTRIAL USE ONLY

**DIRECCIONES:**

**IMPORTANT:** Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

**Udder Prep:** When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

**Directions for Teat Dipping**

**Pre-Milk Dipping:** Before each cow is milked, and using fresh Pur-Oxy, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Using fresh Pur-Oxy, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, and using fresh Pur-Oxy, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Using fresh Pur-Oxy, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving. **PRECAUTION:** Pur-Oxy is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

### Attention

For External Use Only

Wash hands thoroughly after handling.

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Get medical advice/ attention if you feel unwell.

**READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

This product may be patented | Este producto puede ser patentado: www.ecolab.com/patents

Ecolab - 1 Ecolab Place - St Paul MN 55102 USA - tel: 1 800 392 3392  
 © 2018 Ecolab USA Inc. - All rights reserved | Todos los derechos reservados  
 Made in U.S.A. | Hecho en EE.UU.  
 www.ecolab.com - 766469/530/0518

## Desinfectante de pezones por inmersión

PARA USO INDUSTRIAL SOLAMENTE

**INSTRUCCIONES:**

**IMPORTANTE:** No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, desechelo el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

**Preparado para ubres:** Si se realiza un paso de limpieza de ubres antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubres adecuada y procedimientos de limpieza apropiados. Los pezones deben secarse con toallas de uso único.

**Instrucciones para el sellado de pezones**

**Sellado del pezón previo al ordeño:** Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga Pur-Oxy fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

**Sellado del pezón posterior al ordeño:** Bañe toda la superficie de cada pezón en un recipiente que contenga Pur-Oxy fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

**Instrucciones para el rociado de pezones**

**Rociado previo al ordeño:** Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con Pur-Oxy fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

**Rociado de pezones posterior al ordeño:** Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con Pur-Oxy fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

**Uso ampliado:** Si la vaca va a parir, comience a realizar el baño dos veces al día unos 10 días antes del parto.

**PRECAUCIÓN:** Pur-Oxy no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, encargue a un veterinario que examine la condición y la trate si es necesario.

Consulte con su representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**NO ES PARA USO HUMANO**

### Atención

Solo de uso externo

Lavarse las manos cuidadosamente después de la manipulación.

No mezclar con lavandina u otros productos clorados - puede liberar cloro gaseoso consultar a un médico si la persona se encuentra mal.

**LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO**

**INFORMACIÓN DE EMERGENCIA SOBRE SALUD:** 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

# PUR-OXY

lactic acid and hydrogen peroxide solution

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:47593-451
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Lactic Acid</b> (UNII: 33X04XA5AT) (Lactic Acid - UNII:33X04XA5AT)	Lactic Acid	17 mg in 1 mL
<b>Hydrogen Peroxide</b> (UNII: BBX060AN9V) (Hydrogen Peroxide - UNII:BBX060AN9V)	Hydrogen Peroxide	5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

**GLYCERIN** (UNII: PDC6A3C0OX)

**SORBITOL** (UNII: 506T60A25R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-451-17	56780 mL in 1 DRUM		
2	NDC:47593-451-21	208200 mL in 1 DRUM		
3	NDC:47593-451-88	1040000 mL in 1 CONTAINER		
4	NDC:47593-451-44	1150000 mL in 1 CONTAINER		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/15/2008	

**Labeler** - Ecolab Inc. (006154611)

Revised: 6/2023

Ecolab Inc.