

GALLIUM METALLICUM- gallium metallicum pellet
Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**GALLIUM
METALLICUM
30C**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE**

Active ingredient:
Listed above

Use:Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**GALLIUM
METALLICUM
100C**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE**

Active ingredient:
Listed above

Use:Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**GALLIUM
METALLICUM
200C**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE**

Active ingredient:

Listed above

Use:Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**GALLIUM
METALLICUM
500C**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE**

Active ingredient:
Listed above

Use:Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**GALLIUM
METALLICUM
1M**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE**

Active ingredient:
Listed above

Use:Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. **Keep out of reach of children.**

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

GALLIUM METALLICUM

LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

GALLIUM METALLICUM

gallium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2631
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)	GALLIUM	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2631-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
2	NDC:37662-2631-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
3	NDC:37662-2631-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
4	NDC:37662-2631-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/07/2023	

GALLIUM METALLICUM

gallium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2633
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)	GALLIUM	200 [hp_C]

Inactive Ingredients				
Ingredient Name			Strength	
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2633-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
2	NDC:37662-2633-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
3	NDC:37662-2633-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
4	NDC:37662-2633-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			02/07/2023	

GALLIUM METALLICUM			
gallium metallicum pellet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2636
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)		GALLIUM	1 [hp_Q]
Inactive Ingredients			
Ingredient Name		Strength	
SUCROSE (UNII: C151H8M554)			

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2636-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/07/2023	

GALLIUM METALLICUM

gallium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2634
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)	GALLIUM	500 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2634-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
2	NDC:37662-2634-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
3	NDC:37662-2634-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
4	NDC:37662-2634-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			02/07/2023	

GALLIUM METALLICUM				
gallium metallicum pellet				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2635	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)		GALLIUM	1 [hp_M]	
Inactive Ingredients				
Ingredient Name			Strength	
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start	Marketing End

#	Item Code	Package Description	Date	Date
1	NDC:37662-2635-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
2	NDC:37662-2635-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
3	NDC:37662-2635-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
4	NDC:37662-2635-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/07/2023	

GALLIUM METALLICUM

gallium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2630
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)	GALLIUM	12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2630-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
2	NDC:37662-	1200 in 1 BOTTLE, GLASS; Type 0: Not a	02/07/2023	

2	2630-2	Combination Product	02/07/2023	
3	NDC:37662-2630-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/07/2023	

GALLIUM METALLICUM

gallium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2632
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)	GALLIUM	100 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2632-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
2	NDC:37662-2632-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
3	NDC:37662-2632-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
4	NDC:37662-2632-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/07/2023	

GALLIUM METALLICUM

gallium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2629
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)	GALLIUM	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2629-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/07/2023	
2	NDC:37662-2629-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	
3	NDC:37662-2629-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/07/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved homeopathic		02/07/2023	
---------------------------	--	------------	--

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2629, 37662-2630, 37662-2631, 37662-2632, 37662-2633, 37662-2634, 37662-2635, 37662-2636)

Revised: 2/2023

Hahnemann Laboratories, INC.