

**WALGREENS SPF 30 HYDRATING- avobenzone, homosalate, octisalate, octocrylene lotion**  
**WALGREEN COMPANY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Walgreens SPF 30 Hydrating Lotion**

**Active ingredients**

Avobenzone 2.7%, Homosalate 8.0%, Octisalate 5.0%, Octocrylene 3.5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### **Other information**

- protect the product on this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

Water, Butyloctyl Salicylate, Dimethicone, Potassium Cetyl Phosphate, Benzyl Alcohol, Caprylyl Glycol, Silica, Cetyl Dimethicone, Beeswax, PPG-12/SMDI Copolymer, Ethylhexylglycerin, Dimethicone/PEG-10/15 Crosspolymer, Trisiloxane, Ethylhexyl Stearate, Acrylates/C12-22 Alkylmethacrylate Copolymer, Propylene Glycol, Behenyl Alcohol, Sodium Polyacrylate, Trideceth-6, Styrene/Acrylates Copolymer, Disodium EDTA, Glyceryl Stearate, PEG-100 Stearate, Xanthan Gum, Chlorphenesin, Fragrance.

### **Label**

Walgreens

# 30 Hydrating

BROAD SPECTRUM SPF 30  
SUNSCREEN UVA/UVB PROTECTION

Hypoallergenic

Lightweight

Fast Absorbing

- Water resistant (80 minutes)

**-NO-  
OXYBENZONE  
PARABENS\***



3 FL OZ (89 mL)

Walgreens Hydrating Sunscreen Lotion moisturizes skin as it protects with this broad spectrum SPF 30 formula. Hypoallergenic and gentle, yet effective, it provides water-resistant protection for all skin types, even sensitive skin.



\*No parabens separately added to preserve this product.

### Drug Facts

#### Active ingredients

Avobenzone 2.7%	}	Sunscreen
Homosalate 8.0%		
Octisalate 5.0%		
Octocrylene 3.5%		

#### Purpose

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• apply liberally 15 minutes before sun exposure

• reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

• children under 6 months of age: Ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

#### Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients** water, butyloctyl salicylate, dimethicone, potassium cetyl phosphate, benzyl alcohol, capryl glycol, silica, cetyl dimethicone, beeswax, PPG-12/SMCI copolymer, ethylhexylglycerin, dimethicone/PEG-10/15 crosspolymer, trisiloxane, ethylhexyl stearate, acrylates/C12-22 alkyl methacrylate copolymer, propylene glycol, behenyl alcohol, sodium polyacrylate, trideceth-6, styrene/acrylates copolymer, disodium EDTA, glyceryl stearate, PEG-100 stearate, xanthan gum, chlorphenesin, fragrance

**Questions? Call 1-800-925-4733**

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO.  
200 WILLMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2021 Walgreen Co.



ITEM 265182 W10257-1222-0



W3ORG0122-F

Walgreens



# 30 Hydrating

BROAD SPECTRUM SPF 30  
SUNSCREEN UVA/UVB PROTECTION

Hypoallergenic

Lightweight

Fast Absorbing

• Water resistant  
(80 minutes)

**-NO-**  
OXYBENZONE  
PARABENS\*



8 FL OZ (237 mL)

Walgreens Hydrating Sunscreen Lotion moisturizes skin as it protects with this broad spectrum SPF 30 formula. Hypoallergenic and gentle, yet effective, it provides water-resistant protection for all skin types, even sensitive skin.



\*No parabens separately added to preserve this product.

### Drug Facts

Active ingredients	Purpose
Avobenzone 2.7% Homosalate 8.0% Octisalate 5.0% Octocrylene 3.5%	Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**  
Do not use • on damaged or broken skin.  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if • rash occurs.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

• apply liberally 15 minutes before sun exposure  
• reapply:  
• after 80 minutes of swimming or sweating  
• immediately after towel drying  
• at least every 2 hours  
• children under 6 months of age: Ask a doctor  
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. - 2 p.m.,  
• wear long-sleeved shirts, pants, hats, and sunglasses

### Other information

• protect the product in this container from excessive heat and direct sun  
• may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

water, butylcetyl salicylate, dimethicone, potassium cetyl phosphate, benzyl alcohol, caprylic glycol, silica, cetyl dimethicone, beeswax, PPG-12/5MDI copolymer, ethylhexylglycerin, dimethicone/PEG-10/15 crosspolymer, trisiloxane, ethylhexyl stearate, acrylates/C12-22 alkyl methacrylate copolymer, propylene glycol, behenyl alcohol, sodium polyacrylate, triceteth-6, styrene/acrylates copolymer, disodium EDTA, glyceryl stearate, PEG-100 stearate, xanthan gum, chlorphenesin, fragrance

\*Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens  
**100% SATISFACTION  
GUARANTEED**

walgreens.com 1-800-925-4733

©2021 Walgreen Co.



## WALGREENS SPF 30 HYDRATING

avobenzone, homosalate, octisalate, octocrylene lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0146
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	35 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	80 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	27 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER</b> (UNII: 7K68DGG29P)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>POLYETHYLENE GLYCOL 500</b> (UNII: 761NX2Q08Y)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>CETYL DIMETHICONE 150</b> (UNII: 5L694Y0T22)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>POLYETHYLENE GLYCOL 700</b> (UNII: 762678AC5R)	
<b>ETHYLHEXYL STEARATE</b> (UNII: EG3PA2K3K5)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0146-14	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/2020	
2	NDC:0363-0146-09	89 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/2020	

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC monograph not final	part352	09/17/2020	

**Labeler** - WALGREEN COMPANY (008965063)

Revised: 2/2023

WALGREEN COMPANY