

**BIG LOTS SOUNDBODY SPF 50 ULTRA SHIELD SUNSCREEN- avobenzone
homosalate octisalate octocrylene spray
BIG LOTS STORES, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Big Lots Soundbody SPF 50 Ultra Shield Sunscreen Spray

Active Ingredients

Avobenzone 3.0%
Homosalate 10.0%
Octisalate 5.0%
Octocrylene 4.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
 - children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol, fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

Label

BIG LOTS! \$4

SOUNDBODY™

50^{SPF}

**ultra shield
sunscreen spray**

**BROAD SPECTRUM SPF 50
UVA/UVB protection**

- Water Resistant (80 minutes)
- Dermatologist Tested
- Paraben Free**

REEF CONSCIOUS†

Compare to
Coppertone®
Ultra Guard®
SPF 50
Sunscreen*

NET WT 5.5 OZ (156 g)

SOUNDBODY™

SoundBody™ Ultra Shield Sunscreen Spray SPF 50 provides hypoallergenic, non-comedogenic broad spectrum protection against the sun's harmful UVA/UVB rays. This water-resistant, non-greasy formula sprays on at any angle. Great for those on-the-go, anytime, anywhere.

Drug Facts	Purpose
Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 4.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C) Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
Inactive ingredients alcohol denat., butylacetyl stibylate, acrylates/octylacrylamide copolymer, panthenol, tocopherol, fragrance, stearytrimethylsilane, caprylic/capric triglyceride, glycerin	
Questions or comments? Call toll free 1-800-525-7731	

3 71661 24404 2

*This product is not manufactured or distributed by BAYER HEALTHCARE, LLC, owner of the registered trademarks Coppertone® and Coppertone Ultra Guard®.

**No parabens separately added to preserve this product.

†Formula is compliant with HI SB2571

Manufactured for Big Lots Stores, Inc.
 By: Fruit of the Earth, Inc.
 Grand Prairie, TX 75050
 V#5005299 ITEM#BIG24404

BIG LOTS SOUNDBODY SPF 50 ULTRA SHIELD SUNSCREEN

avobenzone homosalate octisalate octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50594-159
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
PANTHENOL (UNII: WW9CM0O67Z)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50594-159-37	156 g in 1 CAN; Type 0: Not a Combination Product	11/14/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/14/2019	

Labeler - BIG LOTS STORES, INC. (017885351)

Revised: 2/2023

BIG LOTS STORES, INC.