

**DR. RECKEWEG R59 VESICULINE COMBINATION PRODUCT- calcarea carbonica 12x, fucus vesiculosus 4x, graphites 12x, natrum sulphuricum 4x, spongia tosta 4x liquid
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DR. RECKEWEG R59 Vesiculine

Active ingredients

Calcarea carbonica 12X, Fucus vesiculosus 4X, Graphites 12X, Natrum sulphuricum 4X, Spongia tosta 4X, 1 g each in 10 g.

Purpose

Relieves symptoms associated with weight gain due to glandular dysfunction

Uses

For the temporary relief of minor symptoms associated with:

- Weight gain due to glandular dysfunction

Warnings

Do not use

- if you are hypersensitive to iodine
- if you have a thyroid condition (e.g. hypothyroidism or hyperthyroidism)
- if you are pregnant or breastfeeding
- in cases with intestinal affections

Stop use and ask a doctor if symptoms persist, get worse, or if new symptoms occur.

Keep out of reach of children.

Directions

Adults and children \geq 12 years 5-10 drops 1-3 times daily in a little water or undiluted or as recommended.

Other information


- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product instructions.

Inactive ingredients

Ethanol, purified water.

Questions?

Call 1-800-361-7872 or email questions@reckeweg.com



R 59

US
ROSA
V0413

The statements on this package are supported by traditional homeopathic principles. The Food and Drug Administration does not evaluate homeopathic products.

Distributed by:
Dr. Reckeweg America Inc.
QC Canada H9P 2T8

Drug Facts

Active ingredients (in 10 g)
Calcarea carbonica 12X, Fucus vesiculosus 4X, Graphites 12X, Natrum sulphuricum 4X, Spongia tosta 4X, 1 g each.

Purpose
Relieves symptoms associated with weight gain due to glandular dysfunction

Uses
For the temporary relief of minor symptoms associated with:
■ Weight gain due to glandular dysfunction

Warnings
Do not use ■ if you are hypersensitive to iodine ■ if you have a thyroid condition (e.g. hypothyroidism or hyperthyroidism) ■ if you are pregnant or breastfeeding ■ in cases with intestinal affections.

Stop use and ask a doctor if symptoms persist, get worse, or if new symptoms occur.

Keep out of reach of children.

NDC# 53346-1359-5

R 59
Vesiculine

Homeopathic preparation for the temporary relief of minor symptoms associated with:

- Weight gain due to glandular dysfunction

Manufactured by:
Dr. Reckeweg & Co. GmbH
D-64625 Bensheim · Germany

Dr. Reckeweg®

1.68 fl oz
(50 ml)

Drug Facts (continued)

Directions
Adults and children 12 years and over | 5-10 drops 1-3 times daily
■ In a little water or undiluted or as recommended.

Other information
■ Tamper resistant: do not use if safety ring at base of cap is broken.
■ Retain outer carton for full product information.

Inactive ingredients
Ethanol, purified water.

Questions?
Call 1.800.361.7872 or email questions@reckeweg.com

Made in Germany

6 69330 00116 5

NDC# 53346-1359-5

Dr. Reckeweg R59 Vesiculine

Homeopathic preparation for the temporary relief of minor symptoms associated with:

- Weight gain due to glandular dysfunction

Manufactured by:

Dr. Reckeweg Co. GmbH

D-64625 Bensheim

Germany

**1.68 fl oz
(50 ml)**

DR. RECKEWEG R59 VESICULINE COMBINATION PRODUCT

calcarea carbonica 12x, fucus vesiculosus 4x, graphites 12x, natrum sulphuricum 4x, spongia tosta 4x liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53346-1359
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 50 mL
FUCUS VESICULOSUS (UNII: 535G2ABX9M) (FUCUS VESICULOSUS - UNII:535G2ABX9M)	FUCUS VESICULOSUS	4 [hp_X] in 50 mL
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	12 [hp_X] in 50 mL
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	4 [hp_X] in 50 mL
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	4 [hp_X] in 50 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53346-1359-5	50 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

Labeler - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)**Establishment**

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1359)

Revised: 4/2013

PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO