

ALAVERT ALLERGY- loratadine tablet, orally disintegrating
Haleon US Holdings LLC

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine 10 mg

PURPOSE

Antihistamine

USES

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

WARNINGS

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not use more than directed. Taking more than recommended may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- tablet melts in mouth. Can be taken with or without water.

| Age | Dose |
|--|---|
| adults and children 6 years and over | 1 tablet daily; do not use more than 1 tablet daily |
| children under 6 | ask a doctor |
| consumers who have liver or kidney disease | ask a doctor |

OTHER INFORMATION

- **Phenylketonurics:** Contains Phenylalanine 8.4 mg per tablet
- store at 20-25°C (68-77°F)
- keep in a dry place

INACTIVE INGREDIENTS

Alavert Allergy Fresh Mint

anhydrous citric acid, aspartame, colloidal silicon dioxide, corn syrup solids, crospovidone, magnesium stearate, mannitol, microcrystalline cellulose, modified starch, natural and artificial flavors, sodium bicarbonate

Alavert Allergy Citrus Burst

anhydrous citric acid, aspartame, butylated hydroxyanisole, colloidal silicon dioxide, corn syrup solids, crospovidone, dextrin, ferric oxides, magnesium stearate, maltodextrin, mannitol, microcrystalline cellulose, modified starch, natural and artificial flavors, sodium bicarbonate

QUESTIONS OR COMMENTS?

call weekdays from 9 AM to 5 PM EST at **1-800-ALAVERT (1-800-252-8378)**

PRINCIPAL DISPLAY PANEL

The product packaging shown below represents a sample of that currently in use. Additional packaging may also be available.

ALAVERT allergy **Fresh Mint**

Loratadine Orally Disintegrating Tablet, 10 mg, Antihistamine

18 Orally Disintegrating Tablets

TASTES GREAT!

Melts in your Mouth!

Non-Drowsy* Allergy Relief

*When taken as directed. See Drug Facts Panel.

24 HOUR Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

Compare to Claritin †& SAVE!

†Claritin is a registered trademark of Schering Corporation



ALAVERT® Allergy provides 24 hours of allergy symptom relief without causing drowsiness when taken as directed (See Drug Facts Panel). It contains prescription strength loratadine. Just one tablet a day relieves runny nose, sneezing and itchy, watery eyes. It is safe and effective for adults and children 6 years and over. The Fresh Mint flavored tablet melts in your mouth. So convenient, it can be taken without water. For most recent product information, visit www.alavert.com. Distributed by: Pfizer, Madison, NJ 07940 USA © 2010 Pfizer, Inc.

LOT
EXP

ALAVERT®
Non-Drowsy* Allergy Relief
Fresh Mint

Drug Facts (continued)

Directions ■ Tablet melts in mouth. Can be taken with or without water.

| Age | Dose |
|--|---|
| adults and children 6 years and over | 1 tablet daily; do not use more than 1 tablet daily |
| children under 6 | ask a doctor |
| consumers who have liver or kidney disease | ask a doctor |

Other Information

- **Phenylenolamines:** Contains Phenylenolamine 8.4 mg per tablet
- **Keep in a dry place**
- **store at 20-25°C (68-77°F)**

Inactive ingredients anhydrous citric acid, aspartame, colloidal silicon dioxide, croscarmellose sodium, croscopolone, magnesium stearate, menthyl, microcrystalline cellulose, modified starch, natural and artificial flavors, sodium bicarbonate

Questions or comments? call weekdays from 9 AM to 5 PM EST at 1-800-ALAVERT (1-800-252-8378)

Drug Facts

Active ingredient (in each tablet) Purpose
Loratadine 10 mg.....Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 When using this product do not use more than directed. Taking more than recommended may cause drowsiness.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.*

F.P.O.

3 0573-2620-19 0

ALAVERT®
Non-Drowsy* Allergy Relief
Fresh Mint



EACH TABLET IS BLISTER SEALED.
DO NOT USE IF SEAL IS BROKEN.

18 Orally Disintegrating Tablets

*When taken as directed.
See Drug Facts Panel.

TASTES GREAT!
Melts in your Mouth!

Compare to Claritin®[†] & **SAVE!**

allergy

ALAVERT®

Loratadine Orally Disintegrating Tablet, 10 mg Antihistamine

Non-Drowsy* Allergy Relief

24 HOUR Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

18 12 Orally Disintegrating Tablets

*When taken as directed. See Drug Facts Panel.

[†]Claritin® is a registered trademark of Schering Corporation

00015573.02

F.P.O.

00015573.02

PRINCIPAL DISPLAY PANEL
ALAVERT allergy Citrus Burst

Loratadine Orally Disintegrating Tablet, 10 mg, Antihistamine

18 Orally Disintegrating Tablets

TASTES GREAT!

Melts in your Mouth!

Non-Drowsy* Allergy Relief

*When taken as directed. See Drug Facts Panel.

24 HOUR Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

Compare to Claritin† & SAVE!

†Claritin is a registered trademark of Schering Corporation



Alavert® Allergy provides 24 hours of allergy symptom relief without causing drowsiness when taken as directed (See Drug Facts Panel). It contains prescription strength loratadine. Just one tablet a day relieves runny nose, sneezing and itchy, watery eyes. It is safe and effective for adults and children 6 years and over. The Citrus Burst flavored tablet melts in your mouth. So convenient, it can be taken without water. For most recent product information, visit www.alavert.com. Distributed by: Pfizer, Madison, NJ 07940 USA © 2010 Pfizer Inc.

LOT
EXP

LOT & EXP.
TARGET AREA



Drug Facts (continued)

Directions
 ■ tablet melts in mouth. Can be taken with or without water.

| Age | Dose |
|--|---|
| adults and children 6 years and over | 1 tablet daily; do not use more than 1 tablet daily |
| children under 6 | ask a doctor |
| consumers who have liver or kidney disease | ask a doctor |

Other Information
 ■ **Pharmaceutical:** Contains Phenylephrine 0.4 mg per tablet
 ■ store at 20-25°C (68-77°F)
 ■ keep in a dry place

Inactive Ingredients
 anhydrous citric acid, aspartame, butylated hydroxytoluene, colloidal silicon dioxide, corn syrup, solids, croscollon, dextrin, ferric oxides, magnesium stearate, methylcellulose, mannitol, microcrystalline cellulose, modified starch, natural and artificial flavors, sodium bicarbonate

Questions or comments?
 call weekdays from 9 AM to 5 PM EST at 1-800-ALAVERT (1-800-252-0378)

Drug Facts

Active Ingredient (in each tablet) Purpose
 Loratadine 10 mg Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 When using this product do not use more than directed. Taking more than recommended may cause drowsiness.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.



EACH TABLET IS BLISTER SEALED.
DO NOT USE IF SEAL IS BROKEN.

18 Orally Disintegrating Tablets

*When taken as directed. See Drug Facts Panel.

TASTES GREAT!
Melts in your Mouth!

Compare to Claritin®
& **SAVE!**

allergy

ALAVERT®

Loratadine Orally Disintegrating Tablet, 10 mg Antihistamine

Non-Drowsy* Allergy Relief

24 HOUR Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

18 12 Orally Disintegrating Tablets

Citrus Burst

†Claritin® is a registered trademark of Schering Corporation

*When taken as directed. See Drug Facts Panel.



HATCHING INDICATES UNVARNISHED AREA FOR GLUE

ALAVERT ALLERGY
loratadine tablet, orally disintegrating

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0573-2620 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN) | LORATADINE | 10 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| ASPARTAME (UNII: Z0H242BBR1) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| CORN SYRUP (UNII: 9G5L16BK6N) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MANNITOL (UNII: 3OWL53L36A) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) | |

Product Characteristics

| | | | |
|-----------------|------------------------|---------------------|----------|
| Color | white (off white) | Score | no score |
| Shape | ROUND (beveled tablet) | Size | 14mm |
| Flavor | MINT | Imprint Code | A;24 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:0573-2620-19 | 18 in 1 CARTON | 12/19/2002 | |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:0573-2620-01 | 50 in 1 BOX | 12/19/2002 | |
| 2 | | 1 in 1 POUCH; Type 0: Not a Combination Product | | |
| 3 | NDC:0573-2620-65 | 60 in 1 CARTON | 12/19/2002 | |
| 3 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 4 | NDC:0573-2620-71 | 1500 in 1 BOX | 12/19/2002 | |
| 4 | | 1 in 1 POUCH; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA021375 | 12/19/2002 | |

ALAVERT ALLERGY

loratadine tablet, orally disintegrating

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0573-2621 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN) | LORATADINE | 10 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| ASPARTAME (UNII: Z0H242BBR1) | |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| CORN SYRUP (UNII: 9G5L16BK6N) | |
| CROSPVIDONE (120 .MU.M) (UNII: 68401960MK) | |
| ICODEXTRIN (UNII: 2NX48Z0A9G) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| MANNITOL (UNII: 3OWL53L36A) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) | |

Product Characteristics

| | | | |
|----------|--------------------------------------|--------------|----------|
| Color | orange (an orange flat faced tablet) | Score | no score |
| Shape | ROUND (beveled tablet) | Size | 14mm |
| Flavor | CITRUS (orange mint) | Imprint Code | A;24 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:0573-2621-65 | 60 in 1 CARTON | 12/19/2002 | |

| | | | | |
|---|------------------|--|------------|--|
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:0573-2621-19 | 18 in 1 CARTON | 12/19/2002 | |
| 2 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 3 | NDC:0573-2621-13 | 12 in 1 CARTON | 12/19/2016 | |
| 3 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA021375 | 12/19/2002 | |

Labeler - Haleon US Holdings LLC (079944263)

Revised: 3/2024

Haleon US Holdings LLC