

**STOOL SOFTENER- docusate sodium capsule, liquid filled  
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

-----  
**Drug Facts**

**Active ingredient (in each softgel)**

Docusate sodium 100 mg

**Purpose**

Stool softener laxative

**Uses**

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

**Warnings**

**Do not use**

if you are presently taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using a laxative. These could be sign of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (188-222-1222) right away

**Directions**

- take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

### Other information

- **each softgel contains:** sodium 7 mg
- store at 25°C (77°); excursions permitted between 15-30°C (59°-86°F)

### Inactive ingredients

citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol special, white edible ink

### Questions or comments?

Call toll free **1-866-4-REXALL**

### Principal Display Panel

#### Stool Softener

Docusate Sodium 100 mg

Stool softener laxative

- Stimulant-free

Softgels

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**DISTRIBUTED BY**

**OLD EAST MAIN CO.**

**100 MISSION RIDGE**

**GOODLETTSVILLE, TN 37072**

**Product Label**



**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

<b>Drug Facts</b>	
<b>Active ingredient (in each softgel)</b> Docusate sodium USP, 100 mg	<b>Purpose</b> Stool softener laxative
<b>Uses</b> ■ for relief of occasional constipation and irregularity ■ this product generally produces bowel movement in 12 to 72 hours	
<b>Warnings</b> Do not use if you are presently taking mineral oil, unless directed by a doctor. <b>Ask a doctor before use if you have</b> ■ stomach pain ■ nausea ■ vomiting ■ a sudden change in bowel habits that lasts more than 2 weeks <b>Stop use and ask a doctor if</b> ■ you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week <b>if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</b>	
<b>Directions</b> ■ take with a glass of water adults and children 12 years and over take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses. children 2 to under 12 years of age take 1 softgel daily children under 2 years ask a doctor	
<b>Other information</b> ■ each softgel contains: sodium 7 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)	
<b>Inactive ingredients</b> citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, purified water, sorbitol special, white edible ink	
<b>Questions or comments?</b> Call toll free 1-866-4-REXALL	

**What's New! Buy Rexall Softgels or call 1-866-4-REXALL**

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE  
TN 37072

Since 1903 Rexall® is a registered trademark of Rexall Sundown, Inc.  
PLD-F790A  
LB009109 Lot No.:

Exp. Date:

A0199

### REXALL Stool Softener

## STOOL SOFTENER

docusate sodium capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-939(NDC:53345-008)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Oval)	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	PC1
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-939-20	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/15/2022	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/15/2022	

**Labeler** - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 3/2024

Dolgencorp, Inc. (DOLLAR GENERAL &amp; REXALL)